




1 SK105 STAND ALONE TREE PLANTER OVER PODIUM PLAN VIEW Scale: 1:20




3 SK105 TREE AND GARDEN PLANTER OVER PODIUM PLAN VIEW Scale: 1:20




5 SK105 TREE PLANTER OVER GROUND PLAN VIEW Scale: 1:20



2 SK105 STAND ALONE TREE PLANTER OVER PODIUM DETAIL Scale: 1:20



4 SK105 TREE AND GARDEN PLANTER OVER PODIUM DETAIL Scale: 1:20



6 SK105 TREE PLANTER OVER GROUND DETAIL Scale: 1:20

NOTES:
 STAKE ALIGNMENT IS SHOWN FOR ILLUSTRATION PURPOSES ONLY. STAKES ALIGNMENT SHALL RUN PARALLEL WITH ADJACENT HARDSTAND
 DUCTING FOR IRRIGATION SHALL BE PROVIDED THROUGH PLANTER WALLS

NOTES:
 STAKE ALIGNMENT IS SHOWN FOR ILLUSTRATION PURPOSES ONLY. STAKES ALIGNMENT SHALL RUN PARALLEL WITH ADJACENT HARDSTAND
 DUCTING FOR IRRIGATION SHALL BE PROVIDED THROUGH PLANTER WALLS

NOTES:
 STAKE ALIGNMENT IS SHOWN FOR ILLUSTRATION PURPOSES ONLY. STAKES ALIGNMENT SHALL RUN PARALLEL WITH ADJACENT HARDSTAND
 DUCTING FOR IRRIGATION SHALL BE PROVIDED THROUGH PLANTER WALLS

HDPE WOVEN TREE WEBBING TIEING 2X STAKES TO TREE. TIES ARE TO BE INSTALLED AT BASE OF FIRST LATERAL BUT SHALL BE NO LOWER THAN 0.8M ABOVE GROUND LEVEL
 50X50X1800MM H5 TREATED RADIATA STAKES. STAKES ARE TO BE DRIVEN 700MM INTO GROUND AND SHALL BE OUTSIDE ROOTBALL OF TREE. STAKE LENGTH DETERMINED BY HEIGHT OF TREE
 75MM COMPACTED MULCH. MULCH TO BE 100MM CLEAR OF STEM. FINISH MULCH 25MM BELOW TOP OF PLANTER
 BACKFILL PLANTER WITH CLEAN SCREENED TOPSOIL
 PLANTER WALL MATERIALS VARY
 ADJACENT HARDSTAND ON PEDESTAL SYSTEM. TBC
 30MM VERSICELL DRAINAGE GRID WRAPPED WITH BIDIM FILTER CLOTH. CONNECT INTO STORMWATER
 TOP OF THE ROOT BALL SHALL BE FLUSH WITH TOPSOIL
 PODIUM SLAB. REFER TO ARCHITECTURE

HDPE WOVEN TREE WEBBING TIEING 2X STAKES TO TREE. TIES ARE TO BE INSTALLED AT BASE OF FIRST LATERAL BUT SHALL BE NO LOWER THAN 0.8M ABOVE GROUND LEVEL
 50X50X1800MM H5 TREATED RADIATA STAKES. STAKES ARE TO BE DRIVEN 700MM INTO GROUND AND SHALL BE OUTSIDE ROOTBALL OF TREE. STAKE LENGTH DETERMINED BY HEIGHT OF TREE
 75MM COMPACTED MULCH. MULCH TO BE 100MM CLEAR OF STEM. FINISH MULCH 25MM BELOW TOP OF PLANTER
 TREE PLANTER WALL SECURED TO WALLS OF GARDEN PLANTER. MATERIALS VARY
 BACKFILL PLANTER WITH CLEAN SCREENED TOPSOIL
 CLEAN SCREENED TOPSOIL TO GARDEN PLANTER
 TOP OF GARDEN PLANTER WALL. GARDEN FINISHED 25MM BELOW TOP OF WALL
 30MM VERSICELL DRAINAGE GRID WRAPPED WITH BIDIM FILTER CLOTH. CONNECT INTO STORMWATER
 TOP OF THE ROOT BALL SHALL BE FLUSH WITH TOPSOIL
 PODIUM SLAB. REFER TO ARCHITECTURE

HDPE WOVEN TREE WEBBING TIEING 2X STAKES TO TREE. TIES ARE TO BE INSTALLED AT BASE OF FIRST LATERAL BUT SHALL BE NO LOWER THAN 0.8M ABOVE GROUND LEVEL
 50X50X1800MM H5 TREATED RADIATA STAKES. STAKES ARE TO BE DRIVEN 700MM INTO GROUND AND SHALL BE OUTSIDE ROOTBALL OF TREE. STAKE LENGTH DETERMINED BY HEIGHT OF TREE
 75MM COMPACTED MULCH. MULCH TO BE 100MM CLEAR OF STEM. FINISH MULCH 25MM BELOW TOP OF PLANTER
 BACKFILL PLANTER WITH CLEAN SCREENED TOPSOIL
 PLANTER WALL MATERIALS VARY
 ADJACENT GARDEN BED, LEVELS TBC
 CONCRETE FOOTING TO WALL OF PLANTER. DESIGN TBC
 30MM VERSICELL DRAINAGE GRID WRAPPED WITH BIDIM FILTER CLOTH. CONNECT INTO STORMWATER
 TOP OF THE ROOT BALL SHALL BE FLUSH WITH TOPSOIL
 RETAINING WALL FOR RAMP TO CARPARK. REFER TO ARCHITECTURE