

Foweraker House, Botanic gardens
PRK 1566 BLDG 017 EQ2
Detailed Engineering Evaluation(Rev R1)
Quantitative Assessment Report
Christchurch city council



Foweraker House Detailed Engineering Evaluation

Quantitative Assessment Report

Prepared By

Michael Moran

Structural Engineer

Reviewed By

Mike Roys

Senior Structural Engineer

Approved for Release By

> Robert Davey Principal Structural Engineer CPEng 17912

Telephone:

Christchurch Office 20 Moorhouse Avenue

+64 3 363 5400

Facsimile:

+64 3 365 7858

Date:

November 2013

Reference:

6-QUCCC.39

Status:

Final R1

Opus International Consultants Limited

PO Box 1482, Christchurch Mail Centre, Christchurch 8140, New Zealand

Foweraker House, Botanic Gardens PRK 1566 BLDG 017 EQ2

Detailed Engineering Evaluation Quantitative Report - SUMMARY Final R1

Hagley Park, Botanic Gardens, Christchurch

Background

This is a summary of the quantitative report for the building structure at Hagley Park, Botanic Gardens (Foweraker House), and is based on the Detailed Engineering Evaluation Procedure document (draft) issued by the Structural Advisory Group on 19 July 2011, visual inspections on 09 March 2011 and November 2011, available drawings and calculations.

Key Damage Observed

Key damage observed includes:-

- Minor cracks at the top of the frame columns at the beam intersection on the East and West walls
- There are no surrounding buildings to consider within immediate proximity of the structure.
- No evidence of ground damage or surface expression of liquefaction was visible in the immediate vicinity of the building, and no surface expression was observed elsewhere on the site.
- No signs of settlement have been observed in the floor or walls of the building. This is consistent with the observations of adjacent buildings.
- The form and depth of the foundations is unknown, however it is expected that the building is supported on shallow concrete strip footings which are assumed to be undamaged.

Critical Structural Weaknesses

The following critical structural weaknesses have been identified:

a) No Critical Structural Weaknesses have been identified in either the qualitative or quantitative assessments.

Indicative Building Strength (from quantitative assessment)

Based on the information available, and from undertaking a quantitative assessment, the building's post-earthquake capacity has been calculated as 40% NBS.

Recommendations

It is recommended that:

a) A bracing element should be re-installed into the roof of the glasshouse to mirror the existing. This would bring the capacity of the building to >67% NBS.

Contents

1	Introduction1
2	Compliance1
3	Earthquake Resistance Standards5
4	Background Information7
5	Structural Damage12
6	General Observations12
7	Detailed Seismic Assessment13
8	Summary of Geotechnical Appraisal15
9	Remedial Options15
10	Conclusions16
11	Recommendations17
12	Limitations17
13	References17
Appe	endix 1 - Photographs
Appe	endix 2 – Quantitative assessment methodology and assumptions
Appe	endix 3 – CERA DEEP data sheet
Appe	endix 4 – Structural Concepts calculations and inspection works



1 Introduction

Opus International Consultants Limited has been engaged by Christchurch City Council (CCC) to undertake a detailed seismic evaluation of Foweraker House, located in the Christchurch Botanic Gardens, following the M6.3 Christchurch earthquake on 22 February 2011.

The purpose of which is to determine if the building is classed as being earthquake prone in accordance with the Building Act 2004.

The seismic evaluation and reporting have been undertaken based on the qualitative and quantitative procedures detailed in the Detailed Engineering Evaluation Procedure (DEEP) document (draft) issued by the Structural Engineering Society (SESOC) on 19 July 2011.

2 Compliance

This section contains a brief summary of the requirements of the various statutes and authorities that control activities in relation to buildings in Christchurch at present.

2.1 Canterbury Earthquake Recovery Authority (CERA)

CERA was established on 28 March 2011 to take control of the recovery of Christchurch using powers established by the Canterbury Earthquake Recovery Act enacted on 18 April 2011. This act gives the Chief Executive Officer of CERA wide powers in relation to building safety, demolition and repair. Two relevant sections are:

Section 38 - Works

This section outlines a process in which the chief executive can give notice that a building is to be demolished and if the owner does not carry out the demolition, the chief executive can commission the demolition and recover the costs from the owner or by placing a charge on the owners' land.

Section 51 – Requiring Structural Survey

This section enables the chief executive to require a building owner, insurer or mortgagee to carry out a full structural survey before the building is re-occupied.

We understand that CERA require a detailed engineering evaluation to be carried out for all buildings (other than those exempt from the Earthquake Prone Building definition in the Building Act). CERA have adopted the Detailed Engineering Evaluation Procedure (DEEP) document (draft) issued by the Structural Engineering Society (SESOC) on 19 July 2011. This document sets out a methodology for both initial qualitative and detailed quantitative assessments.



It is anticipated that a number of factors, including the following, will determine the extent of evaluation and strengthening level required:

- 1. The importance level and occupancy of the building.
- 2. The placard status and amount of damage.
- 3. The age and structural type of the building.
- 4. Consideration of any critical structural weaknesses.

Any building with a capacity of less than 34% of new building standard (including consideration of critical structural weaknesses) will need to be strengthened to a target of 67% as required by the CCC Earthquake Prone Building Policy.

2.2 Building Act

Several sections of the Building Act are relevant when considering structural requirements:

Section 112 - Alterations

This section requires that an existing building complies with the relevant sections of the Building Code to at least the extent that it did prior to the alteration.

This effectively means that a building cannot be weakened as a result of an alteration (including partial demolition).

Section 115 – Change of Use

This section requires that the territorial authority (in this case Christchurch City Council (CCC)) is satisfied that the building with a new use complies with the relevant sections of the Building Code 'as near as is reasonably practicable'.

This is typically interpreted by CCC as being 67% of the strength of an equivalent new building. This is also the minimum level recommended by the New Zealand Society for Earthquake Engineering (NZSEE).

Section 121 – Dangerous Buildings

This section was extended by the Canterbury Earthquake (Building Act) Order 2010, and defines a building as dangerous if:

- 1. In the ordinary course of events (excluding the occurrence of an earthquake), the building is likely to cause injury or death or damage to other property; or
- 2. In the event of fire, injury or death to any persons in the building or on other property is likely because of fire hazard or the occupancy of the building; or
- 3. There is a risk that the building could collapse or otherwise cause injury or death as a result of earthquake shaking that is less than a 'moderate earthquake' (refer to Section 122 below); or



- 4. There is a risk that other property could collapse or otherwise cause injury or death; or
- 5. A territorial authority has not been able to undertake an inspection to determine whether the building is dangerous.

Section 122 - Earthquake Prone Buildings

This section defines a building as earthquake prone (EPB) if its ultimate capacity would be exceeded in a 'moderate earthquake' and it would be likely to collapse causing injury or death, or damage to other property.

A moderate earthquake is defined by the building regulations as one that would generate loads 33% of those used to design an equivalent new building.

Section 124 – Powers of Territorial Authorities

This section gives the territorial authority the power to require strengthening work within specified timeframes or to close and prevent occupancy to any building defined as dangerous or earthquake prone.

Section 131 – Earthquake Prone Building Policy

This section requires the territorial authority to adopt a specific policy for earthquake prone, dangerous and insanitary buildings.

2.3 Christchurch City Council Policy

Christchurch City Council adopted their Earthquake Prone, Dangerous and Insanitary Building Policy in 2006. This policy was amended immediately following the Darfield Earthquake on 4 September 2010.

The 2010 amendment includes the following:

- 1. A process for identifying, categorising and prioritising Earthquake Prone Buildings, commencing on 1 July 2012;
- 2. A strengthening target level of 67% of a new building for buildings that are Earthquake Prone;
- 3. A timeframe of 15-30 years for Earthquake Prone Buildings to be strengthened; and,
- 4. Repair works for buildings damaged by earthquakes will be required to comply with the above.

The council has stated their willingness to consider retrofit proposals on a case by case basis, considering the economic impact of such a retrofit.

3



If strengthening works are undertaken, a building consent will be required. A requirement of the consent will require upgrade of the building to comply 'as near as is reasonably practicable' with:

- The accessibility requirements of the Building Code.
- The fire requirements of the Building Code. This is likely to require a fire report to be submitted with the building consent application.

2.4 Building Code

The Building Code outlines performance standards for buildings and the Building Act requires that all new buildings comply with this code. Compliance Documents published by The Department of Building and Housing can be used to demonstrate compliance with the Building Code.

On 19 May 2011, Compliance Document B1: Structure was amended to include increased seismic design requirements for Canterbury as follows:

- 36% increase in the basic seismic design load for Christchurch (Z factor increased from 0.22 to 0.3);
- Increased serviceability requirements.

2.5 Institution of Professional Engineers New Zealand (IPENZ) Code of Ethics

One of the core ethical values of professional engineers in New Zealand is the protection of life and safeguarding of people. The IPENZ Code of Ethics requires that:

Members shall recognise the need to protect life and to safeguard people, and in their engineering activities shall act to address this need.

- 1.1 Giving Priority to the safety and well-being of the community and having regard to this principle in assessing obligations to clients, employers and colleagues.
- 1.2 Ensuring that responsible steps are taken to minimise the risk of loss of life, injury or suffering which may result from your engineering activities, either directly or indirectly.

All recommendations on building occupancy and access must be made with these fundamental obligations in mind.

4



3 Earthquake Resistance Standards

For this assessment, the building's earthquake resistance is compared with the current New Zealand Building Code requirements for a new building constructed on the site. This is expressed as a percentage of new building standard (%NBS). The loadings are in accordance with the current earthquake loading standard NZS1170.5 [1].

A generally accepted classification of earthquake risk for existing buildings in terms of %NBS that has been proposed by the NZSEE 2006 [2] is presented in Figure 1 below.




Figure 1: NZSEE Risk Classifications Extracted from table 2.2 of the NZSEE 2006 AISPBE Guidelines

Table 1 below compares the percentage NBS to the relative risk of the building failing in a seismic event with a 10% risk of exceedance in 50 years (i.e. 0.2% in the next year). It is noted that the current seismic risk in Christchurch results in a 6% risk of exceedance in the next year.

Table 1: %NBS compared to relative risk of failure

Percentage of New Building Standard (%NBS)	Relative Risk (Approximate)
>100	<1 time
80-100	1-2 times
67-80	2-5 times
33-67	5-10 times
20-33	10-25 times
<20	>25 times



3.1 Minimum and Recommended Standards

Based on governing policy and recent observations, Opus makes the following general recommendations:

3.1.1 Occupancy

The Canterbury Earthquake Orderⁱ in Council 16 September 2010, modified the meaning of "dangerous building" to include buildings that were identified as being EPB's. As a result of this, we would expect such a building would be issued with a Section 124 notice, by the Territorial Authority, or CERA acting on their behalf, once they are made aware of our assessment. Based on information received from CERA to date, this notice is likely to prohibit occupancy of the building (or parts thereof), until its seismic capacity is improved to the point that it is no longer considered an EPB.

3.1.2 Cordoning

 Where there is an overhead falling hazard, or potential collapse hazard of the building, the areas of concern should be cordoned off in accordance with current CERA/Christchurch City Council guidelines.

3.1.3 Strengthening

- Industry guidelines (NZSEE 2006 [2]) strongly recommend that every effort be made to achieve improvement to at least 67%NBS. A strengthening solution to anything less than 67%NBS would not provide an adequate reduction to the level of risk.
- It should be noted that full compliance with the current building code requires building strength of 100%NBS.

3.1.4 Our Ethical Obligation

In accordance with the IPENZ code of ethics, we have a duty of care to the public.
 This obligation requires us to identify and inform CERA of potentially dangerous buildings; this would include earthquake prone buildings.




ⁱ This Order only applies to buildings within the Christchurch City, Selwyn District and Waimakariri District Councils authority

4 Background Information

4.1 Building Description

Foweraker House was constructed circa 1967 and is located in Hagley Park, Botanic Gardens. The building has approximate plan dimensions 9m long x 4m wide with a height to ridge of 2.8m. No intrusive investigation of the foundations has been carried out, however, the foundations are assumed to be shallow concrete strip footings.



The super-structure consists of two distinct parts; the lower reinforced concrete frame with masonry infill; and an aluminium framed roof which is fully glazed.

The lower reinforced concrete frame consists of columns spaced at approximately 2.2m centres with a continuous concrete cill beam which is split about the door openings. The frame is in filled with brickwork masonry panels estimated to be 1 wythe thick and the vertical height of the infill panels is approximately 0.9m high.

Figure 2 - Site Location Plan


The superstructure is formed from aluminium frames at regular centres with short vertical legs at the wall positions and rafter sections extending from eaves to ridge. At every other frame line a knee brace is provided along with a raised tie between opposing slope rafters, effectively forming a truss. The raised tie is supported mid span by a vertical tie from the ridge. At the East end of the roof diagonal bracing is provided from the ridge at the gable end down to the eaves level six frames into the building on the North slope only. A number of vertical braces exist between cill and eaves level to all sides of the building, 4 each side longitudinally and 2 each side transversely.

Internally the central walkway is lined either side by raised beds which are formed with precast concrete planks with soil over which span between a shelf angle fixed internally between columns and a hollow section post/ steel beam arrangement. Springing off the edge of the bed support is a galvanised steel mesh screen extending up to the raised tie of the roof frame work.



4.2 Gravity load resisting system

An overview of the existing gravity load system has been described below.






Figure 3 – Foweraker House typical section through glasshouse






Figure 4 – Foweraker House 3D view

Transverse aluminium trusses alternate between aluminium rafters which span from the ridge to eaves. Aluminium purlins frame out the glass and transfer gravity forces back to the supporting rafters and trusses.

The trusses span transversely between the North and South side walls. The vertical legs forming the side elevation of the aluminium roof structure appear to be cast into the reinforced concrete cill beam.

Vertical loads are transmitted through the concrete cill beam into the brick infill panels, it is assumed the concrete and brick walls are supported by shallow strip footings.






Figure 5 – General elevations of Foweraker House



4.3 Seismic Load Resisting System

4.3.1 Longitudinal – East/ West Direction:

Vertical braces between the cill beam and eaves levels resist horizontal forces from the roof structure. Between the eaves and ridge levels, the single brace that exists on the North roof slope at the East end may result in unfavourable actions such as a stiffness irregularity and torsion due its asymmetric location.

Horizontal forces from the aluminium and glass roof structure enter the concrete cill beam and are resisted by the in-plane brick infill panels which brace the reinforced concrete column arrangement. This force is subsequently distributed to the ground in friction.

Horizontal forces from the concrete units and planting beds will be resisted through friction between the units and supporting shelf angle along the two side walls.

4.3.2 Transverse – North/ South direction:

The aluminium trusses resist horizontal forces through axial capacity of the truss members and their connections in shear. The rafters and purlins transfer horizontal forces back to the truss positions which are spaced at approximately 1280mm centres.

The concrete cill beam running the length of the North and South side walls spans horizontally, transferring the roof force to the concrete columns. In addition, horizontal force generated from the concrete units and planting beds are transferred to the column positions by the steel shelf angle fixed between.

The ability of the columns to resist horizontal forces by way of cantilever action will depend on their strength and the type of footing. A shallow strip footing will offer limited rotational capacity and without cantilever action of the columns the cill beam will be susceptible to large horizontal deflections.

Horizontal forces from the two gable ends will be resisted by in-plane action of the brick infill panels, which is in turn distributed to the ground by friction.

4.4 Survey

4.4.1 Post 22 February 2011 Rapid Assessment

A structural (Level 2) assessment of the building was carried out on 9th March 2011 by Opus International Consultants Limited. These inspections included external and internal visual inspections of all the structural elements only, without the benefit of any opening up works.

4.4.2 Further Inspections

A damage survey was conducted in November 2011 by Opus International Consultants Limited, refer to section 5 and Appendix A (photographs) of this report.



Additional intrusive investigation and calculations of the main structure was carried out by Structural concepts on 30th August 2013 refer to Appendix 4 of this report.

4.5 Original Documentation

Drawings of the structure were not available for this assessment.

5 Structural Damage

The following damage has been noted:

5.1 Surrounding Buildings

No buildings are within immediate proximity of Foweraker House.

5.2 Residual Displacements

No evidence of ground damage or surface expression of liquefaction was visible in the immediate vicinity of the building, and no surface expression was observed elsewhere on the site. No signs of settlement have been observed in the floor or walls of the building. This is consistent with the observations of adjacent buildings.

5.3 Foundations

The form and depth of the foundations has been recorded in Appendix 4, the building is supported on shallow concrete strip footings which were undamaged in the areas of inspection.

5.4 Primary Gravity Structure

There are signs of minor cracks at the top of the frame columns at the beam intersection on the East and West walls.

6 General Observations

The general condition of the building appears to be reasonable considering the age. There are signs of minor historic cracking to the concrete structure in a number of locations.



7 Detailed Seismic Assessment

The detailed seismic assessment has been based on the NZSEE 2006 [2] guidelines for the "Assessment and Improvement of the Structural Performance of Buildings in Earthquakes" together with the "Guidance on Detailed Engineering Evaluation of Earthquake Affected Non-residential Buildings in Canterbury, Part 2 Evaluation Procedure" [3] draft document prepared by the Engineering Advisory Group on 19 July 2011, and the SESOC guidelines "Practice Note – Design of Conventional Structural Systems Following Canterbury Earthquakes" [5] issued on 21 December 2011.

7.1 Qualitative Assessment Summary

An initial qualitative assessment of the buildings was undertaken in accordance with the DEEP guidelines and involved a desktop review of existing structural and geotechnical information, including existing drawings and calculations, and some non-intrusive and intrusive site investigation. The purpose of the assessment was to determine the likely building performance and damage patterns, to identify any potential critical structural weaknesses or collapse hazards, to confirm the require scope of the Quantitative assessment, and to make an initial assessment of the likely building strength in terms of % NBS.

7.2 Critical Structural Weaknesses

The term Critical Structural Weakness (CSW) refers to a component of a building that could contribute to increased levels of damage or cause premature collapse of a building.

No singular component or structural system forming the building structure has been found to be a Critical Structural Weakness following the qualitative and quantitative assessments.

7.3 Quantitative Assessment Methodology

The assessment assumptions and methodology have been included in Appendix 2 of the report due to the technical nature of the content. A brief summary follows:

In-plane models of the frames forming the super-structure were created along with a 3D model of the supporting concrete with brick infill structure. An assessment of the building capacities was made based on the actions determined by equivalent static forces established from NZS1170.5, with an updated Z factor of 0.3 (B1/VM1).

7.4 Limitations and Assumptions in Results

Our analysis and assessment is based on an assessment of the building in its undamaged state. Therefore the current capacity of the building will be lower than that stated.

The results have been reported as a %NBS and the stated value is that obtained from our analysis and assessment. Despite the use of best national and international practice in this analysis and assessment, this value contains uncertainty due to the many assumptions and simplifications which are made during the assessment. These include:



- Simplifications made in the analysis, including boundary conditions such as foundation fixity.
- Assessments of material strengths based on limited drawings, specifications and site inspections
- The normal variation in material properties which change from batch to batch.
- Approximations made in the assessment of the capacity of each element, especially when considering the post-yield behaviour.

7.5 Quantitative Assessment

A summary of the structural performance of the building is shown in the following tables. Note that the values given represent the worst performing elements in the building, as these effectively define the building's capacity. Other elements within the building may have significantly greater capacity when compared with the governing elements.

Table 2: Summary of Seismic Performance – Foweraker House, μ = 1.25

Structural Element/System	Failure mode or description of limiting criteria based on elastic capacity of critical element.	Critical Structural Weakness and Collapse Hazard	% NBS based on calculated capacity (ULS)
Aluminium super- structure, Transverse frames	Failure governed by the extent the frame deflecting before glazing loses support and/ or induces forces that may damage the glazing.	No	>100%
Aluminium super- structure, Longitudinal, cill to eaves.	Failure limited by strut capacity of the vertical braces.	No	>100%
Aluminium super- structure, longitudinal, eaves to ridge	Existing asymmetric single brace may induce unfavourable stiffness and torsion. (Based on investigation works and calculations provided by Structural Concepts limited refer Appendix 4)	No	40%
RC Frame with brick infill, in-plane	In-plane capacity governed by shear and strut capacity of brick infill panels.	No	>100%
RC Frame with brick infill, out-of-plane	Failure governed by lateral deflection of the cill beam combined with the inability of columns to provide cantilever action. Excessive deflection will "spread" transverse frames which may result in collapse. (Based on investigation works and calculations provided by Structural Concepts limited refer Appendix 4)	No	>100%



7.6 Evaluation of Results

In the transverse direction the aluminium frames are rated greater than 100% NBS (ULS), this is partly due to the knee brace configuration adding stiffness in the plane of frames in conjunction with the relatively close spacing of the frames which reduces the overall demand per frame.

The concrete cill beams forming the reinforced concrete side frames of the building are susceptible to out-of-plane loading, i.e. in the force in the transverse direction. The ability of the columns to resist this force assuming they have sufficient flexural capacity will depend on the type of footing and bearing strata. The calculations have been based on the findings from the site inspections.

Longitudinally the aluminium frames are braced between eaves level and concrete cill beam level, there is adequate capacity in the bracing system to achieve greater than 100% NBS (ULS). However, as there is no reliable roof diaphragm, roof bracing is required to distribute gable end face loads and the force generated from the seismic weight of the roof itself back to the longitudinal lines of bracing (and to avoid unfavourable in-plane forces being induced by the glazing). As only one diagonal roof brace has been identified, the rating of the structure between eaves and ridge level longitudinally has been limited to 40% NBS (ULS).

The in-plane capacity of the concrete frames is governed by strut action of the infill brick masonry panels which perform well due to the relatively low seismic weight above cill beam level and the stocky geometry of the panels which achieve a rating of greater than 100% NBS (ULS).

At SLS the building performs adequately with no adverse deflections expected - both in the longitudinal and transverse directions - that are likely to cause loss of support to panes of glass. It is not anticipated that the concrete frames or brick infill panels will be subject to deformation at SLS.

The building capacity is 40%NBS and is limited by the missing bracing member. It is recommended that the brace is reinstalled to match the existing, this would bring the capacity of the two buildings to >67% NBS.

8 Summary of Geotechnical Appraisal

The building is located in an area that is assessed to have shallow gravels and low risk of liquefaction. Further investigations are recommended to be undertaken at design stage to assess the risk of liquefaction and mitigation measures if the building is to be strengthened.

9 Remedial Options

The building requires strengthening, with a target of increasing the seismic performance to as near as practicable to 100% NBS, and at least 67% NBS. Our conceptual strengthening scheme to achieve this would include addressing the distribution of roof and end face loads into longitudinal bracing.



10 Conclusions

- a) The seismic performance of the building is governed by the bracing in the roof which is currently rated at 40%NBS (ULS). SLS performance is considered satisfactory for an Importance Level 2 building.
- b) The building should be improved to achieve a rating of at least 67%NBS and therefore be considered as "Low Risk".



11 Recommendations

a) A bracing element should be re-installed into the roof of the glasshouse to mirror the existing. This would bring the capacity of the building to >67% NBS.

12 Limitations

- a) This report is based on an inspection of the structure of the buildings and focuses on the structural damage resulting from the 22 February 2011 Canterbury Earthquake and aftershocks only. Some structural damage is described but this is not intended to be a complete list of damage to structural items.
- b) Our professional services are performed using a degree of care and skill normally exercised, under similar circumstances, by reputable consultants practicing in this field at this time.
- c) This report is prepared for CCC to assist with assessing the remedial works required for council buildings and facilities. It is not intended for any other party or purpose.
- d) This report has been written in conjunction with the inspection works and calculations that Structural Concepts Ltd have produced attached in Appendix 4.

13 References

- [1] NZS 1170.5: 2004, Structural design actions, Part 5 Earthquake actions, Standards New Zealand.
- [2] NZSEE: 2006, Assessment and improvement of the structural performance of buildings in earthquakes, New Zealand Society for Earthquake Engineering.
- [3] Engineering Advisory Group, Guidance on Detailed Engineering Evaluation of Earthquake Affected Non-residential Buildings in Canterbury, Part 2 Evaluation Procedure, Draft Prepared by the Engineering Advisory Group, Revision 5, 19 July 2011.
- [4] Engineering Advisory Group, *Guidance on Detailed Engineering Evaluation of Non-residential buildings, Part 3 Technical Guidance*, Draft Prepared by the Engineering Advisory Group, 13 December 2011.
- [5] SESOC, Practice Note Design of Conventional Structural Systems Following Canterbury Earthquakes, Structural Engineering Society of New Zealand, 21 December 2011.



Appendix 1 - Photographs



Fov	Foweraker House, Botanic Gardens, Christchurch					
No.	Item description	Photo				
Gen	<u>neral</u>					
1.	North East view	POTENTE				
2.	Internal view showing raised ties and mesh screening					

3. View on underside of pre-cast units bearing on shelf angle



View on underside of pre-cast units bearing on post and beam arrangement



Foweraker I	House, Botanic Gardens -	– Detailed Engineering Evaluation
Appendix 2 – Quantitative a	ssessment metho	dology and assumptions
••		



Quantitative Assessment

Methodology and Assumptions

1.1. Material Strength

Structural drawings were not available, the following material strengths were assumed:

Structural steel $- f_y = 250 \text{ MPa}$

Concrete $- f'_c = 30 \text{ MPa}$

1.2. Building Weights

Roof/glazing - 0.22 kPa

1.3. Seismic Parameters

T (estimated) = 0.40 sec

Z = 0.30

Importance Level 2

R = 1.0

N(T,D) = 1.0

Site subsoil class = D

 $\mu = 1.25$

1.4. Analysis Procedure

The transverse aluminium frames were assessed using an equivalent static method (ESM). Lumped masses were applied at eaves level and distributed gravity loads were included in the model which was analysed using an elastic software package.

The concrete cill beam was modelled using elastic software spanning between the two concrete gable frames and assumed the columns and cill beams did not have torsional stiffness.

The in-fill brick panel was checked as a strut by manual calculation in accordance with NZSEE 2006.

The in-fill brick panel was checked for out-of-plane loading in accordance with NZSEE 2006.



Appendix 3 – CERA DEEP data sheet



Detailed Engineering Evaluation Summary Data			V1.11
Location Pullding Name	Foweraker House (below cill walls)	Pavious	Robert Davey
	Unit	No: Street CPEng No:	17912
Legal Description:	Botanic Gardens, Christchurch	Company project number:	
	Degrees	Min Sec Company phone number:	+64 3 363 5400
GPS south: GPS east:	43 172	31 47.04 Date of submission: 37 14.84 Inspection Date:	13/09/2012 1-Nov-11
		Revision:	Final
Building Unique Identifier (CCC):	PRK_1566_BLDG_017 EQ2	Is there a full report with this summary?	yes
Site			
Site slope: Soil type:		Max retaining height (m): Soil Profile (if available):	Unknown
Site Class (to NZS1170.5): Proximity to waterway (m, if <100m):	D 50	If Ground improvement on site, describe:	_
Proximity to clifftop (m, if < 100m):			0.00
Proximity to cliff base (m,if <100m):		Approx site elevation (m):	6.00
Building			
No. of storeys above ground: Ground floor split?		single storey = 1 Ground floor elevation (Absolute) (m): Ground floor elevation above ground (m):	6.00 0.00
Storeys below ground	0		
Foundation type: Building height (m):	other (describe) 4.00	if Foundation type is other, describe: height from ground to level of uppermost seismic mass (for IEP only) (m):	Assumed concrete strip footings 6
Floor footprint area (approx): Age of Building (years):	36 44	Date of design:	1935-1965
Age of Building (years).	44	Date of design.	1930-1903
Strengthening present?	По	If so, when (year)?	
Use (ground floor):		And what load level (%g)? Brief strengthening description:	
Use (upper floors):	public	oner strengthening description:	
Use notes (if required): Importance level (to NZS1170.5):			
Gravity Structure			
Gravity System:	frame system		
Roof: Floors:	other (note) other (note)	describe system describe system	N/A concrete slab on grade
	cast-insitu concrete cast-insitu concrete	overall depth x width (mm x mm) typical dimensions (mm x mm)	
	non-load bearing	typical differsions (fill x fill)	
Lateral load resisting structure			
	concrete frame with infill 1.25	Note: Define along and across in note total length of wall at ground (m): detailed report! wall thickness (m):	9 0.215
Period along:		0.15 from parameters in sheet estimate or calculation?	estimated
Total deflection (ULS) (mm): maximum interstorey deflection (ULS) (mm):		estimate or calculation? estimate or calculation?	
Lateral system across: Ductility assumed, μ:	concrete frame with infill 1.25	note total length of wall at ground (m): wall thickness (m):	0.215
Period across: Total deflection (ULS) (mm):	0.40	0.43 from parameters in sheet estimate or calculation? estimate or calculation?	estimated
maximum interstorey deflection (ULS) (mm):		estimate of calculation?	
Separations:			
north (mm): east (mm):		leave blank if not relevant	
south (mm):			
west (mm):			
Non-structural elements Stairs:	other (specify)	describe	None
Wall cladding:	exposed structure Other (specify)	describe describe	brick
Glazing:	aluminium frames	describe	giazing
Ceilings: Services(list):			
Available documentation			
Architectural Structural		original designer name/date original designer name/date	
Mechanical	none	original designer name/date	
Electrical Geotech report		original designer name/date original designer name/date	
Damage Site: Site performance:	Good	Describe damage:	None observed
(refer DEE Table 4-2)			THORIC ODSCIVED
Settlement: Differential settlement:	none observed	notes (if applicable): notes (if applicable):	
Liquefaction:	none apparent	notes (if applicable):	
Lateral Spread: Differential lateral spread:	none apparent	notes (if applicable): notes (if applicable):	
Ground cracks: Damage to area:		notes (if applicable): notes (if applicable):	
Building: Current Placard Status:	green		
Along Damage ratio:	0%	Describe how damage ratio arrived at:	
	No apparent structural damage		
Across Damage ratio:		$Damage_Ratio = \frac{(\% NBS(before) - \% NBS(after))}{(\% NBS(before))}$	
Describe (summary):	No apparent structural damage	% NBS (before)	
Diaphragms Damage?:	no	Describe:	
CSWs: Damage?:	no	Describe:	
Pounding: Damage?:	no	Describe:	
Non-structural: Damage?:	IIIO	Describe:	
Recommendations			
Level of repair/strengthening required:			Out of plane bracing
Building Consent required: Interim occupancy recommendations:	yes partial occupancy	Describe: Describe:	
Along Assessed %INDS Delore:	100%	51% %NBS from IEP below	
Along Assessed %NBS before: Assessed %NBS after:	100% 100%	51% %NBS from IEP below	
		51% %NBS from IEP below 51% %NBS from IEP below	

Detailed Engineering Evaluation Summary Data			V1.11
Location	Foweraker House (Roof)	Davisusa	Robert Davey
	Unit	No: Street CPEng No:	17912
Building Address: Legal Description:	Botanic Gardens, Christchurch	Company: Company project number:	Opus International Consultants Ltd 6-QUCCC.40
	Degrees	Min Sec Company phone number:	+64 3 363 5400
GPS south:	43	31 47.04 Date of submission:	13/09/2012
GPS east:	172	37 14.84 Inspection Date: Revision:	1-Nov-11 Final
Building Unique Identifier (CCC):	PRK_1566_BLDG_017 EQ2	Is there a full report with this summary?	yes
Site			
Site slope: Soil type:		Max retaining height (m): Soil Profile (if available):	Hoknowa
Site Class (to NZS1170.5):	D		OTIKTOWIT
Proximity to waterway (m, if <100m): Proximity to clifftop (m, if < 100m):	50	If Ground improvement on site, describe:	
Proximity to cliff base (m,if <100m):		Approx site elevation (m):	6.00
Building No. of storeys above ground:	1	single storey = 1 Ground floor elevation (Absolute) (m):	6.00
Ground floor split?	no	Ground floor elevation above ground (m):	0.00
Storeys below ground Foundation type:	other (describe)	if Foundation type is other, describe:	
Building height (m): Floor footprint area (approx):	4.00	height from ground to level of uppermost seismic mass (for IEP only) (m):	6
Age of Building (years):	44	Date of design:	1935-1965
Strengthening present?	no	If so, when (year)? And what load level (%g)?	
Use (ground floor):		Brief strengthening description:	
Use (upper floors): Use notes (if required):			
Importance level (to NZS1170.5):	IL2		
Gravity Structure			
Gravity System: Roof:	other (note)	describe system	aluminium framed
Floors:	other (note) cast-insitu concrete	describe sytem overall depth x width (mm x mm)	
Columns:	cast-insitu concrete	typical dimensions (mm x mm)	
Walls:	load bearing brick	#N/A	
<u>Lateral load resisting structure</u> Lateral system along:	other (note)	Note: Define along and severe in describe quotem	Braced (incomplete)
Ductility assumed, μ:	1.25	detailed report!	
Period along: Total deflection (ULS) (mm):	0.40	0.00 estimate or calculation? estimate or calculation?	estimated
maximum interstorey deflection (ULS) (mm):		estimate or calculation?	
Lateral system across:	other (note)	describe system	Moment frames
Ductility assumed, μ:	1.25		
Period across: Total deflection (ULS) (mm):	0.40	0.00 estimate or calculation? estimate or calculation?	estimated
maximum interstorey deflection (ULS) (mm):		estimate or calculation?	
Separations:		lance blank if not relacent	
north (mm): east (mm):		leave blank if not relevant	
south (mm): west (mm):			
	other (specify)	describe	None
Wall cladding: Roof Cladding:	exposed structure Other (specify)	describe describe	glazing
Glazing:	aluminium frames		g.cag
Ceilings: Services(list):			
Available documentation			
Architectural Structural		original designer name/date original designer name/date	
Mechanical	none	original designer name/date	
Electrical Geotech report		original designer name/date original designer name/date	
Damage Site: Site performance:	Good	Describe damage:	None observed
(refer DEE Table 4-2)			UNDERVED
Settlement: Differential settlement:	none observed	notes (if applicable): notes (if applicable):	
	none apparent	notes (if applicable): notes (if applicable):	
Differential lateral spread:	none apparent	notes (if applicable):	
Ground cracks: Damage to area:		notes (if applicable): notes (if applicable):	
	apparent	посез (п аррисале).	
Building: Current Placard Status:	green		
Along Damage ratio:	0%	Describe how damage ratio arrived at:	
	No apparent structural damage		
Across Damage ratio:		$Damage_Ratio = \frac{(\% NBS (before) - \% NBS (after))}{(\% NBS (before))}$	
	No apparent structural damage	% NBS (before)	
Diaphragms Damage?:	no	Describe:	
CSWs: Damage?:	no	Describe:	
Pounding: Damage?:		Describe:	
Non-structural: Damage?:	no	Describe:	
Percommendations			
Recommendations Level of repair/strengthening required:	minor structural	Describe:	Complete roof bracing
Building Consent required: Interim occupancy recommendations:	yes	Describe: Describe:	
Along Assessed %NBS before: Assessed %NBS after:	40% 40%	0% %NBS from IEP below	
Across Assessed %NBS before:	100%	0% %NBS from IEP below	

Appendix 4 – Structural Concepts calculations and inspection works



Client: Insight Unlimited

Project: Foweraker House

Botanical Gardens, Christchurch

Ref: 1923-2243

Date: 15-May-13

CALCULATIONS

BY ALIN POANTA

BE (Civil)

REVIEWED BY

GARRY NEWTON

BE (Civil), MIPENZ, CPEng, IntPE(NZ)

CONTENTS

- 2 Gravity Loads
- 3 EQ Static 1170.5
- 5 EQ Static Forces
- 6 Brace Bolts in shear
- 7 Concrete Column Moment
- 10 Concrete Beam Moment

www.structuralconcepts.co.nz



Client: Insight Unlimited Project: Foweraker House

Botanical Gardens, Christchurch

Subject: Gravity Loads

Ref: 1923-2243

Date: 15/5/13

BY: AP

Sheet No.: 2

Loads

Roof

8mm Glass 0.214 Steel Structure 0.050

0.264 / Cos 12 = 0.264 kPa 0.269 kPa

Conservatory Structure

0 0.000 100 Med Brick 2.200 0 0.000

2.200 kPa

Live loads

R2 Roofs 0.25 kPa



Client:Insight UnlimitedRef:1923-2243Project:Foweraker HouseDate:15/5/13

Botanical Gardens, Christchurch BY: AP

Subject: EQ Static 1170.5

c Loads to NZS 1170.5							Sheet No.:	3
	<u>. </u>						Output	
Design working live					50 Years			
Importance level					2			
Annual Probability	of exceedan	ce (invers	e) Ultimate	۵	500			
Annual Probability					25			
Element		· · · · · · · · · · · · · · · · · · ·	Area/length	Load Kpa	Total kN	Live lo	ad reduction	on
Conservatory St	ructure		35.00	2.20	77.00	Total f	loor area	0.0
			17.50	0.27	4.72	1	_	
			0.00	0.00	0.00	3+-	3	
			0.00	0.00	0.00	.3+-	\sqrt{A} =	1.00
			0.00	0.00	0.00	1	t less than	
			0.00	0.00	0.00	Battio		J
	1.00	0.40	0.00	0.00	0.00	1		
	1.00	0.40	0.00	0.00	81.72	J kN		
Element			Area/length	Load Kpa	Total kN]		
Roof			17.50	0.27	4.72	1		
0			0.00	0.00	0.00	1		
0			0.00	0.00	0.00]		
			0.00	0.00	0.00	<u> </u>		
			0.00	0.00	0.00	<u> </u>		
			0.00	0.00	0.00	<u> </u>		
	1.00	0.40	0.00	0.00	0.00	1		
	1.00	0.40	0.00	0.00	0.00 4.72] kN		



Insight Unlimited Client: Ref: 1923-2243 Project: Foweraker House 15/5/13 Date: BY: ΑP

Botanical Gardens, Christchurch

Subject: EQ Static 1170.5

				Sheet No.: 4	
Design				Output	
Soil type					
D. Deep or soft soil ▼					
Across the building					
Period of building across the building		0.40			
Does the seismic bracing have ductile capabi	lities but is design	ned as n	ominally di	I □ uctile	
Structural ductility factor (Ultimate)	m =	1.25	,		
Structural ductility factor (Service SLS1)	m =	1.25			
Hazard Factor Christchurch	Z =	0.3			
Return period factor	Ru =	1.00			
Return period factor	Rs =	0.25			
Structural Performance factor (Ultimate)	Sp =	0.93			
Structural Performance factor (Service)	Sp =	0.70			
Spectral Shape Factor (across)	Ch(T) =	3.00			
Near Fault factor	N(T,D) =	1.0	n/a		
Elastic site spectra (Ultimate)	C(T) =	0.90			
Elastic site spectra (Service)	C(T) =	0.23			
Ultimate	k m =	1.14			
Service	km =	1.14			
<u>Ultimate</u>					
Horizontal design action coefficients (Across)	Cd(T1) =	0.73	But not le	ess than 0.030Ru	
Ultimate force across the building	Cd(T1) x Wi =	62.96	kN Total		
<u>Service</u>					
Horizontal design action coefficients (Across)	Cd(T1) =	0.14			
Service force across the building	Cd(T1) x Wi =	11.91	kN Total		
Along the building					
Period of building along the building		0.40			
Does the seismic bracing have ductile capabi	lities but is desigr	ned as n	ominally di	uctile \Box	
Structural ductility factor (Ultimate)	m =	1.25			
Structural ductility factor (Service SLS1)	m =	1.25			
Structural Performance factor (Ultimate)	Sp =	0.93			
Spectral Shape Factor (across)	Ch(T) =	3.00			
Near Fault factor	N(T,D) =	1.0			
Elastic site spectra (Ultimate)	C(T) =	0.90			
Elastic site spectra (Service)	C(T) =	0.23			
Ultimate	km =	1.14			
Service	km =	1.14			
<u>Ultimate</u>					
Horizontal design action coefficients (Across)	Cd(T1) =	0.73	But not le	ss than 0.030Ru	
Ultimate force along the building	Cd(T1) x Wi =	62.96	kN Total		
<u>Service</u>					
Horizontal design action coefficients (Across)	Cd(T1) =	0.18			
Service force across the building	Cd(T1) x Wi =	15.74	kN Total		



Client: Insight Unlimited Project: Foweraker House

Botanical Gardens, Christchurch

Ref:

Date:

BY:

1923-2243

15/5/13

ΑP

Subject: EQ Static Forces

Loads to NZS 1170.5			Sheet No.: 5
Design			Output
Colombia vyolakt at lavali	\A/:	4.72 LN	
Seismic weight at level i	Wi	4.72 kN	
Height at level i	hi	2.8 m	
Seismic weight at level I	Wi hi	81.72 kN 1.0 m	
Height at level I	111	1.0 111	
Sum of Wihi		94.7	
Base shear ultimate		62.96 kN	
Base shear service		11.91 kN	
8% of base shear to be applied at top level 8% of base shear to be applied at top level		5.04 kN 0.95 kN	
F: OOW Wihi			
$Fi = .92V \frac{Wihi}{\sum (Wihi)}$			
Ultimate			
Equivalent Lateral force at level i (Roof)			12.97
Equivalent Lateral force at level i			49.99
Equivalent Lateral force at level i			0.00
Equivalent Lateral force at level i			0.00
Equivalent Lateral force at level i			0.00
Equivalent Lateral force at level i			0.00
<u>Service</u>			62.96 kN bas
Equivalent Lateral force at level i (Roof)			2.45
Equivalent Lateral force at level i			9.46
Equivalent Lateral force at level i			0.00
Equivalent Lateral force at level i			0.00
Equivalent Lateral force at level i			0.00
Equivalent Lateral force at level i			0.00
1			11.91 kN bas



Client: Insight Unlimited Ref: 1923-2243 Project: Foweraker House Date: 15/5/13 ΑP BY:

Botanical Gardens, Christchurch

Subject: Brace Bolts in shear

esign o	of bolts in shear, bearing & plate te	arout		Sheet No.: 6
ef:	Design			Output
	This calculation assumes that all I	bolts are equally loaded, as in	the case of a te	ension only
	connection. It does not check for	or tension fracture of the conn	ecting ply.	
	Force on bolt (Ultimate load)	N*	13.6 kN	
	Thickness of plate	tp	2 mm	
	Grade of connecting plate	Fyp	250 Mpa	
	Tensile strength of plate	Fup	410 Mpa	
	Size of bolts in connection	df	6 mm	
	Grade of bolt		4.6	
	Tensile strength of bolt	fub	400	
	Number of bolts in group	n	1	
	Bolted lap correction	Kr	1.0	
	Shear type		Single	
	Load type		Seismic	
	The seismic system is		minally Ductile	
	Reduction factor C1	C1	1.0	
	Bolts in shear			
	Strength reduction factor	f	1	
	Shear plane through bolt is		Core Ac	
	Area of bolt	Α	20.25887 mm	
	Nominal shear capacity of bolts			
		Fu x Kr x (n x Ac + n x Ao) = Vf	5.0 kN	
	Shear strength	f Vf	5.0 kN	36%NBS
	Bolts in Bearing			
	<u>Plate</u>			
	Strength reduction factor	f	1	
	Nominal bearing capacity of bol			
		3.2 x df x tp x fup x n = Vb	15.7 kN	
	bearing strength of bolts	C1 x f x Vb	15.7 kN	PASS
2.9.4.5.2	For category 1 members connec	ted by snug tight bolt mode, h	noles shall be a	maximum of .5mm
	oversized only.			
	Plate tearout			
	<u>plate</u>			
	Edge distance		60 mm	
	Force on each bolt		13.6 kN	
	Nominal tearout capacity			
		ae x tp x Fup x n = Vb	49.2 kN	
	Tearout capacity		49.2 kN	PASS



Client: Insight Unlimited Project: Foweraker House

Botanical Gardens, Christchurch

1923-2243

15/5/13

ΑP

Ref:

Date:

BY:

Subject: Concrete Column Moment

f elastic concrete column in bending	NZS3101:2006				Sheet No.:	
Design					Output	
Axial load		N*	0	kN		
Design moment		M*	7.07	kNm		
Design Shear force		V*	7.0	kN		
Ductility factor used		m	1.25	<= 1.25		
T1						
T2 -	┰ .	The momen	t capacity	is based on o	concrete	
• • •	1	theory, as fo	ound in any	concrete te	xt book,	
T1 →	,	i.e. ccanz "R	ed Book"			
	;					
Cs						
i . l						
b p						
Typical column steel configuration	n					
Clear storey height			1000	mm		
Depth of column		h	200	mm		
Width column		b	200	mm		
Cover			40	mm		
Concrete grade		Fc'	25	Мра		
Steel reinforcement yield stress (Yeild	ding steel)	Fy	300	Мра		
Steel reinforcement yield stress (She	ar steel)	fyt	300	Мра		
Tension steel For T1						
Number of bars		No.	0			
Diameter of bars		dia	12	mm		
Area of bars at T1		As1	0	mm²		
Tension capacity	As x Fy =	T1	0.0	kN		
Tension steel For T2						
Number of bars		No.	2			
Diameter of bars		dia	12	mm		
Area of bar: As x Fy =		As2	226	mm²		
Tension capacity	As $x Fy =$	T2	67.9	kN		
Compression steel For Cs						
Number of bars		No.	2			
Diameter of bars		dia	12	mm		
Area of bars at T1		AsCs	226	mm²		
Tension capacity	As $x Fy =$	Cs	67.9	kN		
Axial load on wall						
Self weight of column 0.2 x 1 x 0.2 x 1	24 =		0.96			
Other dead load			0.00	_		
			0.96	_		
$C = T1 + T2 + Nn - Cs = 0 \times 67.87 + 0.9$	96 - 67.87 =		1.0			



Client: Insight Unlimited Project: Foweraker House

Botanical Gardens, Christchurch

1923-2243

15/5/13

ΑP

Ref:

Date:

BY:

Subject: Concrete Column Moment

	of elastic concrete column in bending continued			Sheet No.:	8
	Design			Output	
	Depth of equivalent stress block a				
	a = C				
	.85 x Fc' x b = 0.23 mm				
	therefore $c = 0.23 / 0.85 =$	0.27	mm		
	With reference to centraidal axis of the column				
	Centroid of T1	0.00	mm		
	Centroid of T2	54	mm		
	Centriod of C	100	mm		
	Centriod of Cs	54	mm		
	Hence moment capacity of column is:-				
	Mn for T1 = AS x Fy x La x 10^-6	0.0			
	Mn for T2 = AS x Fy x La x 10^-6	3.7			
	Mn for C = C x La x 10^-3	0.1			
	Mn for Cs = Cs x La x 10^-3	3.7			
		7.4	kNm		
	øMn = 7.426 kNm > 7 kNm therefore OK <u>Shear Steel design</u> Shear force V*wall	7.0	kN	PASS	
	Nominal shear stress				
10.3.3	Note d = 80% of actual length	0.00			
	$vn = V^*wall / bw x .8 x d =$	0.22	Мра		
.5.2	Maximum shear stress	F 00	N 4		
	.2 Fc' =	5.00	Мра		
	<u>OR</u>	0.00	N 4		
		8.00	Мра		
10.3.5	Shear resistance provided by concrete				
	(4Ag)	1.36	Мра		
	$.05\sqrt{fc'} + \frac{Lw\left(.1\sqrt{fc'} + .2\frac{N*}{Ag}\right)}{\frac{M*}{V*} - \frac{Lw}{2}} = vc$	N/A	Мра		
.5.1	Shear strength provided by concrete mechanisms				
	$VC \times LW \times .8 \times b = VC$	43	kN		
	VC X LVV X .O X D = VC				
	ØVc	33	kN		



Insight Unlimited Client: 1923-2243 Ref: Project: Foweraker House 15/5/13 Date: BY: ΑP

Botanical Gardens, Christchurch

Subject: Concrete Column Moment

esign o	f elastic concrete column in bending cor	ntinued			Sheet No.:	9
ef:	Design				Output	
1.3.10.3.8	(a) Shear strength provided by shear reir	nforceme	ent			
	Main bar diameter		DIA	0 mm> 10		
	Area of steel provided		Av	0 mm ² /275		
	Bar spacing		S2	275 mm		
	Maximum bar spacing		Smax	450 mm		
		1				
	A_1	$\frac{a}{fvt} = \frac{a}{fvt}$	= Vs	0 kN		
	111	$y.fyt \frac{d}{S_2}$				
		2	øVs	0 kN		
	Total shoor strongth		ØVc + ØVs	33 kN	PASS	
	Total shear strength		ØVC + ØV3	33 KIN	PASS	
	(le) N dissipant uses also a sure stand					
1.3.10.3.8	(b) Minimum shear steel	bw.S2	۸	1002/075	NIA I	
	<u>''</u>	$\frac{bw.S2}{fyt}$	Av	128 mm²/275	NA	
		fyt				
					1	



Client: Insight Unlimited
Project: Foweraker House

Botanical Gardens, Christchurch

1923-2243

15/5/13

NS

Ref:

Date:

BY:

Subject: Concrete Beam Moment

	CED CONCRETE RECTANGULAR BEAI	ALDESIGNED TO NZ	53101:PAR	1 1:2006	Sheet No.: 10
ef:	Design				Output
	Design bending moment from ana	alysis	M*	1 kNm	
	Shear from analysis		V*	2 kN	
	Beam dimensions and materials				
5.2.1	Concrete grade		Fc'	25 Mpa	
5.3.3	Steel reinforcement yield stress		Fy	300 Mpa	
	Shear steel yield stress		Fyt	300 Mpa	
	Cover to reinforcement		С	60 mm	
	Depth of beam		D	200 mm	
	Width of beam		bw	200 mm	
	Effective depth	H-C-DIA/2 =	d	133.65 mm	
2.3.2.2	Strength reduction factor flexural		\mathbf{f}	1.00	
	Strength reduction factor Shear		f	0.75	
		As Fv			
	Lever arm	$d - \frac{As.Fy}{1.7Fc'b} =$	Jd	125 mm	
		1.71°C D			
	Main bar diameter		DIA	12.7 mm	
	Number of bars		N	2	
	Area of steel provided		As	253 mm²	
	Minimum area of tension steel				
9.3.8.2.1	Min. area of tension steel	$\frac{\sqrt{Fc'}}{4Fy}bw.d =$	As min	111 mm²	
7.3.0.2.1	Will. died of terision steel	4Fy	7.5 111111		
	But equal to or greater than	1.4 bw.d/Fy =	As min	125 mm²	
9.3.8.2.3	Alternatively may be 1/3 greater than	,			
7.3.0.2.3		x Fy x Jd x 10^-6 =	øMn	9.5 kNm	> 1.2 kNm
	Moment capacity 9 x A3 7	(Tyx50x10 -0 =	ØIVIII	7.5 KINITI	PASS
	Shear Check				FA33
7 - 1		\/* / (b\\\ d)	V/D	0.07E Mpg	
7.5.1	Total nominal shear stress	$V^* / (bw.d) =$	vn	0.075 Mpa	
7.5.2	Maximum shear stress vn shall be le			F O N4:	. 0 075 1/4 -
		.2Fc' or 8Mpa		5.0 Mpa	> 0.075 Mpa
					PASS
9.3.9.3.4	Shear stress provided by concrete				
	Vc = vc.Acv	Where $vc =$	kd.ka.vb		
	Batta of Landan and C	0 - 11 - 1		0.0005	
9.1	Ratio of tension reinfrocement vb = smaller of $(.07+10r)\sqrt{Fc'}$	$\frac{As / bw d}{OR} = \frac{2\sqrt{Fc'}}{}$	r	0.0095	
		OR ·2VIII			
	But not less than .08 x Fc'^.5		vb	0.824 Mpa	
	Aggregate size factor		ka	1.0	
	Effective depth factor		kd	1.00	
		vb x ka x kd =	VC	0.824 Mpa	
	Nominal shear strength provided b	y concrete			
	Nominal shear strength provided by	vc.Acv =	Vc	22.0 kN	




Client: Insight Unlimited 1923-2243 Ref: Project: Foweraker House 15/5/13 Date: NS


Botanical Gardens, Christchurch BY:

Subject: Concrete Beam Moment


REINFOR	CED CONCRETE RECTANGULAR BEAN	M DESIGNED CONTI	NUED		Sheet No.:	11
Ref:	Design				Output	
9.3.9.4.15	Minimum shear steel requirement					
		Bar dia	dia	0 mm		
		No. legs		4		
	$1 \int_{a}^{b} bw.s$	Spacing	S	200 mm	> 66.825 m	m
	$Av = \frac{1}{16} \sqrt{f'c} \frac{bw.s}{fyt}$	Min Area	Av	41.7 mm ²	NA	
	$\int \int $	Area provided		0.0 mm ²	< 41.67 mm	1 ²
9.3.9.3.6	Shear reinforcement required wher	n vn>vc			NA	
	$Vs = Av. fyt. \frac{d}{S}$		Vs	0.0 kN		
	$VS = AV.Jyl.{S}$					
7.5.3	Shear strengt	(Vc + Vs) x f =	Vn	16.5 kN	> 2 kN	
					PASS	
	I				I	



Units - Len: m, Sec: mm, Mat: MPa, Dens: T/m^3, Temp: Celsius, Force: kN, Mom: kNm, Mass: T, Acc: g's, Trans: mm, Stre Scales - Frame: 1:56, Load: 1, Disp. None, Moment: None, Shear: None, Axial: None, Torsion: None Job: \\ScInapsbs001.scl.local\Da...\2243\1923-2243 130510 EXISTING GN3 Loads ok




Units - Len: m, Sec: mm, Mat: MPa, Dens: T/m^3, Temp: Celsius, Force: kN, Mom: kNm, Mass: T, Acc: g's, Trans: mm, Stre Scales - Frame: 1:56, Load: 1, Disp: None, Moment: None, Shear: None, Axial: None, Torsion: None Job: \\ScInapsbs001.scl.local\Da...\2243\1923-2243 130510 EXISTING GN3 Loads ok



Job: \\ScInapsbs001.scl.local\Da...\2243\1923-2243 130510 EXISTING GN3 Loads ok


Filter: conc

Units - Len: m, Sec: mm, Mat: MPa, Dens: T/m^3, Temp: Celsius, Force: kN, Mom: kNm, Mass: T, Acc: g's, Trans: mm, Stre Scales - Frame: 1:57, Load: None, Disp: None, Moment: 0.596311, Shear: None, Axial: None, Torsion: None



Job: \\ScInapsbs001.scl.local\Da...\2243\1923-2243 130510 EXISTING GN3 Loads ok Filter: conc

Units - Len: m, Sec: mm, Mat: MPa, Dens: T/m^3, Temp: Celsius, Force: kN, Mom: kNm, Mass: T, Acc: g's, Trans: mm, Stre Scales - Frame: 1:57, Load: None, Disp: None, Moment: None, Shear: 0.309228, Axial: None, Torsion: None



Job: \\ScInapsbs001.scl.local\Da...\2243\1923-2243 130510 EXISTING GN3 Loads ok Filter: Frame

Units - Len: m, Sec: mm, Mat: MPa, Dens: T/m^3, Temp: Celsius, Force: kN, Mom: kNm, Mass: T, Acc: g's, Trans: mm, Stre Scales - Frame: 1:19, Load: None, Disp: None, Moment: None, Shear: None, Axial: 0.465661, Torsion: None

	STATUS REP					Node	X Coord	Y Coord	Z Coord
	192				Loads ok Engineers\Garry Newton Ltd\19	69 70 71	3.700 3.200 2.700	1.500 1.838 2.176	2.500 2.500 2.500
	nits property un					72 73	1.850	2.176 0.000	2.500
Material	strength w	nits		MPa		74 75	0.000	1.000	3.000
Temperatu	re units .			Celsiu	3	76	0.500	1.838	3.000
Moment ur	its nits			kNm		77 78	1.000	2.176 2.750	3.000
Accelerat	is ion units			g's		79 80	3.700	1.000	3.000
Translati	ion units .			mm		81 82	3.700	1.500	3.000
					(32765)	83 84	2.700 1.850	2.176 2.176	3.000
Members .					(32765) (32765)	85 86	0.000	0.000	3.500
Restraine	ed nodes			42	(32765)	87	0.000	1.500	3.500
Section p	th spring r properties			5	(32765) (999)	88 89	0.500 1.000	1.838 2.176	3.500 3.500
	properties ned nodes .				(999) (32765)	90 91	1.850 3.700	2.750 0.000	3.500
Member of	ffsets			0	(32765)	92 93	3.700	1.000	3.500
	ds ed node dis				(32765) (32765)	94 95	3.200 2.700	1.838	3.500
Member co	oncentrated istributed	loads		0	(32765) (32765)	96 97	1.850	2.176	3.500 4.000
Member di	istributed	torsions		0	(32765) (32765)	98	0.000	1.000	4.000
Member pr	restress lo	ads		0	(32765)	100	0.500	1.838	4.000
Self weig	essure load ght load ca	ses		1	(32765) (10000)	101 102	1.000	2.176 2.750	4.000
	ion load ca es with tit				(10000) (10000)	103 104	3.700	0.000 1.000	4.000
	asses load cases				(32765) (10000)	105 106	3.700	1.500	4.000
	nalysis			У		107 108	2.700 1.850	2.176	4.000
Dynamic a	analysis			N N		109 110	0.000	0.000	4.500
Buckling	analysis .			N		111	0.000	1.500	4.500
Non-lines	itioned ar converge	nce		N Y		112 113	1.000	2.176	4.500 4.500
	h grees of fr			78 1728		114 115	1.850	2.750 0.000	4.500
	oad cases . i cases			3	(10000) (10000)	116 117	3.700	1.000	4.500
						118 119	3.200	1.838	4.500
NODE COOF	RDINATES (m)				120 121	1.850	2.176	4.500
		.,				122	0.000	1.000	5.000
Node	X Coord	Y Coord	Z Coord			123 124	0.000	1.500	5.000
1	0.000	0.000	0.000			125 126	1.000	2.176 2.750	5.000
2	0.000 1.850	1.500 2.750	0.000			127 128	3.700 3.700	1.000	5.000
4 5	0.500	1.838	0.000			129 130	3.700	1.500	5.000
6 7	3.700 3.700	0.000	0.000			131 132	2.700 1.850	2.176	5.000
8	3.200 2.700	1.838	0.000			133 134	0.000	0.000	5.500 5.500
10 11	1.850	2.176	0.000			135 136	0.000	1.500	5.500
12	0.000	1.000	0.000			137	1.000	2.176	5.500
13 14	3.700 0.000	1.000	0.000			138 139	1.850 3.700	0.000	5.500 5.500
15 16	0.000	1.500	0.500			140 141	3.700 3.700	1.000	5.500
17 18	1.000	2.176 2.750	0.500			142 143	3.200 2.700	1.838	5.500 5.500
19 20	3.700	0.000	0.500			144 145	1.850	2.176	5.500 6.000
21 22	3.700	1.500	0.500			146 147	0.000	1.000	6.000
23 24	2.700 1.850	2.176 2.176	0.500			148 149	0.500	1.838 2.176	6.000 6.000
25 26	0.000	0.000	1.000			150 151	1.850	2.750	6.000
27 28	0.000	1.500	1.000			152 153	3.700	1.000	6.000
29	0.500	1.838	1.000			154	3.700	1.500	6.000
30 31	1.850 3.700	2.750 0.000	1.000			155 156	2.700 1.850	2.176 2.176	6.000 6.000
32 33	3.700 3.700	1.000	1.000			157 158	0.000	1.000	6.500 6.500
34 35	3.200 2.700	1.838	1.000			159 160	0.000	1.500	6.500 6.500
36 37	1.850	2.176	1.000			161 162	1.000	2.176	6.500 6.500
38 39	0.000	1.000	1.500			163 164	3.700	0.000	6.500
40 41	0.500	1.838	1.500			165 166	3.700	1.500	6.500
42	1.000	2.176 2.750	1.500			167	3.200 2.700	1.838	6.500 6.500
43 44	3.700 3.700	1.000	1.500 1.500			168 169	1.850	2.176 0.000	6.500 7.000
45 46	3.700 3.200	1.500	1.500			170 171	0.000	1.000	7.000
47 48	2.700 1.850	2.176	1.500			172 173	0.500	1.838	7.000
49 50	0.000	0.000	2.000			174 175	1.850 3.700	2.750 0.000	7.000 7.000
51 52	0.000	1.500	2.000			176 177	3.700 3.700	1.000	7.000
53 54	1.000	2.176	2.000			178 179	3.200	1.838	7.000
55	1.850	0.000	2.000			180	2.700 1.850	2.176 2.176	7.000
56 57	3.700	1.000	2.000			181 182	0.000	1.000	7.500 7.500
58 59	3.200 2.700	1.838 2.176	2.000			183 184	0.000	1.500	7.500 7.500
60 61	1.850	2.176 0.000	2.000 2.500			185 186	1.000	2.176 2.750	7.500 7.500
62 63	0.000	1.000	2.500			187 188	3.700 3.700	0.000	7.500 7.500
64 65	0.500	1.838	2.500			189 190	3.700	1.500	7.500
66 67	1.850	2.750	2.500			191 192	2.700	2.176	7.500
68	3.700	1.000	2.500			193	0.000	0.000	8.000

Node	X Coord	Y Coord	Z Coord	MEMBER DATA (deg,kNm/rad,m) (F=Fixed, R=Released) (*=Cable leng	gth)	
194 195	0.000	1.000	8.000	Dir Dir Memb Memb Angle Node Axis Type Node A Node B St		A Node B
196 197	0.500	1.838	8.000	Memb Angle Node Axis Type Node A Node B So	3 2 FFFFF	
198 199	1.850	2.750	8.000	2 0.00 Norm 2 4 5 3 0.00 Norm 4 5	1 1 FFFFFF 1 1 FFFFFF	F FFFFFF 0.603
200 201	3.700	1.000	8.000	4 0.00 Norm 5 234 5 0.00 Norm 6 13	1 1 FFFFFF 3 2 FFFFFF	F FFFFFF 0.483
202	3.200	1.838	8.000	6 0.00 Norm 7 8 7 0.00 Norm 8 9	1 1 FFFFFF 1 1 FFFFFF	F FFFFFF 0.603
204	1.850	2.176	8.000 8.500	8 0.00 Norm 9 233 9 0.00 Norm 13 7	1 1 FFFFFF 1 1 FFFRR	F FFFFFF 0.483
206 207	0.000	1.000	8.500 8.500	10 0.00 Norm 219 260 11 0.00 Norm 225 246	1 1 FFFFFF 1 1 FFFFFF	F FFFFFF 0.707
208 209	0.500	1.838 2.176	8.500 8.500	12 0.00 Norm 10 235 13 0.00 Norm 7 239	1 1 FFFFFF 1 1 FFFFFF	F FFFFFF 0.450
210 211	1.850	2.750 0.000	8.500 8.500	14 0.00 Norm 12 2 15 0.00 Norm 2 243	1 1 FFFRRI 1 1 FFFFF	R FFFFFF 0.500
212 213	3.700	1.000	8.500 8.500	16 0.00 Norm 11 301 17 0.00 Norm 15 16	4 2 FFFFRI 1 1 FFFFFI	
214 215	3.200 2.700	1.838	8.500 8.500	18 0.00 Norm 16 17 19 0.00 Norm 17 263	1 1 FFFFFF 1 1 FFFFFF	
216 217	1.850	2.176 0.000	8.500 9.000	20 0.00 Norm 19 302 21 0.00 Norm 21 22	4 2 FFFFRI 1 1 FFFFFI	
218 219	0.000	1.000	9.000 9.000	22 0.00 Norm 22 23 23 0.00 Norm 23 262	1 1 FFFFFI 1 1 FFFFFI	
220 221	0.500 1.000	1.838 2.176	9.000	24 0.00 Norm 20 21 25 0.00 Norm 17 24	1 1 FFFRRI 2 1 FFFFFI	F FFFFFF 0.850
222 223	1.850	2.750 0.000	9.000	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2 1 FFFFFI 2 1 FFFFFI	F FFFFFF 0.850
224 225	3.700	1.000	9.000	28 0.00 Norm 18 24 29 0.00 Norm 14 15	2 1 FFFFFF 1 1 FFFRR	R FFFFFF 0.500
226 227	3.200 2.700	1.838 2.176	9.000	30 0.00 Norm 20 22 31 0.00 Norm 25 303	2 1 FFFFFI 4 2 FFFFRI	R FFFFFF 0.400
228 229	1.850	2.176 1.000	9.000 0.000	32 0.00 Norm 27 28 33 0.00 Norm 28 264	1 1 FFFFFF 1 1 FFFFFF	F FFFFFF 0.141
230 231	1.400	1.000 0.000	0.000	34 0.00 Norm 29 269 35 0.00 Norm 31 304	1 1 FFFFFF 4 2 FFFFRF	R FFFFFF 0.400
232 233	1.400	0.000 2.446	0.000	36 0.00 Norm 33 34 37 0.00 Norm 34 261	1 1 FFFFFF 1 1 FFFFFF	F FFFFFF 0.141
234 235	1.400	2.446 2.176	0.000	38 0.00 Norm 35 30 39 0.00 Norm 32 33	1 1 FFFFFF 1 1 FFFRRF	R FFFFFF 0.500
236 237	1.400	2.176	0.000	40 0.00 Norm 29 36 41 0.00 Norm 26 28	2 1 FFFFFF 2 1 FFFFFF	F FFFFFF 0.976
238 239	2.700 3.200	1.676	0.000	42 0.00 Norm 36 35 43 0.00 Norm 30 36	2 1 FFFFFF 2 1 FFFFFFF	F FFFFFF 0.574
240 241	2.700 0.500	1.000	0.000	44 0.00 Norm 26 27 45 0.00 Norm 32 34	1 1 FFFRRF 2 1 FFFFFF	F FFFFFF 0.976
242 243	1.000	1.676 1.000 1.000	0.000	46 0.00 Norm 37 305 47 0.00 Norm 39 40 48 0.00 Norm 40 270	4 2 FFFFRI 1 1 FFFFFI	F FFFFFF 0.603
244 245 246	1.000	2.176	9.000	49 0.00 Norm 41 42	1 1 FFFFFF 1 1 FFFFFF	F FFFFFF 1.026
247	3.200 1.400	2.176	9.000	51 0.00 Norm 45 46	4 2 FFFFRI 1 1 FFFFFI	F FFFFFF 0.603
248 249	1.400	1.000	9.000	52 0.00 Norm 46 47 53 0.00 Norm 47 42	1 1 FFFFFF 1 1 FFFFFF 1 1 FFFRFF	F FFFFFF 1.026
250 251 252	2.300	0.000 1.000 0.000	9.000	54 0.00 Norm 44 45 55 0.00 Norm 41 48 56 0.00 Norm 38 40	2 1 FFFFF	F FFFFFF 0.850
252 253 254	1.400 3.200 2.300	1.338	9.000 9.000 9.000	56 0.00 Norm 38 40 57 0.00 Norm 48 47 58 0.00 Norm 42 48	2 1 FFFFFF 2 1 FFFFFF 2 1 FFFFFFF	F FFFFFF 0.850
255 256	2.700	1.676	9.000	59 0.00 Norm 38 39 60 0.00 Norm 44 46	1 1 FFFRRI 2 1 FFFFF	R FFFFFF 0.500
257 258	2.700	1.000	9.000	61 0.00 Norm 49 307 62 0.00 Norm 51 52	4 2 FFFFRI 1 1 FFFFFI	R FFFFFF 0.800
259 260	1.000	1.676	9.000	63 0.00 Norm 52 271 64 0.00 Norm 53 54	1 1 FFFFFF 1 1 FFFFFF	F FFFFFF 0.141
261 262	3.083	1.917	1.000	65 0.00 Norm 55 308 66 0.00 Norm 57 58	4 2 FFFFRI 1 1 FFFFF	R FFFFFF 0.800
263 264	1.233	2.333	0.500	67 0.00 Norm 58 59 68 0.00 Norm 59 54	1 1 FFFFFF 1 1 FFFFFF	F FFFFFF 0.603
265 266	1.233	2.333 1.917	8.500 8.000	69 0.00 Norm 56 57 70 0.00 Norm 53 60	1 1 FFFRRE 2 1 FFFFF	R FFFFFF 0.500
267 268	2.467	2.333	8.500 8.000	71 0.00 Norm 50 52 72 0.00 Norm 60 59	2 1 FFFFFF 2 1 FFFFFF	F FFFFFF 0.976
269 270	1.233	2.333	1.000	73 0.00 Norm 54 60 74 0.00 Norm 50 51	2 1 FFFFFI 1 1 FFFRR	
271 272	0.617	1.917	2.000	75 0.00 Norm 56 58 76 0.00 Norm 61 62	2 1 FFFFFF 3 2 FFFFFF	F FFFFFF 0.976
273 274	1.542	2.542	0.500 8.500	77 0.00 Norm 63 272 78 0.00 Norm 64 65	1 1 FFFFFI 1 1 FFFFFI	
275 276	1.233	2.333	8.000 7.500	79 0.00 Norm 65 66 80 0.00 Norm 67 68	1 1 FFFFFF 3 2 FFFFFF	
277 278	0.617 0.308	1.917	7.000 6.500	81 0.00 Norm 69 70 82 0.00 Norm 70 71	1 1 FFFFFI 1 1 FFFFFI	F FFFFFF 0.603
279 280	2.158 2.467	2.542	8.500 8.000	83 0.00 Norm 71 66 84 0.00 Norm 68 69	1 1 FFFFFF 1 1 FFFRR	R FFFFFF 0.500
281 282	2.775 3.083	2.125 1.917	7.500 7.000	85 0.00 Norm 65 72 86 0.00 Norm 62 64	2 1 FFFFFF 2 1 FFFFFF	F FFFFFF 0.976
283 284	3.392	1.708	6.500 9.000	87 0.00 Norm 72 71 88 0.00 Norm 66 72	2 1 FFFFFF 2 1 FFFFFF	F FFFFFF 0.574
285 286	3.200	1.321	9.000	89 0.00 Norm 62 63 90 0.00 Norm 68 70	1 1 FFFRRI	F FFFFFF 0.976
287 288	2.700 0.500	1.143	9.000	91 0.00 Norm 73 74 92 0.00 Norm 75 76	4 2 FFFFRI 1 1 FFFFFI	F FFFFFF 0.603
289 290	1.000	1.143	9.000	93 0.00 Norm 76 77 94 0.00 Norm 77 78	1 1 FFFFFF	F FFFFFF 1.026
291 292	2.700 0.500	1.143	0.000	95 0.00 Norm 79 80 96 0.00 Norm 81 82	4 2 FFFFRI	F FFFFFF 0.603
293 294 295	1.000	0.000	0.000	97 0.00 Norm 82 83 98 0.00 Norm 83 78 99 0.00 Norm 80 81	1 1 FFFFFF 1 1 FFFFFFF 1 1 FFFFFFFFFFFF	F FFFFFF 1.026
296	2.700 0.500	0.000	0.000	100 0.00 Norm 77 84	2 1 FFFFF	F FFFFFF 0.850
297 298	3.200 1.000	0.000	9.000	101 0.00 Norm 74 76 102 0.00 Norm 84 83	2 1 FFFFFF 2 1 FFFFFF	F FFFFFF 0.850
299 300 301	2.700 0.500 0.000	0.000 0.000 0.200	9.000 9.000 0.500	103 0.00 Norm 78 84 104 0.00 Norm 74 75 105 0.00 Norm 80 82	2 1 FFFFFI 1 1 FFFRRI 2 1 FFFFFI	R FFFFFF 0.500
302 303	3.700	0.200	0.500	105 0.00 NOrm 80 82 106 0.00 Norm 85 86 107 0.00 Norm 87 88	4 2 FFFFRI 1 1 FFFFF	R FFFFRR 1.000
304 305	3.700 0.000	0.400	1.000	108 0.00 Norm 88 89 109 0.00 Norm 89 90	1 1 FFFFFF 1 1 FFFFFF	F FFFFFF 0.603
306 307	3.700	0.600	1.500	110 0.00 Norm 91 92 111 0.00 Norm 93 94	4 2 FFFFFF 1 1 FFFFFF	R FFFFRR 1.000
308 309	3.700	0.800	2.000	112 0.00 Norm 94 95 113 0.00 Norm 95 90	1 1 FFFFFF 1 1 FFFFFF	F FFFFFF 0.603
310 311	3.700	0.800	7.000	114 0.00 Norm 92 93 115 0.00 Norm 89 96	1 1 FFFRRI 2 1 FFFFF	R FFFFFF 0.500
312 313	3.700	0.600	7.500 8.000	116 0.00 Norm 86 88 117 0.00 Norm 96 95	2 1 FFFFF	
314 315	3.700	0.400	8.000 8.500	118 0.00 Norm 90 96 119 0.00 Norm 86 87		F FFFFFF 0.574
316	3.700	0.200	8.500	120 0.00 Norm 92 94 121 0.00 Norm 97 98		F FFFFFF 0.976 R FFFFRR 1.000
				122 0.00 Norm 99 100	1 1 FFFFF	F FFFFFF 0.603

\DC.	s r g r	1 (COMPAC	CI 2	шат	y S I	5 \221	J \	22 2243	13031		MIDIING	GIVO	пос	Las	OK		
	Dir	Dir Dir Memb					Node B			Dir	Dir Dir Memb				Node A		
Memb	Angle	Node Axis Type	Node A	Node B	Sect	Mat Fixity	Fixity	Length	Memb	Angle	Node Axis Type	Node A	Node B	Sect	Mat Fixity	Fixity	Length
123	0.00	Norm	100	101	1	1 FFFFFF	FFFFFF	0.603	248	0.00	Norm	203	280	1	1 FFFFFF	FFFFFF	0.282
124	0.00	Norm	101	102	1	1 FFFFFF		1.026	249	0.00	Norm	200	201	1	1 FFFRRR		0.500
125 126	0.00	Norm Norm	103 105	104 106	4	2 FFFFRR 1 FFFFFF		1.000	250 251	0.00	Norm Norm	197 194	204 196	2	1 FFFFFF 1 FFFFFF		0.850 0.976
127	0.00	Norm	106	107	1	1 FFFFFF		0.603	252	0.00	Norm	204	203	2	1 FFFFFF		0.850
128	0.00	Norm	107	102	1	1 FFFFFF		1.026	253	0.00	Norm	198	204	2	1 FFFFFF		0.574
129 130	0.00	Norm Norm	104 101	105 108	1 2	1 FFFRRR 1 FFFFFF		0.500	254 255	0.00	Norm Norm	194 200	195 202	1 2	1 FFFRRR 1 FFFFFF		0.500 0.976
131	0.00	Norm	98	100	2	1 FFFFFF		0.976	256	0.00	Norm	205	315	4	2 FFFFRR		0.200
132	0.00	Norm	108	107	2	1 FFFFFF		0.850	257	0.00	Norm	207	208	1	1 FFFFFF		0.603
133 134	0.00	Norm Norm	102 98	108 99	2	1 FFFFFF 1 FFFRRR		0.574 0.500	258 259	0.00	Norm Norm	208 209	209 265	1	1 FFFFFF 1 FFFFFF		0.603
135	0.00	Norm	104	106	2	1 FFFFFF		0.976	260	0.00	Norm	211	316	4	2 FFFFRR		0.202
136	0.00	Norm	109	110	3	2 FFFFFF	FFFFFF	1.000	261	0.00	Norm	213	214	1	1 FFFFFF	FFFFFF	0.603
137 138	0.00	Norm Norm	111 112	112 113	1	1 FFFFFF 1 FFFFFF		0.603 0.603	262 263	0.00	Norm Norm	214 215	215 267	1	1 FFFFFF 1 FFFFFF		0.603
139	0.00	Norm	113	114	1	1 FFFFFF		1.026	264	0.00	Norm	212	213	1	1 FFFRRR		0.500
140	0.00	Norm	115	116	3	2 FFFFFF		1.000	265	0.00	Norm	209	216	2	1 FFFFFF		0.850
141 142	0.00	Norm Norm	117 118	118 119	1	1 FFFFFF 1 FFFFFF		0.603	266 267	0.00	Norm Norm	206 216	208 215	2	1 FFFFFF 1 FFFFFF		0.976
143	0.00	Norm	119	114	1	1 FFFFFF		1.026	268	0.00	Norm	210	216	2	1 FFFFFF		0.574
144	0.00	Norm	116	117	1	1 FFFRRR		0.500	269	0.00	Norm	206	207	1	1 FFFRRR		0.500
145 146	0.00	Norm Norm	113 110	120 112	2	1 FFFFFF 1 FFFFFF		0.850	270 271	0.00	Norm Norm	212 217	214 218	2	1 FFFFFF 2 FFFFFF		0.976 1.000
147	0.00	Norm	120	119	2	1 FFFFFF		0.850	272	0.00	Norm	219	220	1	1 FFFFFF		0.603
148	0.00	Norm	114	120	2	1 FFFFFF		0.574	273	0.00	Norm	220	221	1	1 FFFFFF		0.603
149 150	0.00	Norm Norm	110 116	111 118	1 2	1 FFFRRR 1 FFFFFF		0.500	274 275	0.00	Norm Norm	221 223	222 224	1	1 FFFFFF 2 FFFFFF		1.026
151	0.00	Norm	121	122	4	2 FFFFRR		1.000	276	0.00	Norm	225	226	1	1 FFFFFF		0.603
152	0.00	Norm	123	124	1	1 FFFFFF		0.603	277	0.00	Norm	226	227 222	1	1 FFFFFF		0.603
153 154	0.00	Norm Norm	124 125	125 126	1	1 FFFFFF 1 FFFFFF		0.603 1.026	278 279	0.00	Norm Norm	227 224	222	1	1 FFFFFF 1 FFFRRR		1.026 0.500
155	0.00	Norm	127	128	4	2 FFFFRR		1.000	280	0.00	Norm	3	273	1	1 FFFFFF		0.623
156 157	0.00	Norm	129	130	1	1 FFFFFF	FFFFFF	0.603	281	0.00	Norm	269	30 270	1	1 FFFFFF 1 FFFFFF		0.744
157	0.00	Norm Norm	130 131	131 126	1	1 FFFFFF 1 FFFFFF		0.603 1.026	282 283	0.00	Norm Norm	269 270	41	1	1 FFFFFF		0.623
159	0.00	Norm	128	129	1	1 FFFRRR		0.500	284	0.00	Norm	218	219	1	1 FFFRRR	FFFFFF	0.500
160	0.00	Norm	125		2	1 FFFFFF		0.850	285	0.00	Norm	225	212	1	1 FFFFFF		0.707
161 162	0.00	Norm Norm	122 132	124 131	2	1 FFFFFF 1 FFFFFF		0.976 0.850	286 287	0.00	Norm Norm	225 224	213 212	2	1 FFFFFF 2 FFFFFF		0.500
163	0.00	Norm	126	132	2	1 FFFFFF	FFFFFF	0.574	288	0.00	Norm	21	7	2	1 FFFFFF	FFFFFF	0.500
164	0.00	Norm	122		1	1 FFFRRR		0.500	289	0.00	Norm	20	13	3	2 FFFFFF		0.500
165 166	0.00	Norm Norm	128 133	130 134	2	1 FFFFFF 2 FFFFRR		0.976 1.000	290 291	0.00	Norm Norm	33 32	21 20	2	1 FFFFFF 2 FFFFFF		0.500
167	0.00	Norm	135	136	1	1 FFFFFF		0.603	292	0.00	Norm	45	33	2	1 FFFFFF		0.500
168	0.00	Norm	136	137	1	1 FFFFFF		0.603	293	0.00	Norm	44	32	3	2 FFFFFF		0.500
169 170	0.00	Norm Norm	137 139	138 140	1 4	1 FFFFFF 2 FFFFRR		1.026	294 295	0.00	Norm Norm	57 56	45 44	2	1 FFFFFF 2 FFFFFF		0.500
171	0.00	Norm	141	142	1	1 FFFFFF		0.603	296	0.00	Norm	69	57	2	1 FFFFFF		0.500
172	0.00	Norm	142	143	1	1 FFFFFF		0.603	297	0.00	Norm	68	56	3	2 FFFFFF		0.500
173 174	0.00	Norm Norm	143 140	138 141	1	1 FFFFFF 1 FFFRRR		1.026	298 299	0.00	Norm Norm	81 80	69 68	2	1 FFFFFF 2 FFFFFF		0.500
175	0.00	Norm	137	144	2	1 FFFFFF		0.850	300	0.00	Norm	93	81	2	1 FFFFFF		0.500
176	0.00	Norm	134	136	2	1 FFFFFF		0.976	301	0.00	Norm	92	80	3	2 FFFFFF		0.500
177 178	0.00	Norm Norm	144 138	143 144	2	1 FFFFFF 1 FFFFFF		0.850 0.574	302 303	0.00	Norm Norm	105 104	93 92	2	1 FFFFFF 2 FFFFFF		0.500
179	0.00	Norm	134	135	1	1 FFFRRR		0.500	304	0.00	Norm	117	105	2	1 FFFFFF		0.500
180 181	0.00	Norm	140	142	2	1 FFFFFF		0.976	305	0.00	Norm	116	104	3	2 FFFFFF		0.500
182	0.00	Norm Norm	145 147	146 148	1	2 FFFFRR 1 FFFFFF		1.000	306 307	0.00	Norm Norm	129 128	117 116	3	1 FFFFFF 2 FFFFFF		0.500
183	0.00	Norm	148	149	1	1 FFFFFF		0.603	308	0.00	Norm	141	129	2	1 FFFFFF		0.500
184	0.00	Norm	149	150	1	1 FFFFFF		1.026	309	0.00	Norm	140	128	3	2 FFFFFF		0.500
185 186	0.00	Norm Norm	151 153	152 154	4	2 FFFFRR 1 FFFFFF		1.000	310 311	0.00	Norm Norm	153 152	141 140	2	1 FFFFFF 2 FFFFFF		0.500
187	0.00	Norm	154	155	1	1 FFFFFF		0.603	312	0.00	Norm	165	153	2	1 FFFFFF		0.500
188	0.00	Norm	155	150	1	1 FFFFFF		1.026	313	0.00	Norm	164	152	3	2 FFFFFF		0.500
189 190	0.00	Norm Norm	152 149	153 156	1 2	1 FFFRRR 1 FFFFFF		0.500 0.850	314 315	0.00	Norm Norm	177 176	165 164	2	1 FFFFFF 2 FFFFFF		0.500
191	0.00	Norm	146	148	2	1 FFFFFF	FFFFFF	0.976	316	0.00	Norm	189	177	2	1 FFFFFF		0.500
192	0.00	Norm	156	155	2	1 FFFFFF		0.850	317	0.00	Norm	188	176	3	2 FFFFFF		0.500
193 194	0.00	Norm Norm	150 146	156 147	2	1 FFFFFF 1 FFFRRR		0.574 0.500	318 319	0.00	Norm Norm	201 200	189 188	2	1 FFFFFF 2 FFFFFF		0.500
195	0.00	Norm	152	154	2	1 FFFFFF		0.976	320	0.00	Norm	213	201	2	1 FFFFFF		0.500
196	0.00	Norm	157	158	3	2 FFFFFF		1.000	321	0.00	Norm	212	200	3	2 FFFFFF		0.500
197 198	0.00	Norm Norm	159 160	278 161	1	1 FFFFFF 1 FFFFFF		0.372	322 323	0.00	Norm Norm	222 18	210 3	2	1 FFFFFF 1 FFFFFF		0.500
199	0.00	Norm	161	162	1	1 FFFFFF		1.026	324	0.00	Norm	30	18	2	1 FFFFFF		0.500
200 201	0.00	Norm Norm	163 165	164 283	3 1	2 FFFFFF 1 FFFFFF		1.000	325 326	0.00	Norm Norm	42 54	30 42	2	1 FFFFFF 1 FFFFFF		0.500
202	0.00	Norm	166	167	1	1 FFFFFF		0.603	327	0.00	Norm	66	54	2	1 FFFFFF		0.500
203	0.00	Norm	167	162	1	1 FFFFFF		1.026	328	0.00	Norm	78	66	2	1 FFFFFF		0.500
204 205	0.00	Norm Norm	164 161	165 168	1 2	1 FFFRRR 1 FFFFFF		0.500	329 330	0.00	Norm Norm	90 102	78 90	2	1 FFFFFF 1 FFFFFF		0.500
206	0.00	Norm	158	160	2	1 FFFFFF		0.976	331	0.00	Norm	114	102	2	1 FFFFFF		0.500
207	0.00	Norm	168	167	2	1 FFFFFF		0.850	332	0.00	Norm	126	114	2	1 FFFFFF		0.500
208 209	0.00	Norm Norm	162 158	168 159	2	1 FFFFFF 1 FFFRRR		0.574	333 334	0.00	Norm Norm	138 150	126 138	2	1 FFFFFF 1 FFFFFF		0.500
210	0.00	Norm	164	166	2	1 FFFFFF	FFFFFF	0.976	335	0.00	Norm	162	150	2	1 FFFFFF	FFFFFF	0.500
211	0.00	Norm	169	309	4	2 FFFFRR 1 FFFFFF		0.800	336	0.00	Norm	174	162	2	1 FFFFFF 1 FFFFFF		0.500
212 213	0.00	Norm Norm	171 172	172 277	1	1 FFFFFF 1 FFFFFF		0.603 0.141	337 338	0.00	Norm Norm	186 198	174 186	2	1 FFFFFF 1 FFFFFF		0.500
214	0.00	Norm	173	174	1	1 FFFFFF	FFFFFF	1.026	339	0.00	Norm	210	198	2	1 FFFFFF	FFFFFF	0.500
215 216	0.00	Norm Norm	175 177	310 178	4	2 FFFFRR 1 FFFFFF		0.800	340 341	0.00	Norm Norm	219 218	207 206	2	1 FFFFFF 2 FFFFFF		0.500
216	0.00	Norm	177	282	1	1 FFFFFF		0.603	341	0.00	Norm	15	206	2	2 FFFFFF 1 FFFFFF		0.500
218	0.00	Norm	179	174	1	1 FFFFFF	FFFFFF	1.026	343	0.00	Norm	14	12	3	2 FFFFFF		0.500
219 220	0.00	Norm Norm	176 173	177 180	1 2	1 FFFRRR 1 FFFFFF		0.500 0.850	344 345	0.00	Norm Norm	27 26	15 14	2	1 FFFFFF 2 FFFFFF		0.500
221	0.00	Norm	170	172	2	1 FFFFFF		0.030	346	0.00	Norm	39	27	2	1 FFFFFF		0.500
222	0.00	Norm	180		2	1 FFFFFF	FFFFFF	0.850	347	0.00	Norm	38	26	3	2 FFFFFF	FFFFFF	0.500
223 224	0.00	Norm Norm	174 170	180 171	2	1 FFFFFF 1 FFFRRR		0.574 0.500	348 349	0.00	Norm Norm	51 50	39 38	2	1 FFFFFF 2 FFFFFF		0.500
225	0.00	Norm	176	178	2	1 FFFFFF		0.976	350	0.00	Norm	63	51	2	1 FFFFFF	FFFFFF	0.500
226	0.00	Norm	181	311	4	2 FFFFRR	FFFFFF	0.600	351	0.00	Norm	62	50	3	2 FFFFFF	FFFFFF	0.500
227 228	0.00	Norm Norm	183 184	184 276	1	1 FFFFFF 1 FFFFFF		0.603	352 353	0.00	Norm Norm	75 74	63 62	2	1 FFFFFF 2 FFFFFF		0.500
228	0.00	Norm	184	186	1	1 FFFFFF		1.026	353	0.00	Norm	87	75	2	1 FFFFFF		0.500
230	0.00	Norm	187	312	4	2 FFFFRR	FFFFFF	0.600	355	0.00	Norm	86	74	3	2 FFFFFF	FFFFFF	0.500
231 232	0.00	Norm Norm	189 190	190 281	1	1 FFFFFF 1 FFFFFF		0.603	356 357	0.00	Norm Norm	99 98	87 86	2	1 FFFFFF 2 FFFFFF		0.500
232	0.00	Norm	191		1	1 FFFFFF		1.026	358	0.00	Norm	111	99	2	1 FFFFFF		0.500
234	0.00	Norm	188	189	1	1 FFFRRR	FFFFFF	0.500	359	0.00	Norm	110	98	3	2 FFFFFF	FFFFFF	0.500
235 236	0.00	Norm Norm	185 182	192 184	2	1 FFFFFF 1 FFFFFF		0.850	360 361	0.00	Norm Norm	123 122	111 110	2	1 FFFFFF 2 FFFFFF		0.500
237	0.00	Norm	192		2	1 FFFFFF		0.850	362	0.00	Norm	135	123	2	1 FFFFFF		0.500
238	0.00	Norm	186	192	2	1 FFFFFF	FFFFFF	0.574	363	0.00	Norm	134	122	3	2 FFFFFF	FFFFFF	0.500
239 240	0.00	Norm Norm	182 188	183 190	1 2	1 FFFRRR 1 FFFFFF		0.500 0.976	364 365	0.00	Norm Norm	147 146	135 134	2	1 FFFFFF 2 FFFFFF		0.500
241	0.00	Norm	193	313	4	2 FFFFRR	FFFFFF	0.400	366	0.00	Norm	159	147	2	1 FFFFFF	FFFFFF	0.500
242	0.00	Norm	195	196 266	1	1 FFFFFF		0.603	367	0.00	Norm	158	146	3	2 FFFFFF		0.500
243 244	0.00	Norm Norm	196 197	266 275	1	1 FFFFFF 1 FFFFFF		0.141 0.282	368 369	0.00	Norm Norm	171 170	159 158	2	1 FFFFFF 2 FFFFFF		0.500
245	0.00	Norm	199	314	4	2 FFFFRR	FFFFFF	0.400	370	0.00	Norm	183	171	2	1 FFFFFF	FFFFFF	0.500
246 247	0.00	Norm Norm	201 202	202 268	1	1 FFFFFF 1 FFFFFF		0.603 0.141	371 372	0.00	Norm Norm	182 195	170 183	3	2 FFFFFF 1 FFFFFF		0.500
		1401 III	202	_00	-						1,02111			-			

Memb	Dir Angle	Dir D Node Ax		o e Node A	Node B	Sect		Node A Fixity		Lengtl	1	Memb	Dir Angle	Dir Axis		Node A	Node B	Sect			Node B Fixity	Length
373 374	0.00		Nor		182 195	3 2		FFFFFF		0.500		498 499	0.00		Norm	296 294	1 296	5			FFFFFF	0.500
375 376	0.00		Nor	n 206	194	3	2	FFFFFF	FFFFFF	0.500		500 501	0.00		Norm	223 252	297 298	5			FFFFFF	0.500
377 378	0.00		Nor	n 10	236 244	1	1	FFFFFF	FFFFFF	0.450		502 503	0.00		Norm	297 299	299 250	5	2 1	FFFFFF	FFFFFF	0.500
379 380	0.00		Nor		229 230	3		FFFFFF		1.000		504 505	0.00		Norm	300 298	217 300	5			FFFFFF FFFFFF	0.500
381 382	0.00		Nor	n 233	3 235	1	1	FFFFFF FFFRRR	FFFFFF	0.543		506 507	0.00		Norm Norm	231 250	232 252	5	2 1	FFFFFF	FFFFFF	0.900
383 384	0.00		Nor	n 234	235 3 236	1	1	FFFFFF FFFRRR	FFFFFF	0.543		508 509	0.00		Norm	230	1 301	4	2 1	FFFFFR	FFFFFR FFFFFF	1.720
385	0.00		Nor	n 237	8	1	1	FFFFFF	FFFFFF	0.500		510	0.00		Norm	6	229	4	2 1	FFFFFR	FFFFFR	1.720
386 387	0.00		Nor	n 238	233	1	1	FFFFFF	FFFFFF	0.270		511 512	0.00		Norm	217	248 315	4	2 1	FFFFFR	FFFFFF	1.720 0.539
388 389	0.00		Nor	n 239	234 240	1	2	FFFFFF FFFFFF	FFFFFF	0.270		513 514	0.00		Norm Norm	223 223	251 316	4	2 1	FFFFRR	FFFFFR FFFFFF	1.720 0.539
390 391	0.00		Nor	n 240	290 229	1	2	FFFFFF FFFFFF	FFFFFF	0.016		515 516	0.00		Norm Norm	6 301	302 14	4	2 1	FFFFFF	FFFFFF FFFFRR	0.539
392 393	0.00		Nor	n 241	291 4	1	1	FFFFFF FFFFFF	FFFFFF	0.533		517 518	0.00		Norm Norm	301 302	303 20	4	2 1	FFFFFF	FFFFFF FFFFRR	0.539
394 395	0.00		Nor	n 241	5 292	1	1	FFFFFF FFFFFF	FFFFFF	0.500		519 520	0.00		Norm Norm	302 303	304 26	4	2 1	FFFFFF	FFFFFF FFFFRR	0.539
396 397	0.00		Nor		293 12	1		FFFFFF FFFFFF		0.533		521 522	0.00		Norm Norm	303 304	305 32	4			FFFFFF	0.539
398 399	0.00		Nor		243 245	3 1		FFFFFF FFFFFF		0.500		523 524	0.00		Norm Norm	304 305	306 38	4			FFFFFF	0.539
400 401	0.00		Nor		246 247	3 1		FFFFFF FFFFFF		0.500		525 526	0.00		Norm Norm	305 306	307 44	4			FFFFFF FFFFRR	0.539
402 403	0.00		Nor	n 248	249 251	3		FFFFFF FFFFFF		0.400		527 528	0.00		Norm Norm	306 307	308 50	4			FFFFFF FFFFRR	0.539
404 405	0.00		Nor		248 284	3 1		FFFFFF FFFRRR		1.000		529 530	0.00		Norm Norm	307 308	62 56	4			FFFRRR FFFFRR	0.539
406 407	0.00		Nor		247 226	1		FFFRRR FFFFFF		1.176		531 532	0.00		Norm Norm	308 309	68 170	4			FFFRRR FFFFRR	0.539
408 409	0.00		Nor	n 245	254 227	1	1	FFFFFF FFFFFF	FFFFFF	0.270		533 534	0.00		Norm	309 310	158 176	4	2 1	FFFFFF	FFFRRR FFFFRR	0.539
410 411	0.00		Nor	n 247	256 257	1	1	FFFFFF FFFFFF	FFFFFF	0.270		535 536	0.00		Norm Norm	310 311	164 182	4	2 1	FFFFFF	FFFRRR FFFFRR	0.539
412 413	0.00		Nor	n 253	285 251	1	1	FFFFFF	FFFFFF	0.016		537 538	0.00		Norm Norm	311 312	309 188	4	2 1	FFFFFF	FFFFFF	0.539
414 415	0.00		Nor	n 255	287 220	1	1	FFFFFF FFFFFF	FFFFFF	0.533		539 540	0.00		Norm Norm	312 313	310 194	4	2 1	FFFFFF	FFFFFF FFFFRR	0.539
416 417	0.00		Nor	n 259	221 288	1	1	FFFFFF	FFFFFF	0.500		541 542	0.00		Norm	313 314	311	4	2 1	FFFFFF	FFFFFF	0.539
418	0.00		Nor	n 259	289	1	1	FFFFFF	FFFFFF	0.533		543	0.00		Norm	314	312	4	2 1	FFFFFF	FFFFFF	0.539
419 420	0.00		Nor	n 249	218 260	3	2	FFFFFF	FFFFFF	0.500		544 545	0.00		Norm	315 315	206 313	4	2 1	FFFFFF	FFFFFF	0.800
421 422	0.00		Nor	n 2	206 14	1	1	FFFFFF FFFFFF	FFFFFF	0.707		546 547	0.00		Norm	316 316	212 314	4	2 1	FFFFFF	FFFFRR FFFFFF	0.800
423 424	0.00		Nor	n 261	20 35	1	1	FFFFFF FFFFFF	FFFFFF	0.707		565 566	0.00		Norm	227	215	2	1 1	FFFFFF	FFFFFF	0.500
425 426	0.00		Nor	n 262	271 18	1	1	FFFFFF FFFFFF	FFFFFF	0.623		567 568	0.00		Norm	35 47	23 35	2	1 1	FFFFFF	FFFFFF FFFFFF	0.500 0.500
427 428	0.00		Nor	n 263	53 273	1	1	FFFFFF FFFFFF	FFFFFF	0.463		569 570	0.00		Norm Norm	59 71	47 59	2	1 1	FFFFFF	FFFFFF	0.500 0.500
429 430	0.00		Nor	n 264	272 29	1	1	FFFFFF FFFFFF	FFFFFF	0.623		571 572	0.00		Norm Norm	83 95	71 83	2	1 1	FFFFFF	FFFFFF FFFFFF	0.500
431 432	0.00		Nor	n 265	64 274	1		FFFFFF FFFFFF		0.231		573 574	0.00		Norm Norm	107 119	95 107	2			FFFFFF FFFFFF	0.500 0.500
433 434	0.00		Nor	n 266	75 197	1		FFFFFF FFFFFF		0.623		575 576	0.00		Norm Norm	131 143	119 131	2			FFFFFF FFFFFF	0.500
435 436	0.00		Nor		269 279	1		FFFFFF FFFFFF		0.623		577 578	0.00		Norm Norm	155 167	143 155	2			FFFFFF FFFFFF	0.500
437 438	0.00		Nor		18 203	1		FFFFFF FFFFFF		0.372		579 580	0.00		Norm Norm	179 191	167 179	2			FFFFFF FFFFFF	0.500
439 440	0.00		Nor		166 179	1		FFFFFF FFFFFF		0.231		581 582	0.00		Norm Norm	203 215	191 203	2			FFFFFF FFFFFF	0.500
441 442	0.00		Nor	n 281	191 198	1		FFFFFF FFFFFF		0.091		600 601	0.00		Norm Norm	221 17	209 5	2			FFFFFF FFFFFF	0.500
443 444	0.00		Nor		210 211	1 5		FFFFFF FFFFFF		0.372		602 603	0.00		Norm Norm	29 41	17 29	2			FFFFFF FFFFFF	0.500
445 446	0.00		Nor	n 278	160 173	1		FFFFFF FFFFFF		0.231		604 605	0.00		Norm Norm	53 65	41 53	2			FFFFFF FFFFFF	0.500
447 448	0.00		Nor	n 276	185 198	1	1	FFFFFF FFFFFF	FFFFFF	0.091		606 607	0.00		Norm	77 89	65 77	2 2	1 1	FFFFFF	FFFFFF FFFFFF	0.500
449 450	0.00		Nor	n 274	210 6	1 5	1	FFFFFF FFFFFF	FFFFFF	0.372		608 609	0.00		Norm	101 113	89 101	2	1 1		FFFFFF	0.500
451 452	0.00		Nor	n 31	19 31	5	2	FFFFFF FFFFFF	FFFFFF	0.500		610 611	0.00		Norm	125 137	113 125	2 2	1 1	FFFFFF	FFFFFF	0.500
453 454	0.00		Nor	n 55	43 55	5	2	FFFFFF		0.500		612 613	0.00		Norm Norm	149 161	137 149	2 2	1 1	FFFFFF	FFFFFF FFFFFF	0.500
455 456	0.00		Nor	n 79	67 79	5	2	FFFFFF	FFFFFF	0.500		614 615	0.00		Norm Norm	173 185	161 173	2	1 1	FFFFFF	FFFFFF	0.500
457 458	0.00		Nor	n 103	91		2	FFFFFF	FFFFFF	0.500		616 617	0.00		Norm Norm	197 209	185 197	2	1 1	FFFFFF	FFFFFF	0.500
459 460	0.00		Nor	n 127		5	2	FFFFFF	FFFFFF FFFFFF	0.500												
461 462	0.00		Nor	n 151			2	FFFFFF	FFFFFF	0.500			RESTRAINT				S=Sprin	a. *:	=Gener	al)		
463 464	0.00		Nor	n 175	163	5	2	FFFFFF	FFFFFF	0.500			Rest								Potation	Z Rotation
465 466	0.00		Nor	n 199	187		2	FFFFFF	FFFFFF	0.500		Node	Code									Stiffness
467 468	0.00		Nor	n 217	205	5	2	FFFFFF	FFFFFF	0.500			FFFFFF									
469 470	0.00		Nor	n 25	11	5	2	FFFFFF	FFFFFF	0.500		11	FFFRRR									
471 472	0.00		Nor	n 49	37	5	2	FFFFFF	FFFFFF	0.500		25	FFFRRR FFFRRR									
473 474	0.00		Nor	n 61	49	5	2	FFFFFF	FFFFFF	0.500		37	FFFRRR FFFRRR									
475	0.00		Nor	n 73	61	5	2	FFFFFF	FFFFFF	0.321		49	FFFRRR									
476 477	0.00		Nor	n 85	73		2	FFFFFF	FFFFFF	0.143		61	FFFFFF									
478 479	0.00		Nor	n 288	260	1	1	FFFFFF	FFFFFF	0.500		73	FFFFFF									
480 481	0.00		Nor	n 289	249		1	FFFFFF	FFFFFF	0.500		85	FFFRRR									
482 483	0.00		Nor	n 133	121	5	2	FFFFFF	FFFFFF FFFFFF	0.500		97	FFFRRR FFFRRR									
484 485	0.00		Nor	n 157	145	5 5	2	FFFFFF	FFFFFF FFFFFF	0.500		109	FFFRRR FFFFFF									
486 487	0.00		Nor	n 181			2	FFFFFF	FFFFFF FFFFFF	0.500		121	FFFFFF FFFRRR									
488 489	0.00		Nor	n 290	239	1	1	FFFFFF	FFFFFF FFFRRR	0.500		133	FFFRRR FFFRRR									
490 491	0.00		Nor	n 292	243		1	FFFFFF FFFFFF	FFFRRR FFFRRR	0.143		145	FFFRRR FFFRRR									
492 493	0.00		Nor	n 293	244	1 5	1	FFFFFF	FFFRRR FFFFFF	0.143		151	FFFRRR FFFFFF									
494 495	0.00		Nor	n 6 n 232	286 294	5 5	2	FFFFFF FFFFFF	FFFFFF FFFFFF	0.500		163 169	FFFFFF FFFRRR									
496 497	0.00		Nor	n 286	295	5	2		FFFFFF	0.500		175	FFFRRR FFFRRR									

\DCB	, rg11 (CO.	присег	MIGLYS	15 \2	213 \1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2213 1	.505	10 112	KIDIII	10 0113	ПОас	is or		
	Rest X Ax: Code Stiffne		l Z Axial X					Load	Node	X-Axis Force	Y-Axis Force	Z-Axis Force	X-Axis Moment	Y-Axis Moment	Z-Axis Moment
		ess stillnes	s stillness .	stirines	s Stillines	38 SCILLI	ness	Case							
187 FFE 193 FFE									20 26	0.000	0.000	1.320	0.000	0.000	0.000
199 FFE	FRRR								30	0.000	0.000	0.750	0.000	0.000	0.000
205 FFE 211 FFE									32 38	0.000	0.000	1.320	0.000	0.000	0.000
217 FFE 223 FFE									42 44	0.000	0.000	0.750 1.320	0.000	0.000	0.000
231 FFE									50	0.000	0.000	1.320	0.000	0.000	0.000
232 FFE 250 FFE									54 56	0.000	0.000	0.750 1.320	0.000	0.000	0.000
252 FFE									62	0.000	0.000	1.320	0.000	0.000	0.000
									66 68	0.000	0.000	0.750 1.320	0.000	0.000	0.000
	PROPERTIES (mr	m,mm^2,mm^4,d	leg)						74 78	0.000	0.000	1.320 0.750	0.000	0.000	0.000
									80	0.000	0.000	1.320	0.000	0.000	0.000
Sect Na	ame		Mark Shape	2	Source				86 90	0.000	0.000	1.320	0.000	0.000	0.000
	5*3 EA			l angle	Aust300				92	0.000	0.000	1.320	0.000	0.000	0.000
	0*3 EA oncrete column	n		l angle i square	User	J			98 102	0.000	0.000	1.320 0.750	0.000	0.000	0.000
	rick oundation			i square	User User				104 110	0.000	0.000	1.320	0.000	0.000	0.000
									114	0.000	0.000	0.750	0.000	0.000	0.000
			Axis Z-Axis of In Mom of I				rinc ungle		116 122	0.000	0.000	1.320	0.000	0.000	0.000
1 1 4	4300E+02 5 15	NNE+N2 3 19NN	E+03 1.2100E+04	4 Infir	nite Infi	inite 45	5.00		126 128	0.000	0.000	0.750 1.320	0.000	0.000	0.000
2 1.7	7300E+02 6.05	00E+02 5.7300	E+03 2.1800E+04	4 Infir	nite Infi	inite 45	5.00		134	0.000	0.000	1.320	0.000	0.000	0.000
			E+07 4.2188E+0° E+06 2.6367E+06				0.00		138 140	0.000	0.000	0.750 1.320	0.000	0.000	0.000
5 6.2	2500E+04 5.49	22E+08 3.2552	E+08 3.2552E+08	8 Infir	nite Infi	inite (0.00		146 150	0.000	0.000	1.320	0.000	0.000	0.000
Sect Sh	hape	Trans Mir R	Rotate D	Bt/Bb I	Btw/Bbw '	Tt/Tb Tv	w/Rr		152	0.000	0.000	1.320	0.000	0.000	0.000
1 Ec	qual angle	No No	0.00 25.00	0.00	0.00		3.00		158 162	0.000	0.000	1.320 0.750	0.000	0.000	0.000
				0.00	0.00	3.00 5	5.00		164	0.000	0.000	1.320	0.000	0.000	0.000
	qual angle	No No	0.00 30.00	0.00		3.00 5	3.00		170 174	0.000	0.000	1.320 0.750	0.000	0.000	0.000
3 Sc	olid square	No No	0.00 150.00	0.00	0.00		0.00		176 182	0.000	0.000	1.320	0.000	0.000	0.000
4 Sc	olid square	No No	0.00 75.00	0.00	0.00	0.00	0.00		186	0.000	0.000	0.750	0.000	0.000	0.000
5 Sc	olid square	No No	0.00 250.00	0.00	0.00	0.00	0.00		188 194	0.000	0.000	1.320	0.000	0.000	0.000
				0.00	0.00	0.00 0	0.00		198 200	0.000	0.000	0.750 1.320	0.000	0.000	0.000
*********	PROPERTIES (I	m - m - 42	-1(1						206	0.000	0.000	1.320	0.000	0.000	0.000
MATERIAL	(I	MPa,1/m:3,str	ain/degc)						210 212	0.000	0.000	0.750 1.320	0.000	0.000	0.000
Matl Ma	aterial Name	Young's Modulus	Poisson's Ratio I	Mass Density	Coeff of Expansion	Concret Strengt			218 222	0.000	0.000	1.320	0.000	0.000	0.000
					-	berenge			224	0.000	0.000	1.320	0.000	0.000	0.000
1 ST	TEEL ONCRETE-20	2.0000E+05 2.5000E+04			1.170E-05 1.000E-05	20.0	00								
								SELF W	EIGHT (g	's)					
	DS (kN,kNm)														
								Load Case	X-Axi Accel						
Load Case No	X-Axis		Z-Axis Force	X-Axis Moment	Y-Axis Moment	Z-Axi Momer		1	0.00						
								-	0.00	-1.00		00			
2	3 0.750 12 1.320		0.000	0.000	0.000	0.00		COMBIN	ATION LOA	AD CASES					
	13 1.320 14 1.320	0.000	0.000	0.000	0.000	0.00	00								
	18 0.750	0.000	0.000	0.000	0.000	0.00	00	Load c	ase 4: St	W+Seism on 1	K direction				
	20 1.320 26 1.320		0.000	0.000	0.000	0.00		1.000	* Load ca	ase 1: Self	Weight				
	30 0.750 32 1.320		0.000	0.000	0.000	0.00				ase 2: Seis		ction			
	38 1.320	0.000	0.000	0.000	0.000	0.00	00	Load c	ase 5: SV	W+Seism on	Z direction				
	42 0.750 44 1.320		0.000	0.000	0.000	0.00		1.000	* Load ca	ase 1: Self	Weight				
	50 1.320 54 0.750		0.000	0.000	0.000	0.00				ase 3: Seis		ction			
	56 1.320	0.000	0.000	0.000	0.000	0.00	00								
	62 1.320 66 0.750		0.000	0.000	0.000	0.00			ASE TITLE						
	68 1.320 74 1.320		0.000	0.000	0.000	0.00		Load							
	78 0.750	0.000	0.000	0.000	0.000	0.00	00		Title						
	80 1.320 86 1.320		0.000	0.000	0.000	0.00		1	Self Wei	ight					
	90 0.750 92 1.320	0.000	0.000	0.000	0.000	0.00	00	2	Seism or	n X direction n Z direction					
	98 1.320	0.000	0.000	0.000	0.000	0.00	00	4	SW+Seism	n on X dire	ction				
	102 0.750 104 1.320		0.000	0.000	0.000	0.00		5 6	LMD on 2	n on Z dired X direction	ction				
1	110 1.320 114 0.750	0.000	0.000	0.000	0.000	0.00	00	7 16	LMD on 2	Z direction L loads on 1	direction				
1	116 1.320	0.000	0.000	0.000	0.000	0.00	00	17		l loads on 2					
	122 1.320 126 0.750		0.000	0.000	0.000	0.00									
1	128 1.320	0.000	0.000	0.000	0.000	0.00	00		MASSES	(T,Tm^2)					
1	134 1.320 138 0.750	0.000	0.000	0.000	0.000	0.00	00								
	140 1.320 146 1.320	0.000	0.000	0.000	0.000	0.00		Load Case	Node	X-Axis Mass	Y-Axis Mass	Z-Axis Mass	X-Axis Mass	Y-Axis Mass	Z-Axis Mass
1	150 0.750	0.000	0.000	0.000	0.000	0.00	00								
1	152 1.320 158 1.320	0.000	0.000	0.000	0.000	0.00	00	6	3 12	0.050 0.160	0.000	0.000	0.000	0.000	0.000
	162 0.750 164 1.320		0.000	0.000	0.000	0.00			13 14	0.160	0.000	0.000	0.000	0.000	0.000
1	170 1.320	0.000	0.000	0.000	0.000	0.00	00		18	0.050	0.000	0.000	0.000	0.000	0.000
1	174 0.750 176 1.320	0.000	0.000	0.000	0.000	0.00	00		20 26	0.160 0.160	0.000	0.000	0.000	0.000	0.000
	182 1.320 186 0.750		0.000	0.000	0.000	0.00			30 32	0.050	0.000	0.000	0.000	0.000	0.000
1	188 1.320	0.000	0.000	0.000	0.000	0.00	00		38	0.160	0.000	0.000	0.000	0.000	0.000
1	194 1.320 198 0.750	0.000	0.000	0.000	0.000	0.00	00		42 44	0.050 0.160	0.000	0.000	0.000	0.000	0.000
	200 1.320 206 1.320	0.000	0.000	0.000	0.000	0.00			50 54	0.160	0.000	0.000	0.000	0.000	0.000
2	210 0.750	0.000	0.000	0.000	0.000	0.00	00		56	0.160	0.000	0.000	0.000	0.000	0.000
	212 1.320 218 1.320		0.000	0.000	0.000	0.00			62 66	0.160 0.050	0.000	0.000	0.000	0.000	0.000
2	222 0.750 224 1.320	0.000	0.000	0.000	0.000	0.00	00		68 74	0.160	0.000	0.000	0.000	0.000	0.000
									78	0.050	0.000	0.000	0.000	0.000	0.000
3	3 0.000 12 0.000	0.000	0.750 1.320	0.000	0.000	0.00	00		80 86	0.160 0.160	0.000	0.000	0.000	0.000	0.000
	13 0.000 14 0.000	0.000	1.320	0.000	0.000	0.00	00		90 92	0.050	0.000	0.000	0.000	0.000	0.000
	18 0.000		0.750	0.000	0.000	0.00			98	0.160	0.000	0.000	0.000	0.000	0.000

Load Case Node	X-Axis Mass	Y-Axis Mass	Z-Axis Mass	X-Axis Mass	Y-Axis Mass	Z-Axis Mass	Load I		tral Curve	Damping Mas Factor Cas		rection Vec	etor Dz
102 104	0.050	0.000	0.000	0.000	0.000	0.000			NZS1170.5D NZS1170.5D		7 0.000		L.000 L.000
110	0.160	0.000	0.000	0.000	0.000	0.000		10	NZS1170.5D	5.0%	7 0.000	0.000	1.000
114 116	0.050 0.160	0.000	0.000	0.000	0.000	0.000			NZS1170.5D NZS1170.5D		7 0.000 7 0.000		L.000 L.000
122	0.160	0.000	0.000	0.000	0.000	0.000		13	NZS1170.5D	5.0%	7 0.000	0.000	1.000
126 128	0.050 0.160	0.000	0.000	0.000	0.000	0.000		15	NZS1170.5D NZS1170.5D	5.0%	7 0.000 7 0.000	0.000	L.000 L.000
134 138	0.160 0.050	0.000	0.000	0.000	0.000	0.000			NZS1170.5D NZS1170.5D		7 0.000 7 0.000		L.000 L.000
140	0.160	0.000	0.000	0.000	0.000	0.000		18	NZS1170.5D	5.0%	7 0.000	0.000	L.000
146 150	0.160 0.050	0.000	0.000	0.000	0.000	0.000		19	NZS1170.5D	5.0%	7 0.000	0.000 1	1.000
152 158	0.160 0.160	0.000	0.000	0.000	0.000	0.000	Spectra		amping Factor Desc	ription			
162	0.050	0.000	0.000	0.000	0.000	0.000							
164 170	0.160 0.160	0.000	0.000	0.000	0.000	0.000	NZS	31170.5D	5.0% NZS1	1170.5, Site	Subsoil C.	lass D, De	ep or soft soil
174 176	0.050 0.160	0.000	0.000	0.000	0.000	0.000	NODE DI	RDT.ACEMENT	S (mm,rad)				
182	0.160	0.000	0.000	0.000	0.000	0.000							
186 188	0.050 0.160	0.000	0.000	0.000	0.000	0.000	Load cas	se 1 (Line	ear): Self We	eight			
194 198	0.160 0.050	0.000	0.000	0.000	0.000	0.000		X-Axis	Y-Axis	Z-Axis	X-Axis	Y-Axis	Z-Axis
200	0.160	0.000	0.000	0.000	0.000	0.000	Node	Transl'n	Transl'n	Transl'n	Rotation	Rotation	Rotation
206 210	0.160 0.050	0.000	0.000	0.000	0.000	0.000	1	0.000	0.000	0.000	0.000	0.000	0.000
212 218	0.160 0.160	0.000	0.000	0.000	0.000	0.000	2 3	0.006	-0.002 0.004	0.000	0.000	0.000	0.000
222	0.050	0.000	0.000	0.000	0.000	0.000	4	0.011	-0.011	-0.007	0.000	0.000	0.000
224	0.160	0.000	0.000	0.000	0.000	0.000	5 6	0.011	-0.010 0.000	-0.022 0.000	0.000	0.000	0.000
7 3 12	0.000	0.000	0.050 0.160	0.000	0.000	0.000	7 8	-0.005 -0.010	-0.003 -0.011	0.000	0.000	0.000	0.000
13	0.000	0.000	0.160	0.000	0.000	0.000	9	-0.009	-0.010	0.070	0.000	0.000	0.000
14 18	0.000	0.000	0.160 0.050	0.000	0.000	0.000	10 11	-0.004 0.000	-0.034 0.000	0.030	0.000	0.000	0.000
20	0.000	0.000	0.160	0.000	0.000	0.000	12	-0.001	-0.002	0.000	0.000	0.000	0.000
26 30	0.000	0.000	0.160 0.050	0.000	0.000	0.000	13 14	0.001 -0.015	-0.002 -0.003	0.000	0.000	0.000	0.000
32 38	0.000	0.000	0.160 0.160	0.000	0.000	0.000	15 16	-0.082 -0.126	-0.003 0.061	0.000	0.000	0.000	0.000
42	0.000	0.000	0.050	0.000	0.000	0.000	17	0.018	-0.154	-0.022	0.000	0.000	0.000
44 50	0.000	0.000	0.160 0.160	0.000	0.000	0.000	18 19	0.002	-0.132 0.000	0.055	0.000	0.000	0.000
54 56	0.000	0.000	0.050 0.160	0.000	0.000	0.000	20 21	0.014	-0.003 -0.003	0.000	0.000	0.000	0.000
62	0.000	0.000	0.160	0.000	0.000	0.000	22	0.133	0.066	-0.019	0.000	0.000	0.000
66 68	0.000	0.000	0.050 0.160	0.000	0.000	0.000	23 24	0.018	-0.106 -0.133	0.070	0.000	0.000	0.000
74 78	0.000	0.000	0.160	0.000	0.000	0.000	25 26	0.000	0.000	0.000	0.000	0.000	0.000
80	0.000	0.000	0.160	0.000	0.000	0.000	27	-0.116	-0.003	0.000	0.000	0.000	0.000
86 90	0.000	0.000	0.160 0.050	0.000	0.000	0.000	28 29	-0.172 0.038	0.080	0.089	0.000	0.000	0.000
92 98	0.000	0.000	0.160 0.160	0.000	0.000	0.000	30 31	0.007	-0.192 0.000	0.055	0.000	0.000	0.000
102	0.000	0.000	0.050	0.000	0.000	0.000	32	0.028	-0.003	0.000	0.000	0.000	0.000
104 110	0.000	0.000	0.160 0.160	0.000	0.000	0.000	33 34	0.132	-0.003 0.096	0.000	0.000	0.000	0.000
114	0.000	0.000	0.050	0.000	0.000	0.000	35	0.038	-0.145	0.070	0.000	0.000	0.000
116 122	0.000	0.000	0.160 0.160	0.000	0.000	0.000	36 37	0.038	-0.192 0.000	0.078	0.000	0.000	0.000
126 128	0.000	0.000	0.050 0.160	0.000	0.000	0.000	38 39	-0.039 -0.104	-0.003 -0.004	0.000	0.000	0.000	0.000
134	0.000	0.000	0.160	0.000	0.000	0.000	40	-0.145	0.058	0.078	0.000	0.000	0.000
138 140	0.000	0.000	0.050 0.160	0.000	0.000	0.000	41 42	0.060	-0.249 -0.197	-0.022 0.055	0.000	0.000	0.000
146 150	0.000	0.000	0.160 0.050	0.000	0.000	0.000	43 44	0.000	0.000	0.000	0.000	0.000	0.000
152	0.000	0.000	0.160	0.000	0.000	0.000	45	0.151	-0.004	0.000	0.000	0.000	0.000
158 162	0.000	0.000	0.160 0.050	0.000	0.000	0.000	46 47	0.224	0.105 -0.139	-0.046 0.070	0.000	0.000	0.000
164 170	0.000	0.000	0.160 0.160	0.000	0.000	0.000	48 49	0.060	-0.197 0.000	0.090	0.000	0.000	0.000
174	0.000	0.000	0.050	0.000	0.000	0.000	50	-0.043	-0.003	0.000	0.000	0.000	0.000
176 182	0.000	0.000	0.160 0.160	0.000	0.000	0.000	51 52	-0.067 -0.080	-0.003 0.017	0.000	0.000	0.000	0.000
186 188	0.000	0.000	0.050	0.000	0.000	0.000	53 54	0.082	-0.226 -0.177	-0.022	0.000	0.000	0.000
194	0.000	0.000	0.160	0.000	0.000	0.000	55	0.000	0.000	0.000	0.000	0.000	0.000
198 200	0.000	0.000	0.050 0.160	0.000	0.000	0.000	56 57	0.043	-0.003	0.000	0.000	0.000	0.000
206 210	0.000	0.000	0.160	0.000	0.000	0.000	58 59	0.240	0.112 -0.123	-0.046 0.070	0.000	0.000	0.000
212	0.000	0.000	0.160	0.000	0.000	0.000	60	0.082	-0.178	0.089	0.000	0.000	0.000
218 222	0.000	0.000	0.160 0.050	0.000	0.000	0.000	61 62	0.000 -0.043	0.000 -0.001	0.000	0.000	0.000	0.000
224	0.000	0.000	0.160	0.000	0.000	0.000	63 64	-0.067 -0.081	-0.002 0.019	0.000	0.000	0.000	0.000
CDEGERAT T	ID Dama						65	0.077	-0.217	-0.022	0.000	0.000	0.000
SPECTRAL LOA							66 67	0.047	-0.176 0.000	0.055	0.000	0.000	0.000
Load Mode		Damping	Mass	Direction '	Vector		68 69	0.044	-0.001 -0.002	0.000	0.000	0.000	0.000
	Spectral Curve			Dx Dy	Dz		70	0.238	0.112	-0.047	0.000	0.000	0.000
16 1	NZS1170.5D	5.0%	6 1.	0.000	0.000		71 72	0.077	-0.129 -0.176	0.070	0.000	0.000	0.000
2 3	NZS1170.5D NZS1170.5D	5.0%	6 1.0 6 1.0	0.000	0.000		73 74	0.000 -0.046	0.000	0.000	0.000	0.000	0.000
4	NZS1170.5D	5.0%	6 1.0	0.000	0.000		75	-0.087	-0.003	0.000	0.000	0.000	0.000
5 6	NZS1170.5D NZS1170.5D	5.0%	6 1.0 6 1.0	0.000	0.000		76 77	-0.112 0.057	0.035 -0.217	0.064	0.000	0.000	0.000
7 8	NZS1170.5D NZS1170.5D	5.0%	6 1.0 6 1.0	0.000	0.000		78 79	0.033	-0.185 0.000	0.054	0.000	0.000	0.000
9	NZS1170.5D	5.0%	6 1.0	0.000	0.000		80	0.048	-0.003	0.000	0.000	0.000	0.000
10 11	NZS1170.5D NZS1170.5D	5.0%	6 1.0 6 1.0	0.000	0.000		81 82	0.154	-0.003 0.099	0.000 -0.046	0.000	0.000	0.000
12 13	NZS1170.5D NZS1170.5D	5.0%	6 1.0	0.000	0.000		83 84	0.056	-0.148 -0.186	0.070	0.000	0.000	0.000
14	NZS1170.5D	5.0%	6 1.0	0.000	0.000		85	0.000	0.000	0.076 0.000	0.000	0.000	0.000
15 16	NZS1170.5D NZS1170.5D		6 1.0 6 1.0		0.000		86 87	-0.048 -0.107	-0.003 -0.003	0.000	0.000	0.000	0.000
17 18	NZS1170.5D NZS1170.5D	5.0%	6 1.0	0.000	0.000		88 89	-0.144	0.052	0.071	0.000	0.000	0.000
18	NZS1170.5D NZS1170.5D		6 1.0		0.000		90	0.019	-0.194	0.054	0.000	0.000	0.000
17 1	NZS1170.5D	5.0%	7 0.1	0.000	1.000		91 92	0.000	0.000	0.000	0.000	0.000	0.000
2	NZS1170.5D	5.0%	7 0.0	0.000	1.000		93	0.144	-0.003	0.000	0.000	0.000	0.000
3 4	NZS1170.5D NZS1170.5D	5.0%	7 0.0	0.000	1.000		94 95	0.205	0.087	-0.046 0.070	0.000	0.000	0.000
5 6	NZS1170.5D NZS1170.5D			0.000	1.000		96 97	0.034	-0.194 0.000	0.080	0.000	0.000	0.000
7	NZS1170.5D			0.000	1.000		98	-0.047	-0.003	0.000	0.000	0.000	0.000

\De	SIGII (Compai	er An	атуы	5\444) \IJZJ	4443	13031	LO EXI	.bring	GN3 .	LOaus	OK	
	X-Axis	Y-Axis	Z-Axis	X-Axis	Y-Axis	Z-Axis			X-Axis	Y-Axis	Z-Axis	X-Axis	Y-Axis	Z-Axis
Node	Transl'n	Transl'n	Transl'n	Rotation	Rotation	Rotation		Node	Transl'n	Transl'n	Transl'n	Rotation	Rotation	Rotation
99 100	-0.117 -0.162	-0.003 0.064	0.000	0.000	0.000	0.000		224 225	0.001	-0.002 -0.003	0.000	0.000	0.000	0.000
101	0.019	-0.206	-0.022	0.000	0.000	0.000		226	-0.010	-0.011	0.035	0.000	0.000	0.000
102 103	0.010	-0.195 0.000	0.054	0.000	0.000	0.000		227 228	-0.010 0.000	-0.010 -0.055	0.070 -0.008	0.000	0.000	0.000
104	0.050	-0.003	0.000	0.000	0.000	0.000		229	0.001	-0.001	0.006	0.000	0.000	0.000
105 106	0.137	-0.003 0.081	0.000 -0.047	0.000	0.000	0.000		230 231	-0.001 0.000	-0.001 0.000	0.006	0.000	0.000	0.000
107 108	0.019	-0.179 -0.196	0.070	0.000	0.000	0.000		232	0.000	0.000	0.000	0.000	0.000	0.000
109	0.019	0.000	0.083	0.000	0.000	0.000		233 234	-0.004 0.005	-0.002 -0.002	0.063	0.000	0.000	0.000
110 111	-0.046 -0.122	-0.001 -0.001	0.000	0.000	0.000	0.000		235 236	-0.004 -0.004	-0.002 -0.002	0.052	0.000	0.000	0.000
112	-0.171	0.071	0.073	0.000	0.000	0.000		237	-0.007	-0.010	0.020	0.000	0.000	0.000
113 114	0.010	-0.199 -0.194	-0.023 0.054	0.000	0.000	0.000		238 239	-0.004 0.001	-0.010 -0.010	0.013	0.000	0.000	0.000
115	0.000	0.000	0.000	0.000	0.000	0.000		240	0.001	-0.009	0.007	0.000	0.000	0.000
116 117	0.048	-0.001 -0.001	0.000	0.000	0.000	0.000		241 242	0.002	-0.011 -0.010	0.001 -0.072	0.000	0.000	0.000
118 119	0.186	0.079 -0.184	-0.047 0.070	0.000	0.000	0.000		243 244	-0.001 -0.001	-0.010 -0.009	0.006	0.000	0.000	0.000
120	0.010	-0.195	0.083	0.000	0.000	0.000		245	0.000	-0.002	-0.114	0.000	0.000	0.000
121 122	0.000	0.000	0.000	0.000	0.000	0.000		246 247	0.001	-0.010 -0.002	-0.006 0.097	0.000	0.000	0.000
123	-0.125	-0.003	0.000	0.000	0.000	0.000		248	-0.001	-0.001	-0.006	0.000	0.000	0.000
124 125	-0.175 0.004	0.071 -0.196	0.073 -0.023	0.000	0.000	0.000		249 250	-0.001 0.000	-0.009 0.000	-0.007 0.000	0.000	0.000	0.000
126 127	0.001	-0.195 0.000	0.054	0.000	0.000	0.000		251 252	0.001	-0.001 0.000	-0.006 0.000	0.000	0.000	0.000
128	0.049	-0.003	0.000	0.000	0.000	0.000		253	-0.002	-0.011	0.011	0.000	0.000	0.000
129 130	0.128 0.179	-0.003 0.073	0.000 -0.045	0.000	0.000	0.000		254 255	-0.042 0.001	-0.002 -0.010	-0.114 0.103	0.000	0.000	0.000
131	0.004	-0.188	0.070	0.000	0.000	0.000		256	0.042	-0.002	0.096	0.000	0.000	0.000
132 133	0.004	-0.195 0.000	0.082	0.000	0.000	0.000		257 258	0.001	-0.009 -0.011	-0.007 -0.017	0.000	0.000	0.000
134 135	-0.049 -0.127	-0.003 -0.003	0.000	0.000	0.000	0.000		259 260	-0.004 -0.001	-0.010 -0.010	0.012 -0.006	0.000	0.000	0.000
136	-0.178	0.072	0.072	0.000	0.000	0.000		261	0.181	0.069	-0.032	0.000	0.000	0.000
137 138	0.001	-0.194 -0.195	-0.023 0.054	0.000	0.000	0.000		262 263	-0.012 0.052	-0.151 -0.205	0.085 -0.019	0.000	0.000	0.000
139	0.000	0.000	0.000	0.000	0.000	0.000		264	-0.144	0.037	0.081	0.000	0.000	-0.001
140 141	0.049	-0.003 -0.003	0.000	0.000	0.000	0.000		265 266	0.019 -0.162	-0.160 0.057	-0.028 0.064	0.000	0.000	0.000
142 143	0.175 0.001	0.069 -0.190	-0.045 0.070	0.000	0.000	0.000		267 268	-0.037 0.126	-0.157 0.033	0.070 -0.027	0.000	0.000	0.000
144	0.001	-0.195	0.082	0.000	0.000	0.000		269	0.080	-0.297	-0.021	0.000	0.000	0.000
145 146	0.000 -0.046	0.000	0.000	0.000	0.000	0.000		270 271	0.038	-0.216 -0.027	-0.013 0.011	0.000	0.000	-0.001 -0.001
147	-0.127	-0.003	0.000	0.000	0.000	0.000		272	-0.079	0.016	0.012	0.000	0.000	0.000
148 149	-0.179 -0.001	0.075 -0.191	0.072 -0.023	0.000	0.000	0.000		273 274	0.048	-0.200 -0.153	0.000	0.000	0.000	0.000
150 151	-0.002 0.000	-0.193 0.000	0.054	0.000	0.000	0.000		275 276	0.020 -0.032	-0.215 -0.145	-0.023 -0.015	0.000	0.000	0.000
152	0.047	-0.003	0.000	0.000	0.000	0.000		277	-0.158	0.044	0.066	0.000	0.000	0.000
153 154	0.123	-0.003 0.071	0.000 -0.046	0.000	0.000	0.000		278 279	-0.169 -0.033	0.061 -0.153	0.042	0.000	0.000	0.000
155	-0.001	-0.189	0.070	0.000	0.000	0.000		280	-0.045	-0.223	0.074	0.000	0.000	0.000
156 157	-0.001 0.000	-0.193 0.000	0.083	0.000	0.000	0.000		281 282	0.009	-0.160 0.035	0.064 -0.030	0.000	0.000	0.000
158 159	-0.043	-0.001 -0.002	0.000	0.000	0.000	0.000		283	0.162	0.059	-0.029 -0.079	0.000	0.000	0.000
160	-0.126 -0.180	0.078	0.000	0.000	0.000	0.000		284 285	-0.002	-0.002 -0.011	0.010	0.000	0.000	0.000
161 162	-0.002 -0.002	-0.187 -0.190	-0.023 0.053	0.000	0.000	0.000		286 287	0.000	-0.002 -0.010	0.000	0.000	0.000	0.000
163	0.000	0.000	0.000	0.000	0.000	0.000		288	0.007	-0.011	-0.016	0.000	0.000	0.000
164 165	0.043	-0.001 -0.002	0.000	0.000	0.000	0.000		289 290	-0.001 -0.006	-0.010 -0.010	0.000	0.000	0.000	0.000
166 167	0.172	0.074 -0.187	-0.046 0.070	0.000	0.000	0.000		291 292	-0.002 0.002	-0.009 -0.011	0.005	0.000	0.000	0.000
168	-0.002	-0.190	0.083	0.000	0.000	0.000		293	-0.004	-0.010	-0.016	0.000	0.000	0.000
169 170	0.000	0.000	0.000	0.000	0.000	0.000		294 295	0.000	-0.001 -0.001	0.000	0.000	0.000	0.000
171	-0.126	-0.003	0.000	0.000	0.000	0.000		296	0.000	-0.002	0.000	0.000	0.000	0.000
172 173	-0.181 -0.005	0.078 -0.184	0.073 -0.023	0.000	0.000	0.000		297 298	0.000	-0.002 -0.001	0.000	0.000	0.000	0.000
174 175	-0.004 0.000	-0.189 0.000	0.053	0.000	0.000	0.000		299 300	0.000	-0.001 -0.002	0.000	0.000	0.000	0.000
176	0.041	-0.003	0.000	0.000	0.000	0.000		301	-0.003	-0.001	0.000	0.000	0.000	0.000
177 178	0.118	-0.003 0.070	0.000 -0.046	0.000	0.000	0.000		302 303	0.003	-0.001 -0.002	0.000	0.000	0.000	0.000
179	-0.005	-0.188	0.070	0.000	0.000	0.000		304	0.011	-0.002	0.000	0.000	0.000	0.000
180 181	-0.005 0.000	-0.189 0.000	0.082	0.000	0.000	0.000		305 306	-0.023 0.023	-0.002 -0.002	0.001	0.000	0.000	0.000
182 183	-0.037 -0.126	-0.003 -0.004	0.000	0.000	0.000	0.000		307 308	-0.034 0.034	-0.002 -0.002	0.001	0.000	0.000	0.000
184	-0.184	0.082	0.073	0.000	0.000	0.000		309	-0.033	-0.002	-0.001	0.000	0.000	0.000
185 186	-0.010 -0.006	-0.177 -0.186	-0.023 0.053	0.000	0.000	0.000		310 311	0.033	-0.002 -0.002	-0.001 -0.001	0.000	0.000	0.000
187 188	0.000	0.000	0.000	0.000	0.000	0.000		312 313	0.022	-0.002 -0.002	-0.001 0.000	0.000	0.000	0.000
189	0.113	-0.004	0.000	0.000	0.000	0.000		314	0.011	-0.002	0.000	0.000	0.000	0.000
190 191	0.163 -0.010	0.069 -0.189	-0.047 0.070	0.000	0.000	0.000		315 316	-0.003 0.003	-0.001 -0.001	0.000	0.000	0.000	0.000
192	-0.010	-0.186	0.083	0.000	0.000	0.000								
193 194	0.000	0.000	0.000	0.000	0.000	0.000		Load ca	se 2 (Line	ar): Seism	on X direct	ion		
195	-0.121	-0.003	0.000	0.000	0.000	0.000		27 . 3 .	X-Axis	Y-Axis	Z-Axis	X-Axis	Y-Axis	Z-Axis
196 197	-0.181 -0.016	0.086 -0.160	0.070 -0.023	0.000	0.000	0.000		Node	Transl'n	Transl'n	Transl'n	Rotation	Rotation	Rotation
198 199	-0.010 0.000	-0.172 0.000	0.053	0.000	0.000	0.000		1 2	0.000	0.000	0.000	0.000	0.000	0.000
200	0.027	-0.003	0.000	0.000	0.000	0.000		3	0.395	0.106	-5.245	0.000	0.004	0.001
201 202	0.101	-0.003 0.067	0.000 -0.044	0.000	0.000	0.000		4 5	0.407	-0.071 -0.040	-1.192 -2.769	-0.001 0.004	0.002	0.000
203	-0.016	-0.179	0.070	0.000	0.000	0.000		6	0.000	0.000	0.000	0.000	0.000	0.000
204 205	-0.016 0.000	-0.172 0.000	0.090	0.000	0.000	0.000		7 8	0.234	-0.033 0.057	-0.057 -2.326	0.001	0.003	0.001
206 207	-0.014 -0.085	-0.003 -0.003	0.000	0.000	0.000	0.000		9 10	0.320	0.031	-4.690 -3.692	-0.005 -0.003	0.007	0.002
208	-0.132	0.066	0.042	0.000	0.000	0.000		11	0.000	0.000	0.000	0.000	0.000	0.000
209 210	-0.014 -0.010	-0.110 -0.119	-0.022 0.053	0.000	0.000	0.000		12 13	0.117	0.003	0.005	0.000	0.001	0.000
211	0.000	0.000	0.000	0.000	0.000	0.000		14	0.636	0.005	0.005	0.000	0.001	-0.001
212 213	0.013 0.065	-0.003 -0.003	0.000	0.000	0.000	0.000		15 16	2.873 4.384	0.007 -2.225	0.016 -1.954	0.000	0.005	-0.005 -0.004
214 215	0.099 -0.015	0.046 -0.124	-0.022 0.070	0.000	0.000	0.000		17 18	4.362 2.845	-2.178 0.087	-2.769 -5.226	0.005	0.006	0.001
216	-0.015	-0.119	0.096	0.000	0.000	0.000		19	0.000	0.000	0.000	0.000	0.000	0.000
217 218	0.000	0.000	0.000	0.000	0.000	0.000		20 21	0.645 2.751	-0.001 -0.002	-0.008 -0.061	0.000	0.001	-0.001 -0.002
219 220	0.006	-0.003 -0.011	0.000	0.000	0.000	0.000		22 23	4.177 4.366	2.101 2.369	-2.379 -4.691	0.002	-0.011 0.005	-0.004 0.003
221	0.010	-0.010	-0.022	0.000	0.000	0.000		24	4.365	0.086	-4.106	-0.003	-0.001	0.003
222 223	0.000	0.003	0.053	0.000	0.000	0.000		25 26	0.000 1.217	0.000	0.000	0.000	0.000	0.000

\DC	brgii (Compa	CCI AI	arysr	5 \221	, , 1, 2, 2, 3	2213	13031		DIING	G113 1	Joaqs	OK	
3	X-Axis	Y-Axis	Z-Axis	X-Axis	Y-Axis	Z-Axis		1	X-Axis	Y-Axis	Z-Axis	X-Axis	Y-Axis	Z-Axis
Node	Transl'n	Transl'n	Transl'n	Rotation	Rotation	Rotation		Node	Transl'n	Transl'n	Transl'n	Rotation	Rotation	Rotation
27 28	4.437 6.610	0.002	0.010 -1.673	0.000	0.002	-0.006 -0.007		152 153	2.192 9.254	-0.002 -0.002	0.001	0.000	0.000 -0.001	-0.003 -0.013
29	7.208	-4.091	-2.770	0.004	0.004	0.003		154	14.011	7.038	-2.988	0.006	-0.012	-0.014
30 31	4.607 0.000	-0.220 0.000	-5.209 0.000	0.000	0.003	0.005		155 156	14.630 14.630	7.936 0.078	-4.659 -4.130	0.000	0.000	0.008
32	1.246	-0.001	-0.007	0.000	0.001	-0.001		157	0.000	0.000	0.000	0.000	0.000	0.000
33 34	4.726 7.070	-0.001 3.466	-0.064 -2.664	0.000	0.003	-0.005 -0.007		158 159	2.039 9.003	0.001	-0.001 -0.039	0.000	0.000	-0.003 -0.013
35	7.211	3.663	-4.690	-0.002	0.003	0.004		160	13.694	-6.941	-2.073	0.006	0.011	-0.013
36 37	7.210 0.000	-0.221 0.000	-4.074 0.000	-0.003 0.000	0.000	0.005		161 162	14.084 8.987	-7.501 0.070	-2.908 -5.109	-0.001 -0.001	-0.001 0.000	0.008
38	1.642	0.000	0.004	0.000	0.001	-0.002		163	0.000	0.000	0.000	0.000	0.000	0.000
39 40	5.350 7.845	-0.003 -3.701	0.005 -0.921	0.000	0.002	-0.007 -0.008		164 165	2.023 8.907	-0.001 -0.001	0.001 -0.039	0.000	0.000	-0.003 -0.013
41 42	9.173 5.737	-5.665 -0.553	-2.772 -5.194	0.001	0.005	0.002		166 167	13.543 14.085	6.860 7.645	-2.994 -4.655	0.005	-0.012 -0.001	-0.013 0.007
43	0.000	0.000	0.000	0.000	0.000	0.000		168	14.085	0.070	-4.134	-0.002	0.002	0.009
44 45	1.676 6.079	-0.002 -0.002	-0.006 -0.066	0.000	0.001	-0.002 -0.007		169 170	0.000	0.000	0.000	0.000	0.000	0.000
46	9.043	4.384	-2.780	0.004	-0.012	-0.008		171	8.449	0.002	-0.041	0.000	-0.001	-0.012
47 48	9.182 9.178	4.576 -0.554	-4.689 -4.159	-0.002 -0.003	0.003	0.005		172 173	12.828 13.145	-6.478 -6.931	-2.014 -2.915	0.006	0.010	-0.013 0.008
49	0.000	0.000	0.000	0.000	0.000	0.000		174	8.434	0.070	-5.107	-0.001	-0.001	0.008
50 51	1.857 6.949	0.001	0.004	0.000	0.000	-0.002 -0.010		175 176	0.000 1.937	0.000	0.000	0.000	0.000	0.000
52	10.381	-5.075	-1.041	0.004	0.006	-0.010		177	8.354	-0.002	-0.033	0.000	-0.002	-0.012
53 54	11.308 7.150	-6.431 -0.252	-2.789 -5.180	0.002	0.004	0.005		178 179	12.676 13.146	6.394 7.074	-2.962 -4.650	0.005	-0.012 -0.002	-0.012 0.007
55	0.000	0.000	0.000	0.000	0.000	0.000		180	13.146	0.070	-4.147	-0.002	0.002	0.008
56 57	1.879 7.286	-0.002 -0.002	-0.005 -0.066	0.000	0.000	-0.002 -0.009		181 182	0.000 1.741	0.000	0.000	0.000	-0.001	0.000
58 59	10.930 11.309	5.388 5.934	-2.843 -4.687	0.005	-0.012 0.003	-0.011 0.006		183 184	7.527 11.425	0.002 -5.765	-0.043 -1.927	0.000	-0.002 0.010	-0.011 -0.011
60	11.309	-0.252	-3.931	-0.003	0.000	0.008		185	11.562	-5.951	-2.919	-0.003	-0.010	0.008
61 62	0.000 1.970	0.000	0.000	0.000	0.000	0.000		186 187	7.509 0.000	0.074	-5.105 0.000	-0.001 0.000	-0.001 0.000	0.007
63	8.217	0.000	-0.007	0.000	0.002	-0.013		188	1.735	-0.002	0.002	0.000	-0.001	-0.002
64 65	12.420 12.998	-6.221 -7.057	-1.443 -2.807	0.006	0.010	-0.012 0.006		189 190	7.428 11.261	-0.002 5.671	-0.027 -2.957	0.000	-0.003 -0.011	-0.011 -0.011
66	8.250	-0.003	-5.168	-0.001	0.002	0.009		191	11.563	6.101	-4.646	0.002	-0.003	0.006
67 68	0.000 1.972	0.000	0.000	0.000	0.000	0.000		192 193	11.562 0.000	0.074	-4.175 0.000	-0.002 0.000	0.003	0.007
69	8.220	-0.001	-0.066	0.000	0.001	-0.011		194	1.294	0.001	-0.003	0.000	-0.001	-0.002
70 71	12.429 13.000	6.228 7.056	-2.885 -4.685	0.005	-0.013 0.002	-0.012 0.007		195 196	5.981 9.138	0.002 -4.669	-0.043 -1.805	-0.001 0.005	-0.003 0.010	-0.008 -0.009
72	12.999	-0.003	-4.035	-0.003	0.001	0.009		197	8.999	-4.449	-2.923	-0.005	-0.005	0.008
73 74	0.000 2.165	0.000	0.000	0.000	0.000	0.000		198 199	5.968 0.000	0.065	-5.105 0.000	-0.001 0.000	-0.003 0.000	0.005
75	9.140	0.002	-0.015	0.000	0.002	-0.014		200	1.292	-0.003	0.002	0.000	-0.001	-0.001
76 77	13.833 14.169	-6.946 -7.427	-2.193 -2.824	0.006	0.010	-0.013 0.007		201 202	5.894 8.990	-0.002 4.580	-0.020 -2.936	0.000	-0.004 -0.009	-0.009 -0.009
78	9.054	0.169	-5.156	-0.001	0.002	0.009		203	9.000	4.581	-4.642	0.003	-0.005	0.005
79 80	0.000 2.149	0.000 -0.001	0.000 -0.003	0.000	0.000	0.000		204 205	9.000	0.065	-4.247 0.000	-0.002 0.000	0.004	0.005
81	8.907	-0.002	-0.065	0.000	0.001	-0.012		206	0.669	0.002	-0.004	0.000	-0.001	-0.001
82 83	13.461 14.169	6.737 7.767	-2.899 -4.683	0.005	-0.013 0.002	-0.013 0.007		207 208	3.447 5.331	0.006	-0.043 -1.340	-0.001 0.004	-0.006 0.009	-0.004 -0.006
84	14.169	0.169	-4.076	-0.003	0.001	0.009		209	5.136	-2.471	-2.925	-0.006	-0.006	0.006
85 86	0.000 2.302	0.000	0.000	0.000	0.000	0.000		210 211	3.493 0.000	-0.014 0.000	-5.105 0.000	-0.001 0.000	-0.005 0.000	0.003
87	9.485	0.002	-0.019	0.000	0.001	-0.014		212	0.669	-0.005	0.003	0.000	-0.001	-0.001
88 89	14.320 14.744	-7.155 -7.765	-2.121 -2.840	0.006	0.010	-0.014 0.008		213 214	3.471 5.360	-0.005 2.786	-0.013 -2.873	0.000	-0.006 -0.006	-0.006 -0.005
90	9.420	0.143	-5.146	-0.001	0.001	0.010		215	5.138	2.444	-4.639	0.004	-0.007	0.004
91 92	0.000 2.276	0.000	0.000	0.000	0.000	0.000		216 217	5.137 0.000	-0.013 0.000	-4.295 0.000	-0.001 0.000	0.004	0.002
93	9.290	-0.002	-0.063	0.000	0.000	-0.013		218	0.111	0.003	-0.005	0.000	-0.001	0.000
94 95	14.016 14.745	6.991 8.053	-2.931 -4.679	0.006	-0.013 0.001	-0.014 0.007		219 220	0.233	0.028	-0.041 -1.258	-0.001 -0.002	-0.004 0.004	0.000
96 97	14.745	0.143	-4.139	-0.003	0.001	0.010		221	0.313	-0.032	-2.925	-0.007	-0.007	0.002
98	0.000 2.289	0.000	0.000	0.000	0.000	0.000		222 223	0.309	0.007	-5.105 0.000	-0.002 0.000	-0.003 0.000	0.000
99 100	9.592 14.511	0.002 -7.278	-0.024 -2.097	0.000	0.000	-0.014 -0.014		224 225	0.111	-0.002 -0.017	0.004	0.000	-0.001 -0.005	0.000
101	14.997	-7.980	-2.855	0.000	0.010	0.008		225	0.296	0.060	-2.221	-0.001	-0.003	0.002
102 103	9.557 0.000	0.100	-5.137 0.000	-0.001 0.000	0.001	0.010		227 228	0.301	0.035	-4.638 -0.022	0.004	-0.009 0.001	-0.001 0.000
104	2.260	-0.002	-0.002	0.000	0.000	-0.003		229	0.095	0.008	0.240	0.000	0.000	0.000
105 106	9.456 14.305	-0.002 7.173	-0.060 -2.978	0.000	0.000 -0.013	-0.013 -0.014		230 231	0.103	-0.009 0.000	-0.237 0.000	0.000	0.000	0.000
107	14.998	8.182	-4.676	0.000	0.001	0.008		232	0.000	0.000	0.000	0.000	0.000	0.000
108 109	14.998 0.000	0.099	-4.121 0.000	-0.003 0.000	0.002	0.010		233 234	0.316 0.438	0.007	-5.065 -4.007	-0.004 -0.002	0.000	-0.001 0.000
110	2.231	0.001	0.001	0.000	0.000	-0.003		235	0.310	0.007	-4.065	-0.004	0.001	0.000
111 112	9.626 14.605	0.001 -7.369	-0.027 -2.125	0.000	0.000	-0.014 -0.014		236 237	0.311	-0.009 0.057	-3.344 -0.748	-0.003 -0.003	0.001 -0.006	0.000
113	15.084	-8.060	-2.869	0.000	0.000	0.008		238	0.937	0.029	-2.111	-0.005	0.007	0.000
114 115	9.600 0.000	0.084	-5.129 0.000	-0.001 0.000	0.001	0.010		239 240	0.104	0.057	0.231	0.000	0.000	0.000
116	2.203	-0.001	-0.001	0.000	0.000	-0.003		241	0.293	-0.070	-0.665	-0.001	0.002	0.000
117 118	9.510 14.432	-0.001 7.283	-0.057 -3.005	0.000	0.000 -0.013	-0.014 -0.014		242 243	-0.163 0.113	-0.038 -0.070	-3.297 -0.227	-0.002 0.000	0.008	-0.002 0.000
119 120	15.085 15.085	8.232 0.084	-4.672 -4.109	0.000	0.000	0.008		244 245	0.107	-0.035 0.008	-0.266 -0.277	0.000	0.000	0.000
121	0.000	0.000	0.000	0.000	0.000	0.000		246	0.107	0.060	-0.247	0.000	0.000	0.000
122 123	2.301 9.633	0.002	0.001 -0.031	0.000	0.000	-0.003 -0.014		247 248	0.075	-0.008	0.233	0.000	0.001	0.000
124	14.571	-7.306	-2.114	0.006	0.010	-0.014		249	0.101	-0.028	0.286	0.000	0.000	0.000
125 126	15.063 9.609	-8.016 0.084	-2.881 -5.122	0.000	0.000	0.008		250 251	0.000	0.000	0.000 -0.256	0.000	0.000	0.000
127	0.000	0.000	0.000	0.000	0.000	0.000		252	0.000	0.000	0.000	0.000	0.000	0.000
128 129	2.275 9.518	-0.002 -0.002	0.000 -0.054	0.000	0.000	-0.003 -0.013		253 254	0.266	0.060	-1.098 -0.282	-0.003 0.000	-0.003 0.001	0.000
130	14.398	7.219	-2.979	0.006	-0.013	-0.014		255	-0.538	0.032	-4.735	-0.003	-0.009	-0.002
131 132	15.064 15.064	8.187 0.084	-4.668 -4.110	0.000	0.000	0.008		256 257	0.070	-0.008 0.028	0.228 -0.288	0.000	0.001	0.000
133	0.000	0.000	0.000	0.000	0.000	0.000		258	0.136	-0.060	-0.305	-0.002	0.004	0.000
134 135	2.330 9.565	0.002	0.000 -0.034	0.000	0.000	-0.003 -0.014		259 260	1.165 0.107	-0.030 -0.060	-0.270 0.245	-0.004 0.000	-0.007 0.000	0.001
136	14.438	-7.210	-2.087	0.006	0.010	-0.014		261	7.470	4.056	-3.610	0.002	-0.008	-0.003
137 138	14.927 9.541	-7.915 0.084	-2.891 -5.117	0.000	0.000	0.008		262 263	3.944 4.019	1.736 -1.665	-4.617 -3.116	-0.005 0.004	0.001	0.003
139	0.000	0.000	0.000	0.000	0.000	0.000		264	7.040	-3.848	-2.098	0.003	0.005	-0.004
140 141	2.306 9.451	-0.002 -0.002	0.000	0.000	0.000	-0.003 -0.013		265 266	4.387 9.639	-1.356 -5.407	-3.266 -2.458	-0.008 0.003	-0.001 0.006	0.003
142	14.264	7.120	-2.971	0.006	-0.013	-0.014		267	4.609	1.655	-4.975	0.005	-0.003	0.003
143 144	14.928 14.928	8.086 0.084	-4.664 -4.120	0.000	0.000	0.008		268 269	9.463 6.554	5.276 -3.120	-3.584 -2.879	0.004	-0.007 0.003	-0.004 0.005
145 146	0.000 2.212	0.000	0.000	0.000	0.000	0.000		270 271	9.196 11.011	-5.704 -6.005	-2.364 -1.372	0.003	0.007	0.000
147	9.360	0.002	-0.037	0.000	0.000	-0.003 -0.014		272	10.807	-3.834	-0.591	0.001	0.004	-0.006 -0.012
148 149	14.175 14.629	-7.123 -7.778	-2.076 -2.900	0.006	0.010	-0.014 0.008		273 274	3.408	-0.754 -0.625	-3.791 -4.820	0.002	0.005	0.003
150	9.339	0.078	-5.112	-0.001	0.000	0.009		275	7.977	-2.929	-3.239	-0.006	-0.001	0.006
151	0.000	0.000	0.000	0.000	0.000	0.000		276	11.912	-6.473	-2.962	-0.002	-0.001	0.006

\De	bran (Compa	cer m	arysi	5 \221.	J (1723	2213	13031		DIING	GIVE	LOAGS	OK	
Node	X-Axis Transl'n	Y-Axis Transl'n	Z-Axis Transl'n	X-Axis Rotation	Y-Axis Rotation	Z-Axis Rotation		Node	X-Axis Transl'n	Y-Axis Transl'n	Z-Axis Transl'n	X-Axis Rotation	Y-Axis Rotation	Z-Axis Rotation
277 278	13.566 11.906	-7.566 -4.295	-2.589 -0.929	0.005	0.007	-0.006 -0.014		80 81	-0.326 -12.009	-0.009 -0.005	0.193 0.352	0.000	0.000	0.001
279 280	4.028 8.154	0.787 3.320	-4.599 -4.922	0.004	-0.002 -0.002	0.003		82 83	-19.938 -25.415	-11.718	6.486 14.201	-0.007 -0.001	0.027	0.030
281	11.849	6.528	-4.530	0.003	-0.003	0.005		84	-25.454	-19.803 -6.153	16.461	0.004	-0.001	-0.009 -0.015
282 283	13.417 11.761	7.487 4.223	-3.739 -1.456	0.005	-0.008 -0.009	-0.006 -0.014		85 86	0.000 -1.072	0.000	0.000	0.000	0.000	0.000
284	0.086	0.008	-0.266	0.000	0.001	0.000		87	-13.581	0.011	1.516	0.003	0.014	0.020
285 286	0.259	0.060	-1.057 0.000	-0.003 0.000	-0.003 0.000	0.000		88 89	-21.923 -20.058	12.395 9.623	8.567 13.196	-0.014 0.002	-0.036 0.008	0.023
287 288	-0.246 0.134	0.029	-1.486 -0.278	-0.008 -0.002	-0.009 0.004	0.002		90 91	-11.801 0.000	-2.616 0.000	18.375 0.000	-0.003	0.007	-0.015 0.000
289 290	0.514 0.121	-0.028 0.057	0.369	0.000	-0.007 -0.006	-0.003		92 93	-0.336 -10.042	0.000	0.195 0.353	0.000	0.000	0.001
291	0.384	0.027	-0.135	-0.003	0.007	-0.002		94	-16.599	-9.706	6.937	-0.005	0.023	0.023
292 293	0.285 -0.106	-0.070 -0.036	-0.643 -1.107	-0.001 -0.006	0.002	-0.001 0.001		95 96	-20.054 -20.057	-14.820 -2.617	14.194 17.356	-0.012 0.004	0.012	-0.011 -0.014
294	0.000	0.000	0.000	0.000	0.000	0.000		97	0.000	0.000	0.000	0.000	0.000	0.000
295 296	0.000	0.000	0.000	0.000	0.000	0.000		98 99	-0.863 -7.681	0.010	0.272 1.450	0.000	0.001	0.001
297 298	0.000	0.000	0.000	0.000	0.000	0.000		100 101	-12.290 -13.631	6.827 8.803	6.667 13.201	-0.003 0.007	-0.023 0.007	0.016 -0.013
299 300	0.000	0.000	0.000	0.000	0.000	0.000		102 103	-7.471 0.000	-0.316 0.000	18.464	0.001	0.004	-0.011
301	0.129	0.000	0.000	0.000	0.000	-0.001		104	-0.310	0.008	0.196	0.000	0.000	0.000
302 303	0.132	0.000	-0.001 0.001	0.000	0.000	-0.001 -0.001		105 106	-7.246 -11.930	0.009 -6.922	0.354 7.166	0.000	0.006	0.012 0.016
304	0.499	0.000	-0.001	0.000	0.000	-0.001		107	-13.629	-9.429	14.188	-0.008	0.009	-0.010
305 306	0.980 1.000	0.000 -0.001	0.002	0.000	0.000	-0.002 -0.002		108 109	-13.630 0.000	-0.316 0.000	15.721 0.000	0.007	-0.005 0.000	-0.011 0.000
307 308	1.489	0.001	0.002 -0.003	0.000	0.000	-0.002 -0.002		110 111	-0.613 -4.988	0.000	0.271 1.382	0.000	0.000	0.001
309	1.561	0.001	-0.001	0.000	0.000	-0.002		112	-7.952	4.382	6.487	0.000	-0.018	0.011
310 311	1.552	-0.001 0.001	0.001	0.000	0.000	-0.002 -0.002		113 114	-9.258 -5.010	6.313 0.028	13.204 18.546	0.007	0.004	-0.009 -0.007
312 313	1.035 0.519	-0.001 0.001	0.000	0.000	0.000	-0.002 -0.001		115 116	0.000	0.000	0.000 0.196	0.000	0.000	0.000
314	0.520	-0.001	0.000	0.000	0.000	-0.001		117	-5.019	0.001	0.354	0.000	0.004	0.007
315 316	0.137	0.000	0.000	0.000	0.000	-0.001 -0.001		118 119	-8.231 -9.260	-4.751 -6.267	7.126 14.182	-0.002 -0.004	0.021	0.011
			on Z direct					120 121	-9.260 0.000	0.028	15.277 0.000	0.007	-0.003	-0.007
noau ca								122	-0.426	-0.010	0.271	0.000	0.000	0.001
Node	X-Axis Transl'n	Y-Axis Transl'n	Z-Axis Transl'n	X-Axis Rotation	Y-Axis Rotation	Z-Axis Rotation		123 124	-3.567 -5.695	-0.011 3.136	1.312 6.580	0.001	0.001 -0.017	0.004
1	0.000	0.000		0.000	0.000			125 126	-6.575 -3.537	4.436	13.205 18.619	0.005	0.001	-0.007
2	0.824	0.323	0.000	0.002	-0.003	0.000		127	0.000	0.000	0.000	0.000	0.000	-0.005 0.000
3 4	0.862 1.294	1.301	17.537 6.524	0.003	-0.002 -0.010	-0.001 0.000		128 129	-0.216 -3.496	-0.007 -0.006	0.197 0.353	0.000	0.000	0.000
5 6	1.451	-0.054 0.000	13.157	-0.001 0.000	-0.009 0.000	-0.001		130 131	-5.714 -6.577	-3.286 -4.560	6.962 14.178	0.000	0.020	0.008
7	-0.024	0.023	0.296	0.000	0.001	-0.001		132	-6.576	-0.056	15.315	0.007	-0.002	-0.005
8	-0.038 -0.034	-0.003 -0.003	7.057 14.204	0.009	0.014	0.001		133 134	0.000	0.000	0.000	0.000	0.000	0.000
10	0.854	-0.687	12.926	0.011	0.001	0.000		135	-2.712	-0.001	1.242	0.001	0.000	0.002
11 12	0.000	0.000	0.000	0.000	0.000	0.000		136 137	-4.356 -5.031	2.429 3.427	6.600 13.205	0.002	-0.016 0.000	0.006 -0.006
13 14	-0.003 -0.014	0.004	0.203	0.000	0.000	0.000		138 139	-2.643 0.000	-0.104 0.000	18.685 0.000	0.002	0.000	-0.004 0.000
15	-0.629	-0.041	1.096	0.001	-0.004	0.000		140	-0.163	0.000	0.196	0.000	0.000	0.000
16 17	-1.051 -1.890	0.582 1.827	6.607 13.159	0.004	-0.013 -0.007	0.003		141 142	-2.567 -4.197	0.001	0.351 6.836	0.000	0.002	0.002
18 19	-0.679 0.000	0.055	17.680 0.000	0.003	-0.004 0.000	-0.003		143 144	-5.033 -5.032	-3.643 -0.103	14.174 15.381	-0.001 0.007	0.003	-0.005 -0.004
20	-0.067	-0.014	0.203	0.000	0.000	0.000		145	0.000	0.000	0.000	0.000	0.000	0.000
21 22	-0.715 -1.164	-0.013 -0.673	0.311 6.590	0.000	-0.001 0.020	-0.002 0.003		146 147	-0.185 -2.197	0.011	0.268 1.170	0.000	0.000	0.000
23 24	-1.903 -1.897	-1.767 0.056	14.206 14.928	0.003	-0.002 0.001	-0.003 -0.002		148 149	-3.561 -4.176	2.027 2.936	6.569 13.205	0.002	-0.016 -0.001	0.005
25	0.000	0.000	0.000	0.000	0.000	0.000		150	-2.119	-0.105	18.742	0.002	0.000	-0.004
26 27	-0.220 -2.314	-0.012 -0.014	0.293 1.193	0.000	0.000 -0.004	0.000		151 152	0.000 -0.107	0.000	0.000	0.000	0.000	0.000
28 29	-3.738 -4.887	2.090 3.789	6.663 13.162	0.003	-0.013 -0.007	0.006		153 154	-2.038 -3.350	0.010 -1.929	0.348 6.761	0.000	0.002	0.001
30	-2.289	-0.053	17.816	0.001	-0.004	-0.005		155	-4.178	-3.154	14.171	-0.001	0.002	-0.004
31 32	0.000 -0.136	0.000	0.000	0.000	0.000	0.000		156 157	-4.178 0.000	-0.104 0.000	15.409 0.000	0.007	-0.001 0.000	-0.003 0.000
33 34	-2.250 -3.689	-0.001 -2.126	0.324 6.633	0.000	-0.002 0.021	0.001		158 159	-0.122 -1.887	0.008	0.265 1.098	0.000	0.000 -0.001	0.000
35	-4.885	-3.895	14.207	0.004	-0.004	-0.004		160	-3.085	1.777	6.533	0.002	-0.015	0.005
36 37	-4.887 0.000	-0.051 0.000	15.021 0.000	0.007	0.002	-0.005 0.000		161 162	-3.686 -1.811	2.667 -0.105	13.205 18.792	0.002	-0.001 -0.001	-0.005 -0.003
38 39	-0.473 -4.335	0.002	0.286 1.290	0.000	-0.001 -0.006	0.001		163 164	0.000	0.000	0.000 0.191	0.000	0.000	0.000
40	-6.947	3.868	7.048	0.003	-0.014	0.010		165	-1.733	0.007	0.343	0.000	0.001	0.001
41 42	-8.583 -4.265	6.288	13.165 17.944	-0.005 0.002	-0.009 -0.005	-0.004 -0.008		166 167	-2.871 -3.688	-1.676 -2.884	6.727 14.167	0.001	0.019	0.005
43 44	0.000	0.000	0.000	0.000	0.000	0.000		168 169	-3.688 0.000	-0.104 0.000	15.416 0.000	0.008	-0.001 0.000	-0.003
45	-4.190	0.003	0.334	0.000	-0.003	0.004		170	-0.087	-0.006	0.273	0.000	0.000	0.000
46 47	-6.891 -8.585	-3.993 -6.497	6.702 14.208	-0.002 0.006	0.024 -0.006	0.011		171 172	-1.672 -2.749	-0.007 1.585	1.024 6.469	0.001	-0.001 -0.016	0.001
48 49	-8.585 0.000	-0.097 0.000	14.940	0.007	0.002	-0.008		173 174	-3.334 -1.598	2.451 -0.116	13.205 18.833	0.002	-0.001 -0.001	-0.005 -0.003
50	-0.729	0.006	0.277	0.000	0.000	0.001		175	0.000	0.000	0.000	0.000	0.000	0.000
51 52	-7.679 -12.381	0.004 6.959	1.386 8.713	0.001	-0.010 -0.015	0.012		176 177	-0.020 -1.518	-0.004 -0.003	0.195 0.336	0.000	0.000	0.000
53	-13.844	9.119 -0.707	13.172	-0.006 0.003	-0.011	-0.005 -0.012		178	-2.539	-1.510	6.698	0.001	0.019	0.005
54 55	-7.206 0.000	0.000	18.064 0.000	0.000	-0.007 0.000	0.000		179 180	-3.336 -3.336	-2.690 -0.115	14.164 15.430	0.000	0.002	-0.003
56 57	-0.254 -6.718	0.004	0.195	0.000	0.000	0.000		181 182	0.000	0.000	0.000	0.000	0.000	0.000
58	-11.096	-6.468	6.647	-0.004	0.026	0.017		183	-1.447	-0.003	0.950	0.001	-0.001	0.001
59 60	-13.836 -13.842	-10.518 -0.706	14.208 14.600	0.009	-0.009 0.003	-0.007 -0.013		184 185	-2.385 -2.930	1.384	6.409 13.204	0.002	-0.016 -0.001	0.004
61 62	0.000	0.000	0.000	0.000	0.000	0.000		186 187	-1.371 0.000	-0.114 0.000	18.867 0.000	0.002	-0.001	-0.003
63	-13.521	0.009	1.482	0.000	-0.016	0.025		188	0.009	-0.001	0.199	0.000	0.000	0.000
64 65	-21.889 -20.419	12.431 10.236	9.648 13.179	-0.007 0.000	-0.023 -0.010	0.021 -0.012		189 190	-1.292 -2.178	0.000 -1.309	0.328 6.683	0.000	0.001	0.000
66 67	-11.595 0.000	-2.850 0.000	18.177	0.006	-0.009 0.000	-0.016 0.000		191 192	-2.932 -2.932	-2.425 -0.113	14.162 15.449	-0.001 0.008	0.002	-0.004 -0.002
68	-0.293	-0.006	0.190	0.000	0.000	0.001		193	0.000	0.000	0.000	0.000	0.000	0.000
69 70	-9.683 -16.035	-0.003 -9.404	0.348 6.431	0.000 -0.007	-0.005 0.028	0.014		194 195	-0.052 -1.102	0.010	0.286 0.874	0.000	0.000	0.000
71 72	-20.411 -20.416	-15.883 -2.850	14.205 14.237	0.011	-0.011 0.004	-0.008 -0.017		196 197	-1.819 -2.301	1.067	6.314 13.203	0.002	-0.016 -0.001	0.004
73	0.000	0.000	0.000	0.000	0.000	0.000		198	-1.049	-0.068	18.893	0.002	0.000	-0.002
74 75	-1.105 -20.532	-0.031 -0.060	0.271 1.579	0.000	0.000 -0.005	0.002		199 200	0.000	0.000	0.000	0.000	0.000	0.000
76 77	-33.303 -25.492	19.071 7.611	14.094 13.188	-0.018 0.000	-0.039 0.001	0.026		201 202	-0.997 -1.694	0.004	0.319 6.686	0.000	0.001	0.000
78	-16.175	-6.150	18.280	0.001	-0.001 0.000	-0.017		203	-2.305	-1.931	14.159	-0.001	0.003	-0.004
79	0.000	0.000	0.000	0.000	0.000	0.000		204	-2.304	-0.067	15.495	0.008	-0.001	-0.002

March Marc	\DC	bran (COMPA	cer m	arysr	5 \221	, , 1, 2, 2, 3	2215	13031		DIIIG	GIV5 .	БСааБ	0	
1.0	27 - 3 -								**. 4.						
Color Colo															
Column															
Section Column	207	-0.541	0.036	0.797	0.001	0.000	-0.001		10	0.306	-0.108	-3.662	-0.003	0.001	0.000
1.00	209	-1.290	1.142	13.203	0.004	0.000	-0.004		12	0.116	0.001	0.005	0.000	0.001	0.000
1.							-0.001 0.000				-0.005 0.002		0.000		
141 - 1-10	212	0.025	0.014	0.203	0.000	0.000	0.000		15	2.791	0.004	0.016	0.000	0.004	-0.005
11 1-30		-0.589 -1.009	0.015 -0.605	0.308 6.788	0.000	0.002	-0.001 0.002		16 17		-2.164 -2.332	-1.889 -2.791	0.001		
11 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	215	-1.288	-1.017	14.157	-0.003	0.004	-0.004		18	2.847	-0.045	-5.171	0.000	0.004	0.003
11	217	0.000	0.000	0.000	0.000	0.000	0.000		20	0.659	-0.004	-0.008	0.000	0.001	-0.001
100 100					0.000				21						
122 -0.02	220	-0.230	0.002	6.522	0.008	-0.011	0.001		23	4.384	2.264	-4.621	-0.003	0.005	0.003
121 0.000					0.006				24 25		-0.046		-0.003		
120 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	223	0.000	0.000	0.000	0.000	0.000	0.000		26	1.188	-0.002	0.004	0.000	0.001	-0.001
1		0.059	-0.031	0.296	0.001	0.002	-0.001		28	6.437	-3.133	-1.583	0.002		-0.007
1.20		0.086	0.001	6.848	0.008	0.013	0.001			7.246	-4.325		0.004		0.003
120 1.00	228	0.000	0.000	-0.002	0.000	0.000	0.000		31	0.000	0.000	0.000	0.000	0.000	0.000
1															
1.00	231	0.000	0.000	0.000	0.000	0.000	0.000		34	7.269	3.563	-2.709	0.003	-0.011	-0.007
141 1.563				0.000 16.513	0.000						3.518 -0.413		-0.002		
1.00	234	1.563	0.004	15.303	0.010	0.004	0.000		37	0.000	0.000	0.000	0.000	0.000	0.000
1.00		0.857			0.009		-0.003		39	5.245	-0.006	0.005	0.000	0.002	-0.007
1.000 -0						0.014									
241 0.737 0-909 1.789 0.000	239	-0.003	-0.002	0.143	0.000	0.000	0.000		42	5.760	-0.750	-5.139	0.000	0.003	0.006
1.794 0.006 1.646 0.012 -1.039 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.		-0.003 0.717		0.084 2.789	0.000		0.000 -0.002				0.000 -0.005		0.000		
264 0.084 0.095 0.095 0.005	242	1.724	-0.057	10.668	0.010	-0.009	0.002		45	6.230	-0.006	-0.066	0.000	0.002	-0.008
144 0.690				0.297 0.228	0.000	0.000	0.000		46 47				0.004		
APP 0.000	245	0.000	0.000	-0.014	0.000	0.000	0.000		48	9.238	-0.751	-4.069	-0.003	0.000	0.007
144 -1.006			0.001		0.000	0.000	0.000		50				0.000		
1.55		-0.005	0.001	0.092	0.000	0.000	0.000		51	6.882	-0.001	-0.001	0.000	0.003	-0.010
125 0.000	250	0.000	0.000	0.000	0.000	0.000	0.000		53	11.390	-6.656	-2.811	0.002	0.004	0.004
1.25				0.064			0.000						-0.001		
1.00 1.00	253	0.161	0.002	2.822	0.008	0.013	0.000		56	1.921	-0.004	-0.005	0.000	0.000	-0.002
1.25							0.000								
289 -0.018 0.003 12.729 0.007 -0.011 0.000	256	0.001	0.001	-0.008	0.000	0.000	0.000		59	11.391	5.811	-4.618	-0.002	0.003	0.006
260 -0.006 0.003 0.203 0.000 0		-0.018	0.001	2.729	0.007		0.000		61		0.000		0.000		0.000
260 -1.037 -1.248		-0.516	0.003	8.711	0.011	-0.001	0.001			1.927	-0.001	0.003	0.000		-0.003
283 -1.657 1.489	261	-4.214	-2.903	9.159	0.003	0.019	0.007		64	12.339	-6.202	-1.409	0.006	0.010	-0.012
246 -4.203 2.778				14.903 14.181			-0.002 -0.002			13.075 8.297	-7.274 -0.179				
266 -2.199 1.497 8,388 0.004 -0.015 0.004 69 8.38 0.002 -0.006 0.000 0.001 -0.011 -0.012	264	-4.203	2.778	8.528	0.003	-0.014	0.006		67	0.000	0.000	0.000	0.000	0.000	0.000
268 -1.98		-2.109													
269 -4.328 2.963 14.392 -0.004 -0.005 -0.005 772 13.076 -0.179 -1.956 -0.003 0.001 0.000		-0.898		15.217	0.001	0.006	-0.002			12.667	6.340		0.005		-0.012
172 -13,151 8,393 10,265 -0,008 -0,015 0,009 74 2,119 -0,001 0,003 0,000 0,000 -0,003 -0,003 -0,00	269	-4.328	2.963	14.303	-0.004	-0.006	-0.005		72	13.076	-0.179	-3.956	-0.003	0.001	0.009
272 -18.841 7.904 6.308 -0.008 -0.005 -0.005 75 9.083 0.000 -0.015 0.000 0.000 -0.015 -0.013 -0.0															
274 -0.689 0.251 17.163 0.006 -0.004 -0.002 77 14.226 -7.644 -2.846 0.001 0.002 0.007 0.	272	-18.841	7.904	6.308	-0.008	-0.022	0.025		75	9.053	0.000	-0.015	0.000	0.002	-0.014
276 -3,866 2.421 12,792 0.004 -0.005 -0.002 79 0.000		-1.178 -0.689		15.705 17.163	0.001		0.003		76 77	13.721					
277 -3.107 2.114 8.500 0.004 -0.015 0.004 80 2.197 -0.004 -0.003 0.000 0.000 -0.003 278 -2.484 0.695 3.572 0.003 -0.011 0.004 81 3.9661 -0.004 -0.065 -0.005 -0.001 -0.013 279 -0.075 -0.157 17.462 0.005 0.005 -0.003 -0.001 82 13.683 6.866 -2.494 0.006 -0.013 -				14.533	0.005				78						
279 -0,705 -0,157 17,462 0,003 0.005 -0,001 82 13,683 -2,485 0.006 -0,013 -0,013 200 -1,839 -1,2463 -1,001 -0,002 0.007 -0,001 -0,005 -0,001 -0,005 -0,001 -0,005 -0,001 -0,005 -0,001 -0,005 -0,001 -0,005 -0,001 -0,005 -0,001 -0,005 -0,001 -0,005 -0,001 -0,005 -0,001 -0,005 -0,00	277	-3.107	2.114	8.500	0.004	-0.015	0.004		80	2.197	-0.004	-0.003	0.000	0.000	-0.003
280 -1,839 -1,240 15,239 0.002 0.005 -0.002 83 14,225 7,619 -4,613 -0.001 0.002 0.007 0.003 228 -2,235 -2,081 9.039 0.003 0.003 0.008 86 0.000															
282 -2.925 -2.981 9.039 0.003 0.018 0.005 85 0.000	280	-1.839	-1.240	15.239	0.002	0.005	-0.002		83	14.225	7.619	-4.613	-0.001	0.002	0.007
248 0.003 0.000 0.005 0.000 0.000 0.000 0.000 87 9.378 -0.001 -0.019 0.000 0.000 0.001 -0.014 258 0.005 0.000		-3.053		9.039	0.001		0.001				0.000		0.003		0.009
285 0.155 0.002 2.694 0.008 0.131 0.000 88 14.176 -7.103 -2.650 0.006 0.101 -0.014 286 0.000 0.000 0.000 0.000 0.000 0.000 0.000 89 14.778 -7.797 -2.863 0.001 0.001 0.001 287 0.179 0.001 2.640 0.101 0.003 -0.001 90 9.488 -0.051 -5.091 -0.001 0.000 0.000 288 -0.01 0.001 2.600 0.000 0.000 0.000 0.000 290 0.114 -0.003 2.788 0.008 0.104 0.000 93 9.488 -0.051 -0.063 0.000 0.000 0.000 291 -0.050 -0.002 2.220 0.015 -0.002 0.000 94 4.221 7.788 -2.777 0.006 0.000 -0.013 292 0.689 -0.097 2.670 0.007 -0.010 -0.002 95 14.779 7.885 -4.609 0.000 -0.013 293 -0.333 -0.061 2.812 0.018 -0.009 -0.000 97 0.000 0.000 0.000 0.000 0.000 294 0.000 0.000 0.000 0.000 0.000 0.000 97 0.000 0.000 0.000 0.000 0.000 295 0.000 0.000 0.000 0.000 0.000 0.000 97 0.000 0.000 0.000 0.000 0.000 295 0.000 0.000 0.000 0.000 0.000 0.000 97 0.000 0.000 0.000 0.000 0.000 295 0.000			-0.784		0.002									0.000	-0.003
287 0.179 0.001 2.640 0.018 0.003 -0.001 90 9.438 -0.051 -5.091 -0.001 0.000		0.155	0.002	2.694	0.008	0.013	0.000			14.176	-7.103	-2.050	0.006	0.010	-0.014
288							0.000				-7.979 -0.051		0.001		0.008
290	288	-0.016	0.001	2.609	0.007	-0.011	0.000		91	0.000	0.000	0.000	0.000	0.000	0.000
291 -0.050 -0.002 2.220 0.015 -0.002 0.000 94 14.221 7.078 -2.977 0.006 -0.013 -0.014 -0.002 -0.013 -0.014 -0.002 -0.013 -0.014 -0.002 -0.003 -0.014 -0.002 -0.003 -0.001 -0.002 -0.003 -0.001 -0.002 -0.003 -0.001 -0.002 -0.003 -0.001 -0.002 -0.003 -0.001 -0.002 -0.003 -0.001 -0.002 -0.003 -0.001 -0.002 -0.003 -0.001 -0.002 -0.003 -0.001 -0.002 -0.003 -0.001 -0.002 -0.003 -0.001 -0.002 -0.003 -0.001 -0.002 -0.003 -0.001 -0.002 -0.003 -0.0															
293 0.733 -0.061 2.812 0.018 -0.009 -0.004 96 14.779 -0.051 -4.059 -0.003 0.010 0.010		-0.050	-0.002	2.220	0.015	-0.002	0.000		94	14.221	7.078		0.006	-0.013	-0.014
295 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 99 2.241 -0.001 0.002 0.000 0.000 -0.001	293	0.733	-0.061	2.812	0.018	-0.009	-0.004		96	14.779	-0.051	-4.059	-0.003	0.001	0.010
1					0.000		0.000				0.000		0.000		0.000
298 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 101 15.016 -8.186 -2.877 0.000 0.001 0.008 299 0.000	296	0.000	0.000	0.000	0.000	0.000	0.000		99	9.475	-0.001	-0.023	0.000	0.000	-0.014
299 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 102 9.566 -0.996 -5.082 -0.001 0.000															
301	299	0.000	0.000	0.000	0.000	0.000	0.000		102	9.566	-0.096	-5.082	-0.001	0.001	0.010
302 -0.014 -0.003 0.038 0.000 0.000 0.000 105 9.593 -0.005 -0.061 0.000 0.000 -0.014 304 -0.055 -0.001 0.075 0.000 0.000 0.000 107 15.017 8.003 -4.606 0.000 0.000 0.003 305 -0.289 0.001 0.159 0.000 0.000 0.000 107 15.017 8.003 -4.606 0.000 0.003 0.003 305 -0.289 0.001 0.159 0.000 0.000 0.000 108 15.017 -0.096 -4.038 -0.003 0.002 0.010 306 -0.121 0.001 0.153 0.000 0.000 0.000 109 0.000															
304 -0.055 -0.001 0.075 0.000 0.000 0.000 107 15.017 8.003 -4.606 0.000 0.000 0.008 35.017 -0.096 -4.038 -0.003 0.002 0.010 306 -0.121 0.001 0.113 0.000 0.000 0.000 109 0.000 0.0		-0.014	-0.003	0.038	0.000	0.000	0.000		105	9.593	-0.005	-0.061	0.000	0.000	-0.014
306 -0.121 0.001 0.113 0.000 0.000 0.000 1.09 0.000	304	-0.055	-0.001	0.075	0.000	0.000	0.000		107	15.017	8.003	-4.606	0.000	0.000	0.008
308 -0.590 0.005 0.212 0.000 0.000 0.001 110 2.185 -0.001 0.001 0.000 0.000 -0.003 308 -0.204 0.003 0.151 0.000 0.000 0.000 0.111 9.503 -0.001 -0.027 0.000 0.000 -0.014 309 -0.072 -0.004 0.210 0.000 0.000 0.000 0.112 14.434 -7.298 -2.652 0.006 0.010 -0.014 310 -0.018 -0.003 0.151 0.000 0.000 0.000 0.113 15.094 -8.259 -2.891 0.000 0.000 0.000 311 -0.040 -0.001 0.158 0.000 0.000 0.000 0.144 9.605 -0.110 -5.075 -0.001 0.001 0.010 312 0.005 -0.001 0.114 0.000 0.000 0.000 0.115 0.000 0.000 0.000 313 -0.200 0.004 0.106 0.000 0.000 0.000 0.116 0.251 -0.002 -0.001 0.000 0.000 0.000 314 0.009 0.001 0.076 0.000 0.000 0.000 0.117 9.642 -0.002 -0.058 0.000 0.000 -0.013 315 -0.006 0.007 0.054 0.000 0.000 0.000 0.117 9.642 -0.002 -0.058 0.000 -0.013 -0.144 316 0.005 0.002 0.038 0.000 0.000 0.000 0.118 14.618 7.362 -3.052 0.006 -0.013 -0.144 316 0.005 0.002 0.038 0.000 0.000 0.000 0.000 119 15.095 8.048 -4.602 0.000 0.000 0.000 Load case 4 (Linear): SW-Seism on X direction 121 0.000 0.000 0.000 0.000 0.000 0.000 Load case 4 (Linear): Transl'n Transl'n Rotation Rotation 124 14.396 -7.235 -2.041 0.006 0.000 0.000 0.008 10															
309 -0.072 -0.004 0.210 0.000 0.000 0.000 112 14.434 -7.298 -2.052 0.006 0.010 -0.018 310 -0.018 -0.003 0.151 0.000 0.000 0.000 113 15.094 -8.259 -2.891 0.000 0.000 0.000 0.001 311 -0.040 -0.001 0.158 0.000 0.000 0.000 0.000 114 9.605 -0.110 -5.075 -0.001 0.000 0.000 0.000 312 0.005 -0.001 0.158 0.000 0	307	-0.590	0.005	0.212	0.000	0.000	0.001		110	2.185	-0.001	0.001	0.000	0.000	-0.003
310					0.000		0.000				-7.298		0.006		
312 0.005 -0.001 0.114 0.000	310	-0.018	-0.003	0.151	0.000	0.000	0.000		113	15.094	-8.259	-2.891	0.000	0.000	0.008
313 -0.020 0.004 0.106 0.000 0.000 0.000 0.000 116 2.251 -0.002 -0.0058 0.000 0.000 -0.003 314 0.009 0.001 0.076 0.000 0.000 0.000 0.000 117 9.642 -0.002 -0.058 0.000 0.000 -0.013 315 -0.006 0.007 0.054 0.000 0.000 0.000 118 14.618 7.362 -3.052 0.006 -0.013 -0.014 316 0.005 0.002 0.038 0.000 0.000 0.000 119 15.095 8.048 -4.602 0.000 0.000 0.000 316 0.005 0.002 0.038 0.000 0.000 0.000 119 15.095 -0.110 -4.026 -0.003 0.002 0.010 Load case 4 (Linear): SW-Selsm on X direction 121 0.000 0.000 0.000 0.000 0.000 0.000 32 X-Axis Y-Axis Z-Axis X-Axis Y-Axis Z-Axis 123 9.508 -0.001 0.001 0.000 0.000 0.000 0.000 4 1 0.000 0.000 0.000 0.000 0.000 0.000 0.000 125 15.067 -8.212 -2.903 0.000 0.000 0.000 5 0.298 0.035 0.022 0.000 0.004 0.001 127 0.000 0.000 0.000 0.000 0.000 0.000 5 0.439 0.081 0.081 -1.198 -0.001 0.002 0.000 0.000 128 9.666 -0.004 -0.054 0.000 0.000 -0.014 6 0.000 0.000 0.000 0.000 0.000 0.000 0.000 130 14.577 7.292 -3.024 0.006 -0.013 -0.014 6 0.000 0.000 0.000 0.000 0.000 0.000 0.000 130 14.577 7.292 -3.024 0.006 -0.013 -0.014 6 0.000 0.000 0.000 0.000 0.000 0.000 0.000 130 14.577 7.292 -3.024 0.006 -0.013 -0.014 6 0.000 0.0	312	0.005	-0.001	0.114	0.000	0.000	0.000		115	0.000	0.000	0.000	0.000	0.000	0.000
315 -0.006 0.007 0.054 0.000 0.000 0.000 0.000 118 14.618 7.362 -3.052 0.006 -0.013 -0.014 316 0.005 0.002 0.038 0.000 0.000 0.000 119 15.095 8.048 -4.602 0.000					0.000		0.000				-0.002	-0.001			-0.003
15.09	315	-0.006	0.007	0.054	0.000	0.000	0.000		118	14.618	7.362	-3.052	0.006	-0.013	-0.014
Load case 4 (Linear): SW-Seism on X direction	316	0.005	0.002	0.038	0.000	0.000	0.000								
X-Axis Y-Axis Z-Axis X-Axis X-Axis X-Axis Z-Axis Rotation R	Load ca	ase 4 (Linea	ar): SW+Sei	sm on X dir	ection				121	0.000	0.000	0.000	0.000	0.000	0.000
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		X-Axis	Y-Axis						123	9.508	-0.001	-0.031	0.000	0.000	-0.014
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	Node	Transl'n	Transl'n	Transl'n	Rotation	Rotation	Rotation								
3 0.395 0.109 -5.190 0.001 0.004 0.001 128 2.324 -0.004 0.000 0.000 -0.003 4 0.418 -0.081 -1.198 -0.001 0.002 0.000 129 9.646 -0.004 -0.004 0.000 -0.014 5 0.439 -0.050 -2.790 0.004 0.008 0.000 130 14.577 7.292 -3.024 0.006 -0.013 -0.014 6 0.000 0.000 0.000 0.000 0.000 131 15.068 7.999 -4.598 0.000 0.000 0.008									126	9.610	-0.111	-5.068	-0.001	0.001	0.010
4 0.418 -0.081 -1.198 -0.001 0.002 0.000 129 9.646 -0.004 -0.054 0.000 0.000 -0.014 5 0.439 -0.050 -2.790 0.004 0.008 0.000 130 14.577 7.292 -3.024 0.006 -0.013 -0.014 6 0.000 0.000 0.000 0.000 131 15.068 7.999 -4.598 0.000 0.000 0.000													0.000		
6 0.000 0.000 0.000 0.000 0.000 0.000 131 15.068 7.999 -4.598 0.000 0.000 0.008		0.418	-0.081	-1.198	-0.001	0.002	0.000		129	9.646	-0.004	-0.054	0.000	0.000	-0.014
7 0.229 -0.036 -0.057 0.001 0.003 0.001 132 15.068 -0.111 -4.028 -0.003 0.002 0.010	6	0.000	0.000	0.000	0.000	0.000	0.000		131	15.068	7.999	-4.598	0.000	0.000	0.008
	7	0.229	-0.036	-0.057	0.001	0.003	0.001		132	15.068	-0.111	-4.028	-0.003	0.002	0.010

Node	X-Axis Transl'n	Y-Axis Transl'n	Z-Axis Transl'n	X-Axis Rotation	Y-Axis Rotation	Z-Axis Rotation	Node	X-Axis Transl'n	Y-Axis Transl'n	Z-Axis Transl'n	X-Axis Rotation	Y-Axis Rotation	Z-Axis Rotation
133 134	0.000 2.282	0.000	0.000	0.000	0.000	0.000	258 259	0.143 1.161	-0.070 -0.040	-0.321 -0.258	-0.002 -0.004	0.004	0.000
135	9.438	-0.001	-0.034	0.000	0.000	-0.014	260	0.106	-0.070	0.239	0.000	0.000	0.000
136 137	14.261 14.928	-7.138 -8.109	-2.015 -2.914	0.006	0.010	-0.014 0.008	261 262	7.651 3.932	4.124 1.585	-3.643 -4.533	0.002	-0.008 0.001	-0.003
138	9.540	-0.111	-5.063	-0.001	0.000	0.010	263	4.071	-1.870	-3.134	0.005	0.004	0.003
139 140	0.000 2.355	0.000	0.000	0.000	0.000	0.000	264 265	6.896 4.407	-3.811 -1.516	-2.018 -3.294	0.003	0.005	-0.005 0.003
141	9.576	-0.006	-0.050	0.000	-0.001	-0.013	266	9.477	-5.349	-2.394	0.003	0.006	-0.004
142 143	14.438 14.928	7.190 7.896	-3.016 -4.593	0.006	-0.013 0.000	-0.014 0.008	267 268	4.572 9.588	1.498 5.309	-4.906 -3.610	0.005	-0.003 -0.007	0.003
144	14.928	-0.112	-4.038	-0.003	0.002	0.010	269	6.634	-3.416	-2.901	0.003	0.003	0.005
145 146	0.000 2.166	0.000	0.000	0.000	0.000	0.000	270 271	9.234 10.960	-5.920 -6.032	-2.378 -1.361	0.003	0.007	-0.001 -0.007
147 148	9.233 13.995	-0.001 -7.049	-0.037 -2.004	0.000	0.000	-0.014 -0.014	272 273	10.728 3.456	-3.818 -0.954	-0.579 -3.791	0.001	0.004	-0.012 0.003
149	14.628	-7.969	-2.923	-0.001	0.000	0.008	274	3.913	-0.777	-4.801	-0.006	0.000	0.002
150 151	9.338	-0.115 0.000	-5.059 0.000	-0.001 0.000	0.000	0.009	275 276	7.997 11.881	-3.144 -6.618	-3.262 -2.977	-0.006 -0.002	-0.001 -0.001	0.006
152 153	2.238	-0.004 -0.004	0.001	0.000	0.000	-0.003 -0.013	277 278	13.407 11.738	-7.522 -4.234	-2.524 -0.887	0.004	0.007	-0.007 -0.014
154	14.184	7.109	-3.034	0.006	-0.013	-0.014	279	3.995	0.634	-4.522	0.003	-0.001	0.003
155 156	14.629 14.629	7.747 -0.115	-4.589 -4.047	0.000	0.000	0.008	280 281	8.108 11.858	3.098 6.368	-4.848 -4.466	0.003	-0.002 -0.003	0.005
157	0.000	0.000	0.000	0.000	0.000	0.000	282	13.561	7.522	-3.769	0.005	-0.008	-0.006
158 159	1.996 8.877	-0.001 -0.001	-0.001 -0.039	0.000	0.000	-0.003 -0.013	283 284	11.923 0.121	4.282 0.007	-1.485 -0.345	0.003	-0.009 0.001	-0.014 0.000
160 161	13.513 14.082	-6.862 -7.688	-2.000 -2.931	0.006	0.010	-0.013 0.008	285 286	0.257	0.049	-1.047 0.000	-0.002	-0.003	0.000
162	8.985	-0.119	-5.055	-0.001	0.000	0.009	287	-0.240	0.020	-1.462	-0.008	-0.009	0.002
163 164	0.000 2.066	0.000	0.000	0.000	0.000	0.000	288 289	0.141	-0.070 -0.038	-0.294 0.369	-0.002 0.000	0.004	0.000
165 166	9.029 13.716	-0.002 6.934	-0.039 -3.040	0.000	-0.001 -0.012	-0.013 -0.013	290 291	0.114	0.046	-0.681	-0.003 -0.003	-0.006 0.007	0.000
167	14.083	7.458	-4.584	0.001	-0.001	0.008	292	0.287	0.018 -0.081	-0.130 -0.642	-0.001	0.002	-0.001
168 169	14.083 0.000	-0.120 0.000	-4.051 0.000	-0.002 0.000	0.002	0.009	293 294	-0.110 0.000	-0.045 -0.001	-1.123 0.000	-0.006 0.000	0.008	0.001
170	1.907	-0.001	-0.002	0.000	0.000	-0.003	295	0.000	-0.001	0.000	0.000	0.000	0.000
171 172	8.323 12.647	-0.001 -6.400	-0.041 -1.941	0.000	-0.001 0.010	-0.012 -0.013	296 297	0.000	-0.002 -0.002	0.000	0.000	0.000	0.000
173	13.140	-7.115 -0.118	-2.937	-0.002	-0.002 -0.001	0.008	298	0.000	-0.001	0.000	0.000	0.000	0.000
174 175	8.430 0.000	0.000	-5.053 0.000	-0.001 0.000	0.000	0.008	299 300	0.000	-0.001 -0.002	0.000	0.000	0.000	0.000
176 177	1.978 8.472	-0.004 -0.005	0.002	0.000	0.000	-0.003 -0.012	301 302	0.126 0.135	0.000	0.000	0.000	0.000	-0.001 -0.001
178	12.843	6.464	-3.007	0.005	-0.012	-0.012	303	0.476	-0.001	0.002	0.000	0.000	-0.001
179 180	13.141 13.141	6.886 -0.119	-4.580 -4.065	0.001	-0.002 0.002	0.007	304 305	0.511 0.957	-0.002 -0.002	-0.001 0.003	0.000	0.000	-0.001 -0.002
181 182	0.000	0.000	0.000	0.000	0.000	0.000	306 307	1.023	-0.003 -0.002	-0.001 0.003	0.000	0.000	-0.002 -0.002
183	7.401	-0.001	-0.042	0.000	-0.002	-0.011	308	1.540	-0.004	-0.002	0.000	0.000	-0.002
184 185	11.241 11.552	-5.683 -6.129	-1.854 -2.942	0.005	0.010	-0.011 0.008	309 310	1.528	-0.001 -0.004	-0.001 0.000	0.000	0.000	-0.002 -0.002
186	7.503	-0.112	-5.052	-0.001	-0.001	0.007	311	1.016	-0.001	-0.001	0.000	0.000	-0.002
187 188	0.000 1.772	0.000 -0.005	0.000	0.000	0.000	0.000	312 313	1.057 0.507	-0.003 -0.001	0.000 -0.001	0.000	0.000	-0.002 -0.001
189 190	7.541 11.424	-0.005 5.740	-0.027 -3.004	0.000	-0.003 -0.011	-0.011 -0.011	314 315	0.531	-0.003 0.000	0.000	0.000	0.000	-0.001 -0.001
191	11.552	5.913	-4.575	0.002	-0.003	0.007	316	0.153	-0.002	0.000	0.000	0.000	-0.001
192	11.552	-0.112											
			-4.092 0.000	-0.002 0.000	0.003	0.007	Load c	ase 5 (Linea	ar): SW+Sei:	m on Z dir	ection		
193 194	0.000 1.266	0.000	0.000 -0.004	0.000	0.000 -0.001	0.000 -0.001	Load ca	ase 5 (Linea				W 2-1-	n and a
193 194 195 196	0.000 1.266 5.861 8.956	0.000 -0.002 -0.002 -4.582	0.000 -0.004 -0.043 -1.736	0.000 0.000 -0.001 0.005	0.000 -0.001 -0.003 0.010	0.000 -0.001 -0.008 -0.009	Load c: Node	X-Axis Transl'n	Y-Axis Transl'n	sm on Z dir Z-Axis Transl'n	X-Axis Rotation	Y-Axis Rotation	Z-Axis Rotation
193 194 195	0.000 1.266 5.861 8.956 8.983	0.000 -0.002 -0.002 -4.582 -4.609	0.000 -0.004 -0.043	0.000 0.000 -0.001 0.005 -0.005	0.000 -0.001 -0.003 0.010 -0.005	0.000 -0.001 -0.008 -0.009 0.007		X-Axis Transl'n	Y-Axis Transl'n	Z-Axis Transl'n	X-Axis Rotation	Rotation	Rotation
193 194 195 196 197 198 199	0.000 1.266 5.861 8.956 8.983 5.958 0.000	0.000 -0.002 -0.002 -4.582 -4.609 -0.107 0.000	0.000 -0.004 -0.043 -1.736 -2.945 -5.052 0.000	0.000 0.000 -0.001 0.005 -0.005 -0.001	0.000 -0.001 -0.003 0.010 -0.005 -0.003	0.000 -0.001 -0.008 -0.009 0.007 0.005	Node	X-Axis Transl'n 0.000 0.830	Y-Axis Transl'n 0.000 0.320	Z-Axis Transl'n 0.000 0.999	X-Axis Rotation 0.000 0.002	0.000 -0.004	0.000 -0.001
193 194 195 196 197 198 199 200 201	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 5.995	0.000 -0.002 -0.002 -4.582 -4.609 -0.107 0.000 -0.006	0.000 -0.004 -0.043 -1.736 -2.945 -5.052 0.000 0.002 -0.020	0.000 0.000 -0.001 0.005 -0.005 -0.001 0.000 0.000	0.000 -0.001 -0.003 0.010 -0.005 -0.003 0.000 -0.001 -0.004	0.000 -0.001 -0.008 -0.009 0.007 0.005 0.000 -0.002 -0.009	Node 1 2 3 4	X-Axis Transl'n 0.000 0.830 0.863 1.305	Y-Axis Transl'n 0.000 0.320 1.305 -0.107	Z-Axis Transl'n 0.000 0.999 17.592 6.518	X-Axis Rotation 0.000 0.002 0.003 0.008	0.000 -0.004 -0.002 -0.010	0.000 -0.001 -0.001 -0.001
193 194 195 196 197 198 199 200 201 202	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 5.995 9.138	0.000 -0.002 -0.002 -4.582 -4.609 -0.107 0.000 -0.006 4.646	0.000 -0.004 -0.043 -1.736 -2.945 -5.052 0.000 0.002 -0.020 -2.980	0.000 0.000 -0.001 0.005 -0.005 -0.001 0.000 0.000 0.000	0.000 -0.001 -0.003 0.010 -0.005 -0.003 0.000 -0.001 -0.004 -0.009	0.000 -0.001 -0.008 -0.009 0.007 0.005 0.000 -0.002 -0.009	Node 1 2 3 4 5	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001	0.000 -0.004 -0.002 -0.010 -0.009	0.000 -0.001 -0.001 -0.001 -0.001
193 194 195 196 197 198 199 200 201 202 203 204	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 5.995 9.138 8.984	0.000 -0.002 -0.002 -4.582 -4.609 -0.107 0.000 -0.006 -0.006 4.646 4.402 -0.107	0.000 -0.004 -0.043 -1.736 -2.945 -5.052 0.000 0.002 -0.020 -2.980 -4.572 -4.157	0.000 0.000 -0.001 0.005 -0.005 -0.001 0.000 0.000 0.000 0.004 0.003 -0.002	0.000 -0.001 -0.003 0.010 -0.005 -0.003 0.000 -0.001 -0.004 -0.009 -0.005 0.004	0.000 -0.001 -0.008 -0.009 0.007 0.005 0.000 -0.002 -0.009 -0.008 0.006	Node 1 2 3 4 5 6 7	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 -0.030	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.001	0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001	Rotation 0.000 -0.001 -0.001 -0.001 -0.001 0.000 -0.001
193 194 195 196 197 198 199 200 201 202 203	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 5.995 9.138	0.000 -0.002 -0.002 -4.582 -4.609 -0.107 0.000 -0.006 -0.006 4.646 4.402	0.000 -0.004 -0.043 -1.736 -2.945 -5.052 0.000 0.002 -0.020 -2.980 -4.572	0.000 0.000 -0.001 0.005 -0.005 -0.001 0.000 0.000 0.000	0.000 -0.001 -0.003 0.010 -0.005 -0.003 0.000 -0.001 -0.004 -0.009 -0.005	0.000 -0.001 -0.008 -0.009 0.007 0.005 0.000 -0.002 -0.009 -0.008 0.006	Node	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000	0.000 -0.004 -0.002 -0.010 -0.009 0.000	0.000 -0.001 -0.001 -0.001 -0.001 0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207	0.000 1.266 5.861 8.958 0.000 1.319 5.995 9.138 8.984 0.000 0.655 3.362	0.000 -0.002 -0.002 -4.582 -4.609 -0.107 0.000 -0.006 -0.006 4.646 4.402 -0.107 0.000 -0.001	0.000 -0.004 -0.043 -1.736 -2.945 -5.052 0.000 0.002 -0.020 -2.980 -4.572 -4.157 0.000 -0.004	0.000 0.000 0.001 0.005 -0.005 -0.001 0.000 0.000 0.000 0.000 0.004 0.003 -0.002 0.000 0.000	0.000 -0.001 -0.003 0.010 -0.005 -0.003 0.000 -0.001 -0.004 -0.009 -0.004 0.000 -0.001	0.000 -0.001 -0.008 -0.009 0.007 0.005 0.000 -0.002 -0.009 -0.008 0.006 0.005 0.000	Node 1 2 3 4 5 6 7 8 9 10	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 -0.030 -0.049 -0.043 0.850	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.001 0.009 0.006 0.011	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.014 -0.002 0.001	Rotation 0.000 -0.001 -0.001 -0.001 0.000 -0.001 0.000 -0.001 -0.004 0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209	0.000 1.266 5.861 8.958 0.000 1.319 5.995 9.138 8.984 0.000 0.655 3.362 5.199	0.000 -0.002 -0.002 -4.582 -4.609 -0.107 0.000 -0.006 4.646 4.402 -0.107 0.000 -0.001 0.003 -2.708	0.000 -0.004 -0.043 -1.736 -2.945 -5.052 0.000 0.002 -0.020 -2.980 0.000 -4.572 -4.157 0.000 -0.004 -0.004 -1.299 -2.947	0.000 0.000 0.001 0.005 -0.001 0.000 0.000 0.000 0.000 0.002 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 -0.001 -0.003 0.010 -0.005 -0.003 0.000 -0.001 -0.004 -0.009 -0.005 0.004 0.000 -0.001 -0.005 0.004	0.000 -0.001 -0.008 -0.009 0.007 0.005 0.000 -0.002 -0.009 -0.008 0.005 0.005 0.000 -0.001 -0.004 -0.006	Node 1 2 3 4 5 6 7 8 9 10 11 12	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 -0.049 -0.049 0.050 0.050	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.000 0.023	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.001 0.009 0.006 0.011 0.000	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.014 -0.002 0.001 0.000 0.000	Rotation 0.000 -0.001 -0.001 -0.001 -0.001 0.000 -0.001 0.000 -0.001 -0.004 0.000 0.000 0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 5.995 9.138 8.984 8.984 0.000 0.655 3.362 5.199	0.000 -0.002 -0.002 -4.582 -4.609 -0.107 0.000 -0.006 -0.006 4.646 4.402 -0.107 0.000 -0.001	0.000 -0.004 -0.043 -1.736 -2.945 -5.052 0.000 0.002 -0.020 -2.980 -4.572 -4.157 0.000 -0.004	0.000 0.000 -0.001 0.005 -0.005 -0.001 0.000 0.000 0.004 0.003 -0.002 0.000 0.000 0.000	0.000 -0.001 -0.003 0.010 -0.005 -0.003 0.000 -0.001 -0.004 -0.009 -0.005 0.004 0.000 -0.001	0.000 -0.001 -0.008 -0.009 0.007 0.005 0.000 -0.002 -0.009 -0.008 0.006 0.005 0.000 -0.001	Node 1 2 3 4 4 5 6 7 8 9 10	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 -0.030 -0.049 -0.043 0.850	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.000	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.001 0.009 0.006 0.011	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.014 -0.002 0.001 0.001	Rotation 0.000 -0.001 -0.001 -0.001 -0.001 0.000 -0.001 0.001 -0.004 0.000 0.000
193 194 195 196 197 198 200 201 202 203 204 205 206 207 208 209 210 211 212	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 5.995 9.138 8.984 0.000 0.655 3.362 5.199 5.121 3.483 0.000	0.000 -0.002 -0.002 -4.582 -4.609 -0.107 0.000 -0.006 -0.006 4.646 4.402 -0.107 0.000 -0.001 0.003 -2.708 -2.581 -0.132 0.000	0.000 -0.004 -0.043 -1.736 -2.945 -5.052 0.000 0.002 -0.020 -2.980 -4.157 0.000 -0.004 -1.299 -2.947 -5.052 0.000	0.000 0.000 -0.001 0.005 -0.005 -0.001 0.000 0.000 0.004 0.003 -0.002 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 -0.001 -0.003 0.010 -0.005 -0.003 0.000 -0.001 -0.004 -0.005 0.004 0.000 -0.005 0.009 -0.005 0.009	0.000 -0.001 -0.008 -0.009 0.007 0.005 0.000 -0.002 -0.008 0.006 0.005 0.000 -0.001 -0.004 -0.006 0.006 0.003 0.006	Node 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 -0.030 -0.049 -0.043 0.850 0.000 0.098 -0.022 -0.028	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.000 0.023 0.003 -0.044	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.203 0.299	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.001 0.009 0.006 0.011 0.000 0.000 0.000	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.014 -0.002 0.001 0.000 0.000 0.000 0.000	Rotation 0.000 -0.001 -0.001 -0.001 -0.001 0.000 -0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 211 212 211 212	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 9.138 8.984 8.984 0.000 0.655 3.362 5.129 5.121 3.483 0.000 0.683 3.536	0.000 -0.002 -0.002 -4.582 -4.609 -0.107 0.000 -0.006 -0.006 -4.402 -0.107 0.000 -0.001 -2.708 -2.581 -0.132 0.000 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008	0.000 -0.004 -0.043 -1.736 -2.945 -5.052 -0.000 -0.020 -2.980 -4.572 -4.157 -0.000 -0.043 -1.299 -2.947 -5.052 0.000 -0.003 -0.014	0.000 0.000 -0.001 0.005 -0.005 -0.005 -0.000 0.000	0.000 -0.001 -0.003 0.010 -0.005 -0.003 0.000 -0.001 -0.005 0.004 0.000 -0.001 -0.005 0.009 -0.005 0.009 -0.005 0.000 -0.001 -0.006 -0.005 0.000 -0.001 -0.006	0.000 -0.001 -0.008 -0.009 0.007 0.005 0.000 -0.002 -0.008 0.006 0.005 0.000 -0.001 -0.004 -0.006 0.003 0.000 -0.001 -0.006 -0.001 -0.006 -0.001 -0.006 -0.000	Node 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 -0.030 -0.049 -0.043 0.850 0.000 0.098 -0.002 -0.028 -0.711 -1.176	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.000 0.023 0.003 -0.044 -0.044 0.644	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.203 0.203 0.209 6.671 13.137	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.001 0.000 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.014 -0.002 0.001 0.000 0.000 0.000 0.000 -0.004 -0.013 -0.003	Rotation 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 0.000 -0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 5.995 9.138 8.984 0.000 0.655 3.362 5.199 5.121 3.483 0.000 0.683 5.125	0.000 -0.002 -0.002 -4.582 -4.609 -0.107 0.000 -0.006 -4.646 4.402 -0.107 0.000 -0.003 -2.708 -2.581 -0.132 0.000 -0.000 -0.006 -0.0000 -0.000 -0.00	0.000 -0.004 -0.004 -0.004 -1.736 -2.945 -5.952 -0.020 -0.020 -0.020 -4.572 -4.157 -0.000 -0.004 -0.043 -1.299 -2.947 -0.000 -0.003 -0.003 -0.003 -0.003 -0.003 -0.003 -0.003 -0.003 -0.003 -0.003 -0.003 -0.004 -0.	0.000 0.000 -0.001 0.005 -0.005 -0.005 0.000 0.000 0.000 0.004 0.003 -0.002 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.001 0.003 0.010 0.003 0.010 0.005 0.003 0.000 0.001 0.001 0.004 0.005 0.004 0.005 0.005 0.009 0.001 0.001 0.001 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	0.000 0.001 -0.008 -0.009 0.007 0.005 0.000 -0.002 -0.008 0.006 0.005 0.000 -0.001 -0.004 -0.006 0.003 0.000 -0.001 -0.006 0.005 0.000 -0.001 -0.006 0.005 0.000 -0.0000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000	Node 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 -0.030 -0.043 0.850 0.000 0.098 -0.002 -0.022 -0.022 -1.176 -1.871	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.000 0.023 0.003 -0.044 -0.044 -0.044 -0.044 -0.044	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.203 0.299 1.096 6.671 13.137	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.001 0.009 0.006 0.011 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.001 0.014 -0.002 0.001 0.000 0.000 0.000 -0.000 0.000 -0.000 -0.000 -0.000 -0.000 -0.000	Rotation 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 0.000 -0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 215 216	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 9.95 9.138 8.994 8.994 8.994 8.994 8.995 5.121 3.483 0.000 0.683 3.352 5.5123 3.536 5.548 6.568 6.683 5.558 6.683 6.783	0.000 0.002 -0.002 -4.582 -4.609 -0.107 0.000 -0.006 4.646 4.402 -0.107 0.000 -0.001 -0.013 -0.003 -2.708 -2.581 -0.132 0.000 -0.008 2.832 2.320 -0.132 0.000	0.000 -0.004 -0.004 -0.004 -0.043 -1.736 -2.945 -5.052 -0.000 -0.022 -0.020 -2.980 -0.003 -0.004 -0.043 -1.299 -0.000 -0.003 -0.003 -0.003 -0.004 -0.003 -0.	0.000 0.000 0.001 0.005 0.005 0.005 0.005 0.000	0.000 0.001 0.003 0.010 0.005 0.000 0.000 0.001 0.001 0.004 0.005 0.004 0.005 0.000 0.001 0.001 0.000 0.001 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.00000	0.000 0.001 0.008 0.009 0.007 0.005 0.0000 0.000 0.00000 0.0000 0.0000 0.00000 0.00000 0.0000 0.0000 0.0000 0.0000 0.00000 0.00000	Node 1 2 3 4 5 6 7 8 9 10 11 11 12 13 14 15 16 17 18 19 20	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 -0.030 -0.049 -0.043 0.850 0.050 0.098 -0.002 -0.028 -0.711 -1.176 -1.871 -0.678 0.000	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.000 0.023 0.003 0.004 -0.044 0.644 1.674 -0.077 0.000 0.000	Z-Axis Transl'n 0.909 0.909 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.203 0.299 1.096 6.671 13.137 0.000	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.001 0.000 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.014 -0.002 0.000 0.000 0.000 0.000 -0.000 0.000 -0.004 -0.013 -0.004 -0.004 0.000 0.000	Rotation 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 0.000 -0.001 -0.004 0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 207 208 209 210 211 212 213 214 215 216 217 218	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 9.138 8.984 8.984 0.000 0.655 5.121 3.483 0.000 0.683 3.536 5.458 5.123 5.120 0.000	0.000 0.002 -0.002 -4.582 -4.609 -0.107 0.000 -0.006 4.646 4.402 -0.107 0.000 -0.001 0.003 -2.708 -2.581 -0.132 0.000 -0.008 2.832 2.320 -0.132 0.000 0.001	0.000 -0.004 -0.004 -0.004 -0.043 -1.736 -2.945 -5.052 -0.000 -0.020 -2.980 -0.002 -0.000 -0.003 -0.	0.000 0.000 0.001 0.005 0.005 0.005 0.000	0.000 0.001 0.003 0.010 0.005 0.000 0.000 0.000 0.001	0.000 0.001 0.001 0.008 0.009 0.007 0.005 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	Node 1 2 3 4 4 5 6 7 8 9 10 11 11 12 13 14 15 16 177 18 19 20 21	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 -0.030 -0.049 -0.043 0.850 0.098 -0.012 -1.176 -1.871 -0.678 0.000 -0.053 -0.629 -1.031	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.000 0.023 0.003 -0.044 -0.044 -0.044 -0.077 -0.000	Z-Axis Transl'n 0.000 1.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.203 0.299 1.096 6.671 13.137 0.000 0.298	X-Axis Rotation 0.000 0.002 0.003 0.008 0.001 0.001 0.001 0.001 0.001 0.000 0.001 0.000 0.000 0.000 0.001 0.000 0.000 0.001 0.000 0.001 0.000 0.001 0.000	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.001 0.014 -0.002 0.001 0.001 0.000	Rotation 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 0.000 -0.001 -0.004 0.000
193 194 195 196 197 198 200 201 202 203 204 205 206 207 208 209 211 212 213 214 215 216 217 218 218 220	0.000 1.266 5.861 8.956 8.982 5.958 0.000 1.319 5.995 9.138 8.984 8.984 0.000 0.655 5.121 3.483 0.000 0.683 3.536 5.458 5.122 0.000	0.000 -0.002 -0.002 -4.582 -4.609 -0.107 0.000 -0.006 -0.006 -0.006 -0.001 -0.001 -0.001 -0.001 -0.003 -0.001 -0.003 -0.0	0.000 -0.004 -0.043 -1.736 -2.945 -5.052 -0.000 -0.002 -2.980 -4.157 0.000 -0.004 -0.043 -1.2947 -5.052 0.003 -0.020 -0.0	0.000 0.000 0.001 0.005 0.005 0.005 0.000	0.000 -0.001 -0.003 -0.003 -0.003 -0.003 -0.000 -0.001 -0.004 -0.009 -0.005 -0.004 -0.009 -0.005 -0.004 -0.009 -0.005 -0.009 -0.005 -0.009 -0.005 -0.009 -0.005 -0.009 -0.001 -0.006 -0.006 -0.006 -0.007 -0.007 -0.001 -0.004	0.000 -0.001 -0.008 -0.009 -0.007 -0.005 -0.009 -0.009 -0.009 -0.001	Node 1 2 3 4 5 6 7 8 9 10 0 11 12 13 14 15 16 17 18 19 20 21	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 -0.030 -0.043 0.850 0.000 0.092 -0.028 -0.002 -0.028 -0.017 -1.176 -1.871 -0.678 0.000 -0.053 -0.629 -0.053	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.013 -0.722 0.000 0.023 0.023 0.044 0.644 1.674 -0.077 0.000 0.017 -0.0164	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.203 0.299 1.096 6.671 13.137 17.735 0.000 0.203 0.311 6.511 4.274	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.001 0.000 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.014 -0.002 0.001 0.000	Rotation 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 -0.001 -0.000
193 194 195 196 197 198 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 220 230 240 250 260 270 270 270 270 270 270 270 270 270 27	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 5.995 9.138 8.984 8.984 0.000 0.655 5.121 3.483 0.000 0.683 3.536 5.122 0.000 1.110 0.238 0.323 0.322 0.322	0.000 -0.002 -0.002 -4.582 -4.609 -0.107 -0.006 -0.006 -0.006 -4.640 -0.006 -0.001 -0.001 -0.001 -0.003 -0.	0.000 -0.004 -0.004 -0.004 -0.004 -0.003 -1.736 -2.945 -5.052 -0.000 -0.002 -2.980 -4.157 0.000 -0.004 -0.043 -1.2947 -5.052 0.000 -0.003 -0.014 -1.287 -2.947 -2.947 -5.552	0.000 0.000	0.000 -0.001 -0.003 -0.003 -0.003 -0.003 -0.001 -0.004 -0.009 -0.005 -0.004 -0.009 -0.005 -0.005 -0.009 -0.005 -0.009 -0.005 -0.009 -0.005 -0.009 -0.001 -0.001 -0.005 -0.009 -0.001 -0.001 -0.001 -0.001 -0.004 -0.004 -0.004 -0.004 -0.007 -0.004	0.000 -0.001 -0.008 -0.009 -0.009 -0.009 -0.009 -0.009 -0.009 -0.001 -0.006 -0.005 -0.000 -0.001 -0.006 -0.005 -0.000 -0.001 -0.006 -0.005 -0.000 -0.001 -0.006	Node 1 2 3 4 5 6 7 8 9 10 0 11 122 13 3 14 15 16 17 18 19 20 21 22 23 24	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0-0.030 0-0.043 0.850 0.000 0.000 0.002 0.028 0.002 0.028 0.011 1.176 1.871 0.678 0.000 0.053	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.72 0.000 0.023 -0.014 -0.013 -0.003 -0.004 0.003 -0.004 -0.014 -0.017 -0.000 -0.017 -0.007 -0.017	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.203 0.299 6.671 13.137 17.735 0.000 0.203 0.203 1.096 6.571 14.275 14.275	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.001 0.000 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.010 0.000 0.001 0.000	Rotation 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 -0.001 -0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 210 211 212 213 214 215 216 217 218 220 221 222 222 222 222	0.000 1.266 5.861 8.956 8.956 8.958 9.958 0.000 1.319 5.995 9.138 8.984 8.984 0.000 0.655 5.121 3.483 0.000 0.683 3.595 5.122 0.000 0.101 0.238 0.322 0.329 0.000 0.112	0.000 -0.002 -0.002 -1.582 -4.582 -4.609 -0.107 -0.000 -0.006 -4.646 -4.402 -0.107 -0.000 -0.001 -0.003 -2.708 -2.581 -0.132 0.000 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.009 -0.008 -0.009 -0.008 -0.009 -0.008 -0.009 -0.008 -0.009 -0.008 -0.009 -0.009 -0.009 -0.009 -0.009 -0.009	0.000 -0.004 -0.043 -1.736 -2.945 -5.052 -0.000 -0.002 -2.980 -4.157 -0.000 -0.004 -0.043 -1.2947 -5.052 -0.003 -0.004 -1.287 -2.947 -2.947 -5.052 -0.005 -0.0041 -1.287 -2.947 -2.947 -2.947 -2.000	0.000 0.000 0.001 0.005 0.005 0.000	0.000 -0.001 -0.003 -0.003 -0.003 -0.003 -0.001 -0.004 -0.005 -0.005 -0.005 -0.005 -0.005 -0.005 -0.005 -0.005 -0.005 -0.005 -0.005 -0.005 -0.005 -0.005 -0.006 -0.005 -0.006	0.000 -0.001 -0.008 -0.009 -0.009 -0.009 -0.009 -0.009 -0.001 -0.001 -0.006 -0.005 -0.000 -0.001 -0.001 -0.006 -0.005 -0.000 -0.001 -0.001 -0.006 -0.005 -0.000 -0.001 -0.001 -0.006 -0.005 -0.001 -0.006 -0.005 -0.000 -0.001 -0.000 -0.000	Node 1 2 3 4 5 6 7 8 9 10 0 11 122 13 3 14 15 16 17 18 19 20 21 22 23 24 25 26 27	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0-0.030 0-0.049 0.043 0.850 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.00000 0.00000 0.00000 0.00000 0.000000	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.000 0.023 -0.014 -0.013 -0.003 -0.004 0.003 -0.004 0.003 -0.014 -0.016 -0.017 -0.007 -0.016 -0.007 -0.017 -0.007 -0	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.203 0.299 1.096 6.671 13.137 17.735 0.000 0.203 0.203 0.203 1.194 0.203	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.001 0.000	Rotation 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 -0.001 -0.000
193 194 195 196 197 198 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 221 222 232 242 253 264 273 274 275 275 276 277 277 277 277 277 277 277 277 277	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 5.995 9.138 9.138 9.138 1.362 3.362 5.121 3.483 0.000 0.683 3.536 5.458 5.123 5.122 0.000 0.110 0.213 0.323 0.322 0.309 0.112 0.217	0.000 0.002 -0.002 -4.582 -4.609 -0.107 0.000 -0.006 -0.006 4.402 -0.107 0.000 -0.001 0.003 -2.788 -0.132 0.000 -0.008 -0.008 -0.008 -0.008 -0.008 -0.009 -0.001	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.007 -0.000 -0.002 -0.000 -0.002 -0.000 -0.004 -0.007 -0.000 -0.004 -0.007 -0.000 -0.004 -0.007 -0.000 -0.004 -0.007 -0.000 -0.004 -0.007 -0.000 -0.004 -0.007 -0.000 -0.004 -0.007 -0.000 -0.004 -0.007	0.000 0.000 0.001 0.001 0.005 0.005 0.000	0.000 0.001 0.003 0.010 0.003 0.010 0.005 0.003 0.000 0.001 0.001 0.004 0.005 0.004 0.005 0.004 0.000 0.001 0.001 0.004 0.000 0.001 0.004 0.004 0.004 0.004 0.004 0.004	0.000 0.001 0.001 0.008 0.009 0.009 0.009 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	Node 1 2 3 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0.030 0.049 0.043 0.850 0.098 0.098 0.002 0.028 0.028 0.011 1.176 0.187 0.000 0.053 0.629 1.031 1.884 1.878 0.000 0.249	Y-Axis Transl'n 0.000 1.305 0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.000 0.023 -0.044 -0.644 1.674 -0.077 -0.006 -0.017 -0.016 -0.607 -1.873 -0.077 0.000 -0.017	Z-Axis Transl'n 0.000 0.999 17.592 6.518 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.203 0.299 1.096 6.671 13.137 17.735 0.000 0.203 0.311 14.275 14.964 0.000 0.293	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.001 0.000 0.001 0.000	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.014 -0.002 0.001 0.000	Rotation 0.000 0.001 -0.001 -0.001 -0.001 -0.001 0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 211 212 213 214 215 216 217 218 229 221 222 223 224 225 226	0.000 1.266 5.861 8.956 8.983 0.000 1.319 5.995 9.138 8.984 8.984 8.984 0.000 0.655 3.362 5.121 3.483 5.122 0.000 0.110 0.238 0.323 0.322 0.309 0.112 0.286	0.000 0.002 -0.002 -4.582 -4.609 -0.107 0.000 -0.006 -0.006 4.402 -0.107 0.000 -0.001 0.003 -2.788 -0.132 0.008 -0.132 0.008 2.832 2.320 -0.132 0.001 0.002 0.001 0.001 0.002 0.001 0.002 0.001 0.002 0.001 0.003 0.001 0.002 0.001 0.002 0.001 0.002 0.001 0.002 0.003 0.001 0.002 0.003 0.001 0.002 0.003 0.001 0.002 0.003 0.001 0.002 0.003 0.001 0.002 0.003 0.001 0.003 0.001 0.002 0.003 0.001 0.003 0.001 0.003 0.001 0.003 0.001 0.003 0.001 0.003 0.001 0.003 0.001 0.003 0.001 0.003 0.001 0.003 0.001 0.003 0.001 0.003 0.001 0.003 0.004 0.004	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.006 -0.006 -0.006 -0.007 -0.	0.000 0.000 0.001 0.001 0.005 0.005 0.005 0.000	0.000 0.001 0.003 0.010 0.003 0.010 0.005 0.003 0.000 0.001 0.001 0.005 0.004 0.005 0.004 0.005 0.006 0.005 0.006 0.007 0.006 0.007 0.006 0.007 0.004 0.004 0.004 0.004 0.004 0.004 0.004 0.004 0.004 0.006 0.007 0.004 0.006 0.007 0.006 0.007 0.006 0.007 0.006 0.007 0.006 0.007 0.006 0.007 0.006 0.007 0.006 0.007 0.006 0.007 0.006 0.007 0.006 0.007 0.006 0.007 0.006 0.007 0.006 0.007 0.006 0.007 0.006	0.000 0.001 0.001 0.008 0.009 0.009 0.009 0.000	Node 1 2 3 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 9 20 21 12 22 23 34 25 26 27 28 29 30	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.003 0.049 0.043 0.850 0.098 0.098 0.002 0.028 0.028 0.011 1.176 1.1871 1.176 1.871 1.1884 1.1878 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000	Y-Axis Transl'n 0.000 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.000 0.023 -0.044 -0.644 1.674 -0.077 -0.006 -0.018 -0.077 0.000 -0.017 -0.016 -0.018 2.169 3.556	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.203 0.299 1.096 6.671 13.137 17.735 0.000 0.203 0.211 14.275 14.964 0.000 0.293 1.193 6.7573 13.1340 1.7873	X-Axis Rotation 0.000 0.002 0.003 0.008 0.000 0.001 0.000 0.001 0.000 0.001 0.000	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.014 -0.002 0.001 0.000	Rotation 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 -0.001 -0.000 0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 222 222 223	0.000 1.266 5.861 8.956 8.983 0.000 1.319 5.995 9.138 8.984	0.000 0.002 -0.002 -4.582 -4.609 -0.107 0.000 -0.006 -0.006 4.646 4.402 -0.107 0.000 -0.001 0.003 -2.788 -0.132 0.000 -0.003 -0.008 2.832 -0.132 0.000 0.001 0.002 0.003 0.004 0.005	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.006 -0.000	0.000 0.000 0.001 0.000 0.001 0.000	0.000 0.001 0.003 0.010 0.003 0.010 0.005 0.003 0.000 0.001 0.001 0.004 0.005 0.005 0.009 0.005 0.009 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001	0.000 0.001 0.001 0.008 0.009 0.007 0.005 0.000	Node 1 2 2 3 4 4 5 6 6 7 8 8 9 10 111 12 13 14 15 16 177 18 19 9 20 21 21 22 23 24 25 26 27 28 29 30 31	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0.030 0.049 0.043 0.850 0.098 0.098 0.002 0.028 0.028 0.017 1-1.176 1.1871 1-1.871 0.678 0.000 0.053 0.629 1.031 1.888	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.023 -0.044 -0.644 1.674 -0.077 0.000 -0.016 -0.607 -1.873 -0.077 0.000 -0.016 -0.018 2.169 3.556 -0.245 0.003	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.203 0.299 6.671 13.137 17.735 0.000 0.203 0.	X-Axis Rotation 0.002 0.003 0.008 0.001 0.0000 0.001 0.0000 0.001 0.000 0.001 0.000 0.001 0.000	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.014 -0.002 0.001 0.000	Rotation 0.000 0.0001 -0.001 -0.001 -0.001 -0.001 0.0001 -0.001 0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 5.995 9.138 8.984 8.984 0.000 0.655 5.121 3.483 0.000 0.683 3.536 5.458 5.122 0.100 0.111 0.217 0.286 0.292 0.309 0.100	0.000 -0.002 -0.002 -4.582 -4.609 -0.107 -0.000 -0.006 -0.006 -0.006 -0.006 -0.001 -0.001 -0.003 -0.003 -0.003 -0.008	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.006 -0.000 -0.002 -0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.005 -0.006	0.000 0.000 0.001 0.005 0.005 0.0001 0.0000	0.000 0.001 0.001 0.003 0.010 0.005 0.003 0.000 0.001 0.001 0.005 0.009 0.001	0.000 -0.001 -0.008 -0.009 -0.009 -0.009 -0.009 -0.009 -0.001	Node 1 2 3 3 4 5 6 7 8 9 10 11 11 12 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 31 32	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0-0.030 0-0.043 0.850 0.000 0.002 0.002 0.002 0.002 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.053 0.000 0.002 0.022 0.0249 0.000 0.002 0.002 0.002 0.002 0.003 0.003	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.000 0.003 -0.014 -0.013 -0.722 -0.000 -0.014 -0.017 -0.006 -0.014 -0.017 -0.006 -0.018 -0.008	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.203 0.298 0.203 0.299 1.096 6.671 13.137 17.735 0.000 0.203 0.311 6.571 14.954 0.000 0.293 1.996 1.996 1.997 1.996 1.997 1	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.0000 0.000 0.	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.011 -0.002 0.001 0.000	Rotation 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 -0.001 -0.000
193 194 195 196 197 198 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 220 221 222 223 224 225 226 227 228 229 230 231 232	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 5.958 9.198 8.984 8.984 0.000 0.655 5.193 3.362 5.193 0.000 0.683 3.362 5.193 5.121 3.483 0.000 0.110 0.216 0.220 0.000 0.110 0.216 0.2216 0.222 0.000 0.000 0.000	0.000 -0.002 -0.002 -1.582 -4.689 -0.107 -0.000 -0.006 -0.006 -0.006 -0.006 -0.007 -0.007 -0.007 -0.008 -0.009 -0.001 -0.001 -0.000 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.009 -0.009 -0.009 -0.009 -0.009 -0.009 -0.009	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.006 -0.002 -0.000 -0.002 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.005 -0.006 -0.005 -0.001 -0.005 -0.006 -0.005 -0.007 -0.006 -0.007 -0.007 -0.007 -0.008 -0.007	0.000 0.000 0.001 0.005 0.005 0.000	0.000 0.001 0.001 0.003 0.010 0.005 0.003 0.000 0.001 0.001 0.005 0.009 0.001	0.000 -0.001 -0.008 -0.009 -0.009 -0.009 -0.009 -0.009 -0.001	Node 1 2 3 3 4 5 6 7 8 9 10 11 12 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0-0.049 0-0.043 0.850 0.500 0.000 0.099 0.002 0.028 0.002 0.028 0.001 0.011 1.176 0.678 0.000 0.058 0.000 0.098 0.002 0.028 0.001 1.871 0.678 0.000 0.058 0.000 0.098 0.002 0.028 0.001 1.871 0.008 0.003 0.008 0.009 0.008 0.009 0.008 0.009 0.008 0.009 0.008 0.009 0.008 0.009 0.008 0.0	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.722 0.002 0.023 0.033 -0.044 -0.044 0.604 -0.017 -0.006 -0.017 -0.006 -0.017 -0.006 -0.018 -0	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.298 0.298 0.298 0.298 0.298 0.298 0.293 0.299 1.096 6.671 13.137 17.735 0.000 0.203 0.311 6.571 14.964 0.000 0.293 13.140 17.871 0.000 0.202 0.324 6.588	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.0000 0.000 0.	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.011 -0.002 0.001 0.0000 0.000	Rotation 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 -0.001 -0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 211 212 213 214 215 216 227 228 229 230	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 5.959 9.138 8.984 8.984 0.000 0.655 5.199 5.121 3.483 0.000 0.683 3.362 5.199 0.000 0.110 0.216 0.207 0.001 0.217 0.206 0.297 0.000 0.112 0.216 0.297 0.000 0.000 0.000 0.000	0.000 -0.002 -0.002 -1.582 -4.699 -0.107 -0.000 -0.006 -0.006 -0.006 -0.006 -0.007 -0.000 -0.001 -0.003 -0.003 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.008 -0.009	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.006 -0.002 -0.000 -0.002 -0.000 -0.004 -1.572 -0.000 -0.004 -0.043 -1.299 -0.004 -0.043 -1.299 -0.005 -0.004 -0.005 -0.004 -0.005 -0.006 -0.005 -0.001 -0.005 -0.006 -0.006 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.000 -0.007 -0.007 -0.007 -0.000 -0.007 -0.0000 -0.007 -0.0000	0.000 0.000	0.000 0.001 0.001 0.003 0.010 0.005 0.003 0.000 0.001 0.001 0.005 0.009 0.001 0.0001 0.0001 0.0001 0.0001 0.0001	0.000 -0.001 -0.008 -0.009 -0.009 -0.009 -0.009 -0.009 -0.001	Node 1 2 2 3 4 4 5 6 6 7 8 8 9 10 111 12 13 14 15 16 177 18 19 9 20 21 22 23 24 25 26 27 28 29 30 31 32 23 33 34	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0-0.049 0-0.049 0-0.049 0-0.049 0-0.05 0.000 0.09	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.722 0.002 0.023 0.033 -0.044 -0.044 0.604 0.604 -0.017 -0.016 -0.607 -0.016 -0.607 -0.016 -0.018 2.169 -0.018 2.169 -0.018 -0.019	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.203 0.299 1.096 6.671 13.137 17.735 0.000 0.203 0.311 6.571 14.275 14.964 0.000 0.293 1.193 1.197 17.735 14.964 0.000 0.293 1.193 1.197	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.000 0.001 0.000 0.0	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.010 -0.002 0.001 0.000	Rotation 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 -0.001 -0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 211 212 213 214 215 216 227 228 229 230 231 232 224 229 230 231 232 233 234 235	0.000 1.266 5.861 8.956 8.983 0.000 1.319 5.995 9.138 8.984 0.000 0.312 0.286 0.322 0.399 0.1319 0.286 0.122 0.390 0.112 0.286 0.102 0.096 0.102 0.096 0.102 0.096 0.102 0.096 0.102 0.096	0.000 -0.002 -0.002 -1.582 -4.699 -0.107 -0.006 -0.006 -0.006 -0.006 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.008	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.006 -0.007 -0.000	0.000 0.000 0.001 0.000	0.000 0.001 0.003 0.010 0.003 0.010 0.005 0.003 0.000 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.000	0.000 0.001 0.001 0.008 0.009 0.007 0.005 0.000	Node 1 2 2 3 4 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 31 32 33 34 35 36 37 38	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.305 1.305 0.003 0.0030 0.0030 0.0030 0.0030 0.0030 0.008 0.002 0.028 0.028 0.0711 1.176 1.878 0.000 0.053 0.629 1.031 1.884 1.878 0.000 0.249 2.431 3.910 4.849 0.000 2.118	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 0.014 -0.013 -0.722 0.0023 -0.044 -0.013 -0.077 0.000 -0.017 -0.016 -0.607 -1.873 -0.077 0.000 -0.016 -0.187 -0.016 -0.187 -0.006 -0.044 -0.044 -0.044 -0.044 -0.044 -0.044 -0.044 -0.040 -0.000 -0.004 -0.004	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.203 0.299 1.096 6.671 13.137 17.735 0.000 0.203 0.311 6.571 14.275 14.964 0.000 0.293 13.140 0.000 0.293 13.14.277 14.275 14.964 0.000 0.293 13.14.277 15.099 0.000	X-Axis Rotation 0.002 0.003 0.008 -0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000	Rotation 0.000 -0.001 -0.002 -0.010 -0.009 0.0000 0.0001 0.001 0.001 0.001 0.001 0.001 0.001 0.000	Rotation 0.000 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 -0.001 -0.000 0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 211 212 213 214 215 216 217 218 220 221 222 223 224 225 226 227 228 230 231 232 224 233 234 235 236 237	0.000 1.266 5.861 8.956 8.983 0.000 1.319 5.995 9.138 8.984 0.000 0.000 0.000 0.101 0.288 0.356 0.455	0.000 -0.002 -0.002 -1.582 -4.699 -0.107 -0.006 -0.006 -0.006 -0.006 -0.007 -0.	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.006 -0.007 -0.000	0.000 0.000 0.001 0.000	0.000 0.001 0.003 0.010 0.003 0.010 0.005 0.003 0.000 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.000	0.000 0.001 0.001 0.008 0.009 0.007 0.005 0.000	Node 1 2 2 3 4 4 5 6 6 7 8 9 10 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 25 26 27 27 28 29 30 31 31 32 33 34 35 36 37 38 39 40	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.305 1.305 0.009 0.030 0.043 0.850 0.009 0.028 0.028 0.0711 1-1.76 1.871 0.678 0.000 0.053 0.629 1.031 1.884 1.878 0.000 0.0249 2.282 0.000 0.0249 2.282 0.000 0.004 1.8878 0.000 0.005 0.	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.064 0.000 0.023 -0.044 -0.013 -0.077 0.000 -0.017 -0.016 -0.607 -1.873 -0.077 0.000 -0.018 -0.1873 -0.073 -0.074 -0.074 -0.074 -0.074 -0.074 -0.075 -0.006 -0.018 -	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.203 0.299 1.099 1.090 1.291 0.001 0.203 0.311 6.571 14.275 14.964 0.000 0.293 1.193 6.753 13.140 0.000 0.293 1.193 6.753 13.140 0.000 0.293 1.193 6.753	X-Axis Rotation 0.002 0.003 0.008 -0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.000 0.001 0.000 0.000 0.001 0.000 0.000 0.001 0.000 0.000 0.001 0.000 0.000	Rotation 0.000 -0.001 -0.002 -0.010 -0.009 0.000 0.001 0.010 0.001 0.000	Rotation 0.000 0.0001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 -0.001 -0.000 0.000
193 194 195 196 197 198 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 234 235	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 5.995 9.138 8.984 8.984 0.000 0.655 5.199 5.913 3.483 0.000 0.683 3.536 5.458 5.123 5.122 0.000 0.110 0.238 0.322 0.309 0.112 0.212 0.212 0.225 0.309 0.112 0.238 0.322 0.323	0.000 -0.002 -0.002 -1.582 -4.699 -0.107 0.000 -0.006 -0.006 -0.006 -0.006 -0.006 -0.006 -0.008 -0.009 -0.0	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.003 -0.002 -0.000 -0.002 -0.000 -0.004 -1.572 -0.000 -0.004 -0.043 -1.2947 -5.052 -0.000 -0.003 -0.014 -0.043 -1.287 -0.000 -0.005 -0.041 -1.287 -0.000 -0.005 -0.041 -1.287 -1.060 -0.004 -0.007 -1.186 -0.2947 -0.000 -0.004 -0.007 -0.006 -0.006 -0.006 -0.006 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.008 -0.0000 -0.004 -0.007 -0.0000 -0.0000 -0.004 -0.007 -0.0000	0.000 0.000	0.000 0.001 0.001 0.003 0.010 0.005 0.003 0.000 0.001 0.001 0.005 0.009 0.001 0.0001	0.000 0.001 0.001 0.008 0.007 0.005 0.000 0.000 0.001	Node 1 2 3 3 4 5 6 7 8 9 10 11 12 12 13 14 15 16 17 18 9 20 20 21 22 23 24 25 26 27 28 29 30 31 32 24 35 36 37 38	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0-0.030 0-0.043 0.850 0.500 0.000 0.011 1.871 0.678 0.000 0.093 0.0	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.722 0.003 0.003 0.003 -0.044 -0.044 -0.047 -0.007 -0.016 -0.607 -0.018 2.169 -0.018 2.169 -0.019 -0.000	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.298 0.298 0.293 0.299 1.996 6.671 13.137 17.735 0.000 0.203 0.311 6.571 14.964 0.000 0.293 1.14.964 0.000 0.293 1.14.964 0.000 0.293 1.14.964 0.000 0.293 1.295 0.293	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.0	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.011 -0.002 0.001	Rotation 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000
193 194 195 196 197 198 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 229 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240	0.000 1.266 5.861 8.956 8.983 5.958 5.958 5.958 6.000 1.313 5.959 9.138 8.994 8.994 8.994 8.994 8.994 8.994 8.994 8.994 8.900 0.655 5.192 3.483 0.000 0.101 0.238 0.323 0.102 0.238 0.322 0.309 0.112 0.286 0.292 0.309 0.112 0.286 0.292 0.309 0.112 0.286 0.292 0.309 0.112 0.286 0.293 0.323	0.000 -0.002 -0.002 -1.582 -4.699 -0.107 -0.000 -0.006 -0.006 -0.006 -0.006 -0.007 -0.000 -0.008 -0.009 -0.	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.005 -0.000 -0.002 -0.000 -0.002 -0.000 -0.003 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.000 -0.005 -0.001 -0.000 -0.004 -0.007 -0.000 -0.004 -0.007 -0.000 -0.004 -0.007 -0.000 -0.004 -0.007 -0.000 -0.004 -0.007 -0.000 -0.004 -0.007 -0.000	0.000 0.000 0.001 0.001 0.002 0.003 0.000	0.000 0.001 0.003 0.010 0.003 0.010 0.005 0.003 0.000 0.001	0.000 0.001 0.001 0.008 0.007 0.005 0.000 0.000 0.000 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	Node 1 2 3 3 4 5 6 7 8 9 10 11 12 12 13 14 14 15 16 16 17 18 19 20 20 21 22 23 34 24 25 26 27 28 29 30 31 32 24 35 36 37 38 39 40 41 42 43	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0-0.030 0-0.049 0-0.043 0.850 0.850 0.850 0.850 0.850 0.850 0.850 0.988 0.002 1.871 1.1871 0.678 0.000 0.1871 1.1871 0.678 0.000 0.1871 1.1871 0.678 0.000 0.013 1.884 1.878 0.000 0.249 1.031 1.3910 1.884 1.878 0.000 0.107 2.118 1.3490 1.874 0.000 0.107 2.118 1.484 1.878 0.000 0.107 2.118 1.494 1.879	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.722 0.003 0.003 -0.044 -0.044 -0.044 -0.041 -0.066 -0.607 -0.016 -0.607 -0.016 -0.017 -0.016 -0.020 -0.023 -0.044 -0.044 -0.040 -0.040 -0.040 -0.040 -0.040 -0.040 -0.040 -0.040 -0.040 -0.040 -0.040 -0.040 -0.040 -0.040 -0.044 -0.077 -0.060 -0.060 -0.060 -0.060 -0.006	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.203 0.204 0.588 14.277 15.099 0.000 0.286 1.290 0.000 0.286 1.290 0.000 0.286 1.290 0.000 0.286 1.290 0.000	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.000 0.001 0.000 0.0	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 0.000 0.001 0.001 0.001 0.000	Rotation 0.000 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 -0.000 0.000
193 194 195 196 197 198 200 201 202 203 204 205 211 212 213 214 215 216 217 218 229 220 221 222 223 224 225 226 227 228 229 230 231 232 244 235 236 237 238 239 240 241 242	0.000 1.266 5.861 8.956 8.983 5.958 6.000 1.319 5.995 9.138 8.994 8.994 8.994 8.994 8.994 8.994 8.994 8.994 8.900 0.655 5.121 3.483 0.000 0.683 3.352 6.5458 5.123 0.000 0.111 0.238 0.323 0.322 0.309 0.112 0.286 0.102 0.000 0.112 0.286 0.102 0.000 0.313 0.306 0.307 0.102 0.000 0.313 0.306 0.307 0.306 0.307 0.307 0.306 0.307 0.306 0.307 0.307 0.306 0.307 0.306 0.307 0.306 0.307 0.307 0.306 0.307	0.000 -0.002 -0.002 -1.582 -4.699 -0.107 -0.000 -0.006 -0.006 -0.006 -0.006 -0.007 -0.000 -0.001 -0.008 -0.008 -0.008 -0.009 -0.	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.005 -0.000 -0.002 -0.000 -0.002 -0.000 -0.002 -0.000 -0.003 -0.003 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.005 -0.001 -0.000 -0.005 -0.001 -0.000 -0.005 -0.001 -0.000 -0.004 -0.007 -0.230 -0.000 -0.000 -0.004 -0.007 -0.230 -0.0000 -0.000 -0.0000	0.000 0.000 0.001 0.001 0.002 0.003 0.000	0.000 0.001 0.003 0.010 0.003 0.010 0.005 0.001	0.000 0.001 0.001 0.008 0.007 0.005 0.000 0.000 0.000 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.000	Node 1 2 3 3 4 5 6 7 8 9 10 11 12 12 13 14 14 15 16 16 17 18 19 20 0 21 22 23 24 25 26 27 28 29 30 31 32 24 25 36 37 38 39 40 41 42 43 44	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0-0.030 0-0.049 0-0.043 0.850 0.000 0.000 0.0100 0.000 0.050 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.00000 0.000000	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.023 0.003 0.003 0.003 0.004 -0.014 -0.017 -0.016 -0.007 -0.016 -0.007 -0.016 -0.007 -0.016 -0.007 -0.016 -0.007 -0.016 -0.007 -0.016 -0.017 -0.016 -0.017 -0.016 -0.017 -0.016 -0.017 -0.016 -0.017 -0.017 -0.017 -0.018 -0	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.9	X-Axis Rotation 0.000 0.002 0.003 0.008 -0.001 0.000 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.0000 0.000 0.	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 -0.001 -0.001 -0.000 -0.001 -0.001 -0.001 -0.002 -0.001 -0.001 -0.002 -0.001	Rotation 0.000 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 -0.000 0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 229 230 221 222 233 224 242 233 234 235 236 237 238 239 240 241	0.000 1.266 5.861 8.956 8.983 0.000 1.319 5.995 9.138 8.984 0.000 0.312 0.403 0.322 0.303 0.101 0.296 0.130	0.000 -0.002 -0.002 -1.582 -4.699 -0.107 -0.000 -0.006 -0.006 -0.006 -0.006 -0.007 -0.001	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.006 -0.007 -0.000	0.000 0.000 0.001 0.001 0.000	0.000 0.001 0.003 0.010 0.003 0.010 0.005 0.003 0.000 0.001 0.001 0.005	0.000 0.001 0.001 0.008 0.009 0.009 0.005 0.000 0.005 0.000 0.000 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.0000	Node 1 2 2 3 4 4 5 6 6 7 7 8 9 10 0 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 31 31 32 24 35 36 37 37 38 39 40 41 42 43 44 45	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0.003 0.0043 0.850 0.002 0.002 0.028 0.000 0.053	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.002 -0.014 -0.013 -0.023 -0.044 -0.044 -0.644 1.674 -0.077 0.000 -0.016 -0.673 -0.073 -0.074 -0.074 -0.074 -0.075 -0.006 -0.018 2.169 3.556 -0.245 0.000 -0.016 -0.013 3.556 -0.245 0.000 -0.016 -0.013 3.556 -0.245 0.000 -0.016 -0.013 -0.016 -0.013 -0.016 -0.018	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.203 0.299 1.096 6.671 13.137 17.735 0.000 0.203 0.311 6.571 14.275 14.964 0.000 0.293 1.193 6.753 13.140 17.871 0.000 0.202 0.242 0.242 0.242 0.242 0.252 0.253	X-Axis Rotation 0.002 0.003 0.008 -0.001 0.000 0.001 0.000 0.001 0.000 0.000 0.001 0.000	Rotation 0.000 -0.001 -0.002 -0.003 0.000 0.000 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.0000 0.000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000	Rotation 0.000 0.0001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 229 230 221 222 233 224 242 233 234 235 236 237 238 239 240 241 242 243 244	0.000 1.266 5.861 8.956 8.983 0.000 1.319 5.995 9.138 8.984 0.000 0.001 3.362 5.458 0.000 0.655 0.565 0.536 0.000 0.655 0.656 0.000 0.655 0.000 0.655 0.000 0.655 0.000 0.655 0.000 0.655 0.000 0.655 0.000 0.101 0.288 0.339 0.322 0.309 0.110 0.288 0.300 0.110 0.288 0.300 0.110 0.200 0.000	0.000 -0.002 -0.002 -4.582 -4.609 -0.107 -0.000 -0.006 -0.006 -0.006 -0.006 -0.007 -0.001	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.006 -0.006 -0.007 -0.000	0.000 0.000 0.001 0.001 0.000	0.000 0.001 0.003 0.010 0.003 0.010 0.005 0.003 0.000 0.001 0.001 0.005	0.000 0.001 0.001 0.008 0.009 0.009 0.005 0.000 0.005 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	Node 1 2 2 3 4 4 5 6 6 7 7 8 9 10 0 11 12 13 14 15 16 17 18 19 9 20 21 22 23 24 25 26 27 28 29 30 31 31 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0.030 0.043 0.850 0.000 0.002 0.028 0.000 0.002 0.028 0.0711 1.176 1.878 0.000 0.053 0.629 1.031 1.884 1.878 0.000 0.249 2.431 3.910 4.849 2.282 0.000 0.011 2.118 2.444 0.000 0.512 4.439 0.512 4.439 0.512 4.439 0.512 4.439 0.512 6.666 8.525	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.0003 -0.044 -0.044 0.644 1.674 -0.077 0.000 -0.016 -0.607 -1.873 -0.077 0.000 -0.016 -0.607 -1.873 -0.077 0.000 -0.016 -0.018 -0.018 -0.018 -0.019	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.200 14.274 12.955 0.000 0.203 0.299 1.096 6.671 13.137 17.735 0.000 0.203 0.311 6.571 14.275 14.964 0.000 0.293 1.193 6.753 13.140 17.871 0.000 0.202 0.324 6.588 14.277 15.099 0.000 0.286 1.296 1.296 13.1343 17.999 0.000 0.199 0.199 0.199 0.199 0.199 0.199 0.190 0.286 1.296 1.296 1.296 1.296 1.296 1.296 1.296 1.296 1.296 1.3143 1.490	X-Axis Rotation 0.002 0.003 0.008 -0.001 0.000 0.000 0.001 0.000 0.0	Rotation 0.000 -0.001 -0.002 -0.010 -0.003 -0.001 -0.001 -0.002 -0.001 -0.001 -0.001 -0.002 -0.001 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.002 -0.002 -0.002 -0.003 -0.003 -0.003	Rotation 0.000 0.0001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 211 212 213 214 215 216 217 218 229 230 221 222 233 224 235 226 237 228 230 230 231 232 234 235 236 237 238 234 242 243 244 245 2443	0.000 1.266 5.861 8.956 8.983 0.000 1.319 5.995 9.138 8.984 0.000 0.312 0.403 0.655 0.536 0.5458 0.000 0.655 0.536 0.000 0.655 0.656 0.000 0.655 0.000 0.655 0.000 0.655 0.000 0.655 0.000 0.655 0.000 0.100 0.000	0.000 -0.002 -0.002 -1.582 -4.699 -0.107 -0.006 -0.006 -0.006 -0.006 -0.006 -0.007 -0.008	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.006 -0.007 -0.0000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.0000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.0000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.0000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.0000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.000 -0.0000 -0.000 -0.000 -0.000	0.000 0.000 0.001 0.000	0.000 0.001 0.003 0.010 0.003 0.010 0.005 0.003 0.000 0.001 0.001 0.005	0.000 0.001 0.001 0.003 0.005 0.007 0.005 0.000 0.005 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	Node 1 2 2 3 4 4 5 6 6 7 8 9 10 0 11 122 13 14 155 16 177 18 19 9 20 21 22 23 24 25 26 27 28 29 30 31 31 32 23 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0.003 0.0043 0.850 0.002 0.002 0.002 0.002 0.028 0.0711 1.176 1.878 0.000 0.053 0.629 1.031 1.884 1.878 0.000 0.249 2.431 3.910 4.849 2.282 0.000 0.112 4.4439 0.000 0.512 4.439 0.001 0.512 4.439 0.002 0.512 4.4439 0.000 0.162 0.512 0.512 0.512 0.512 0.512 0.512 0.000 0.162 0.001 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.003 0.0	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.000 0.023 -0.014 -0.014 0.644 1.674 -0.077 0.000 -0.016 -0.607 -1.873 -0.077 0.000 -0.018 2.169 3.556 -0.245 0.000 -0.018 2.169 3.556 -0.245 0.000 -0.018 2.169 3.556 -0.245 0.000 -0.018 2.169 3.556 -0.245 0.000 -0.018 2.169 3.556 -0.245 0.000 -0.018 2.169 3.556 -0.245 0.000 -0.018	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 14.274 12.955 0.000 0.298 0.203 0.293 0.293 0.293 0.293 0.293 0.293 0.293 0.293 0.293 0.293 13.137 17.735 0.000 0.203 0.213 6.571 14.275 14.964 0.000 0.293 1.193 6.753 13.140 17.871 0.000 0.202 0.324 6.588 14.277 15.099 0.000 0.286 1.290 0.199 0.000 0.286 1.290 0.199 0.000 0.199 0.000 0.199 0.000 0.199 0.000 0.199 0.000 0.286 1.290 0.199 0.000	X-Axis Rotation 0.002 0.003 0.008 -0.001 0.000 0.001 0.001 0.000	Rotation 0.000 -0.001 -0.002 -0.010 -0.002 -0.010 -0.003 -0.001 -0.004 -0.002 -0.001 -0.004 -0.002 -0.001 -0.004 -0.002 -0.001 -0.004 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.003 -0.001 -0.002 -0.001 -0.002 -0.001	Rotation 0.000 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 -0.000 0.000
193 194 195 196 197 198 200 101 202 203 204 205 207 208 210 211 212 213 214 215 216 217 218 229 230 241 222 233 224 225 226 227 228 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319 5.959 9.138 8.984 8.984 0.000 0.655 9.138 0.323 0.000 0.112 0.110 0.296 0.292 0.075 0.102 0.000 0.000 0.312 0.217 0.286 0.323	0.000 -0.002 -0.002 -1.582 -4.609 -0.107 -0.006 -0.006 -0.006 -0.006 -0.006 -0.007 -0.008 -0.008 -0.008 -0.009 -0.	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.006 -0.002 -0.002 -0.002 -0.002 -0.002 -0.003 -0.004 -1.299 -0.003 -0.004 -1.299 -0.000 -0.004 -1.299 -0.000 -0.003 -0.014 -1.289 -0.000 -0.005 -0.041 -1.287 -0.000 -0.005 -0.041 -1.287 -0.000 -0.005 -0.004 -1.287 -0.000 -0.005 -0.004 -1.287 -0.000 -0.004 -1.287 -0.000 -0.004 -1.287 -0.000 -0.004 -0.007 -2.186 -0.029 -0.004 -0.007 -2.186 -0.029 -0.004 -0.007 -2.186 -0.029 -0.000 -0.004 -0.007 -0.006 -0.007 -0.006 -0.007 -0.007 -0.008 -0.007 -0.008 -0.009 -0.	0.000 0.000 0.001 0.001 0.001 0.002 0.003 0.000	0.000 0.001 0.003 0.010 0.003 0.010 0.005 0.003 0.000 0.001	0.000 0.001 0.001 0.003 0.007 0.005 0.000	Node 1 2 3 3 4 5 6 7 8 9 10 11 12 12 13 14 14 15 16 16 17 18 18 19 2 2 2 2 3 2 4 2 5 5 2 6 6 7 8 9 10 11 12 2 2 3 3 3 3 4 4 2 5 3 6 3 7 3 8 3 3 9 4 0 4 1 4 4 4 4 4 4 5 6 4 4 7 4 8 4 9 5 0	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0-0.030 0-0.049 0-0.043 0.850 0.000 0.002 0.002 0.002 0.002 0.002 0.003 0.000 0.093 0.000 0.093 0.000 0.093 0.000 0.093 0.000 0.093 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.00000 0.0000 0.0000 0.0000 0.0000 0.0000 0.000000	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.023 0.003 0.003 0.003 0.004 -0.014 -0.016 -0.007 -0.016 -0.017 -0.016 -0.017 -0.016 -0.017 -0.016 -0.017 -0.016 -0.018 2.169 -0.018 2.169 -0.010	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.955 0.955 0.955 0.955 0.955 0.955 0.955 0.955 0.955 0.955 0.955 0.955 0.955 0.955 0.955 0.955 0.955 0.955 0.956 0.293 0.294 0.295 0.296 0.296 0.296 0.296 0.296 0.296 0.297 0.290 0.297 0.394 0.000 0.297	X-Axis Rotation 0.000 0.002 0.003 0.008 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.001 0.000 0.00	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 -0.001 -0.009 -0.001 -0.001 -0.009 -0.001 -0.001 -0.001 -0.002 -0.001 -0.001 -0.002 -0.001	Rotation 0.000 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 -0.000 0.000
193 194 195 196 197 198 200 101 202 203 204 205 207 208 210 211 212 213 214 215 216 217 218 229 230 241 222 233 224 235 226 227 228 230 231 231 232 244 245 246 247 248 249 250	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319	0.000 -0.002 -0.002 -1.582 -4.609 -0.107 -0.006 -0.006 -0.006 -0.006 -0.006 -0.007 -0.007 -0.008 -0.007 -0.008 -0.009 -0.	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.006 -0.002 -0.000 -0.002 -0.000 -0.002 -0.000 -0.002 -0.000 -0.003 -0.004 -1.299 -0.000 -0.003 -0.014 -0.043 -1.299 -0.000 -0.003 -0.014 -0.043 -1.299 -0.000 -0.004 -1.287 -0.000 -0.004 -1.287 -0.000 -0.004 -1.287 -0.000 -0.004 -1.287 -0.000 -0.004 -1.288 -0.029 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.008 -0.008 -0.009	0.000 0.000	0.000 0.001 0.003 0.000 0.001 0.003 0.000 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.000 0.001 0.001 0.000 0.001 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.001 0.001 0.003 0.007 0.005 0.000	Node 1 2 3 3 4 5 6 7 8 9 10 11 12 12 13 14 14 15 16 16 17 18 18 19 20 20 20 21 22 22 23 24 4 25 26 27 28 29 30 31 32 24 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0-0.030 0-0.049 0-0.043 0.850 0.000 0.000 0.092 0.002 0.092 0.022 0.028 0.711 1.176 0.678 0.000 0.052 0.052 0.052 0.052 0.052 0.052 0.053 0	Y-Axis Transl'n 0.000 0.320 1.305 0.1007 -0.064 0.000 0.020 0.014 -0.013 -0.722 0.022 0.002 0.003 0.003 0.003 0.003 0.003 0.003 0.004 0.016 0.007 0.017 0.016 0.018 2.169 0.001 0.018 2.169 0.001	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.9	X-Axis Rotation 0.000 0.002 0.003 0.008 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.00	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 -0.001 -0.001 -0.000 -0.001 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.003	Rotation 0.000 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 -0.000 0.000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 211 212 213 214 215 216 217 218 229 230 221 222 233 224 235 226 227 228 230 230 231 232 241 242 233 234 244 245 244 245 244 245 244 244 245	0.000 1.266 5.861 8.956 8.983 0.000 1.319 5.995 9.138 8.984 0.000 1.319 9.138 8.984 0.000 0.655 0.656 0.121 0.000 0.655 0.656 0.100 0.000	0.000 -0.002 -0.002 -1.582 -4.689 -0.107 -0.000 -0.006 -0.006 -0.006 -0.006 -0.006 -0.006 -0.006 -0.006 -0.006 -0.006 -0.006 -0.007 -0.007 -0.001	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.006 -0.007 -0.000	0.000 0.000 0.001 0.000	0.000 0.001 0.003 0.010 0.003 0.010 0.005 0.003 0.000 0.001 0.001 0.005	0.000 0.001 0.001 0.003 0.005 0.007 0.005 0.000 0.005 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	Node 1 2 2 3 4 4 5 6 6 7 8 9 9 10 0 11 122 13 3 14 15 16 17 18 19 9 20 21 22 23 32 24 25 26 27 28 29 30 31 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 50 51 52	X-Axis Transl'n 0.000 0.830 0.863 1.305 5.1462 0.000 0.000 0.030 0.003 0.003 0.003 0.004 0.002 0.002 0.002 0.002 0.003 0.009 0.003 0.009 0.003 0.009 0.003 0.009 0.003 0.009 0.003 0.009 0.003 0.009 0.003 0.009 0.003 0.009 0.003 0.009 0.003 0.009 0.003 0.009 0	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 0.020 -0.014 -0.013 -0.702 -0.004 -0.014 -0.013 -0.004 -0.014 -0.015 -0.007 -0.016 -0.607 -1.873 -0.077 -0.016 -0.607 -1.873 -0.077 -0.016 -0.607 -1.873 -0.071 -0.001 -0.011 -0.011 -0.013	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.203 0.293 0.293 0.293 0.293 0.293 6.671 13.137 17.735 0.000 0.203 0.293 1.193 6.753 13.140 17.871 0.000 0.202 0.324 6.588 14.277 15.099 0.000 0.286 1.290 0.002 0.314 14.275 14.964 0.000 0.314 14.275 14.964 0.000 0.314 14.275 14.964 0.000 0.324 6.588 14.277 15.099 0.000 0.334 6.6566 14.278 15.030 0.000 0.277 1.386 14.278 15.030 0.000 0.277 1.386 18.139	X-Axis Rotation 0.002 0.003 0.008 -0.001 0.000 0.001 0.000	Rotation 0.000 -0.001 -0.002 -0.010 -0.003 -0.000 -0.001 -0.002 -0.011 -0.004 -0.002 -0.011 -0.004 -0.002 -0.001 -0.004 -0.002 -0.001 -0.004 -0.002 -0.001 -0.004 -0.001 -0.000 -0.001	Rotation 0.000 0.0001 -0.001 -0.001 -0.001 -0.001 0.000 0.0001 0.0000
193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 211 212 213 214 215 216 217 218 229 230 230 231 232 244 245 243 244 245 246 247 248 249 250	0.000 1.266 5.861 8.956 8.983 0.000 1.319 5.995 9.138 8.984 0.000 1.319 9.138 8.984 0.000 0.6555 0.362 0.000 0.6555 0.362 0.000 0.6555 0.362 0.000 0.6555 0.362 0.000 0.101 0.238 0.000 0.112 0.238 0.322 0.309 0.112 0.286 0.307 0.312 0.443 0.307 0.312 0.443 0.307 0.	0.000 -0.002 -0.002 -4.582 -4.609 -0.107 -0.000 -0.006 -0.006 -0.006 -0.006 -0.006 -0.006 -0.006 -0.006 -0.006 -0.006 -0.006 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.007 -0.008	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.006 -0.007 -0.000	0.000 0.000 0.001 0.001 0.001 0.000	0.000 0.001 0.003 0.010 0.003 0.010 0.005 0.003 0.000 0.001 0.001 0.005 0.005 0.005 0.005 0.005 0.005 0.006 0.001	0.000 0.001 0.001 0.003 0.005 0.007 0.005 0.000 0.005 0.000	Node 1 2 2 3 4 4 5 6 6 7 8 8 9 10 0 11 12 2 13 3 14 15 16 17 18 19 2 2 2 2 3 2 4 2 5 2 6 2 7 2 8 3 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0-0.030 -0.043 0.850 0.000 0.002 0.028 -0.028 -0.011 -1.176 -1.871 0.678 0.000 0.053 -0.629 -1.031 -1.878 0.000 0.107 -2.128 0.000 0.107 -2.188 -4.4849 0.000 0.107 -2.118 -3.490 -4.849 -2.282 0.000 0.001 -3.871 -4.899 -4.849 0.000 0.051	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 0.020 -0.014 -0.013 -0.702 -0.004 -0.014 -0.013 -0.020 -0.014 -0.014 -0.014 -0.014 -0.014 -0.014 -0.014 -0.014 -0.016 -0.077 -0.016 -0.607 -1.873 -0.077 -0.016 -0.018 -0.018 -0.018 -0.018 -0.018 -0.018 -0.019 -0.019 -0.010	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.000 0.298 0.203 0.299 13.137 17.735 0.000 0.203 0.293 14.274 14.275 14.964 0.000 0.203 1.93 6.753 13.140 17.871 0.000 0.202 0.324 6.588 14.277 15.099 0.000 0.286 13.143 17.999 0.000 0.199 0.334 6.656 14.278 13.999 0.000 0.199 0.334 6.656 14.278 15.099 0.000 0.199 0.334 6.656 14.278 15.000 0.277 1.386 8.730 0.000 0.277 1.386 8.730 0.000 0.277 1.386 8.730 0.000 0.277 1.386 8.730 0.000 0.277 1.386 8.730 0.000 0.277 1.386	X-Axis Rotation 0.002 0.003 0.008 -0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000	Rotation 0.000 -0.001 -0.002 -0.010 -0.002 -0.010 -0.003 -0.000 -0.001 -0.004 -0.002 -0.011 -0.004 -0.002 -0.011 -0.004 -0.001 -0.004 -0.001 -0.004 -0.001 -0.004 -0.001	Rotation 0.000 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000
193 194 195 196 197 198 199 200 101 202 203 204 205 207 208 210 211 212 213 214 215 216 217 218 220 221 222 233 224 235 226 227 228 230 231 232 233 234 235 236 237 238 234 235 236 237 238 234 235 244 245 246 247 248 249 250 251	0.000 1.266 5.861 8.956 8.983 5.958 0.000 1.319	0.000 -0.002 -0.002 -1.582 -4.609 -0.107 -0.006 -0.006 -0.006 -0.006 -0.006 -0.007 -0.007 -0.007 -0.008 -0.007 -0.008 -0.009	0.000 -0.004 -0.004 -0.004 -0.004 -0.004 -0.004 -0.006 -0.002 -0.000 -0.002 -0.000 -0.002 -0.000 -0.002 -0.000 -0.003 -0.004 -1.299 -0.000 -0.003 -0.014 -0.043 -1.299 -0.000 -0.003 -0.014 -0.007 -0.004 -1.287 -0.000 -0.004 -1.286 -0.009 -0.004 -1.287 -0.000 -0.004 -1.287 -0.000 -0.004 -1.288 -0.029 -0.000 -0.004 -1.288 -0.029 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.004 -0.007 -0.008 -0.009	0.000 0.000 0.001 0.001 0.001 0.002 0.003 0.000	0.000 0.001 0.003 0.000 0.001 0.003 0.000 0.001	0.000 0.001 0.001 0.003 0.007 0.005 0.000	Node 1 2 3 3 4 5 6 7 8 9 10 11 12 12 13 14 14 15 16 16 17 18 18 19 20 20 20 21 22 22 23 24 4 25 26 27 28 29 30 31 32 24 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53	X-Axis Transl'n 0.000 0.830 0.863 1.305 1.462 0.000 0-0.030 0-0.049 0-0.043 0.850 0.000 0.002 0.002 0.002 0.002 0.002 0.003 0.000 0.009 0.002 0.002 0.003 0.000 0.003 0.000 0.003 0.000 0.003 0.000 0.003 0.000 0.003 0.000 0.003 0.000 0.003 0	Y-Axis Transl'n 0.000 0.320 1.305 -0.107 -0.064 0.000 0.020 -0.014 -0.013 -0.722 0.022 0.023 0.003 0.003 -0.044 -0.044 -0.047 -0.077 0.077 0.077 0.077 0.077 0.077 0.070 -0.016 -0.607 -0.607 -0.016 -0.607 -0.017 -0.016 -0.017 -0.016 -0.017 -0.016 -0.017 -0.017 -0.016 -0.017	Z-Axis Transl'n 0.000 0.999 17.592 6.518 13.135 0.000 0.296 7.096 14.274 12.955 0.9	X-Axis Rotation 0.000 0.002 0.003 0.008 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.001 0.000 0.00	Rotation 0.000 -0.004 -0.002 -0.010 -0.009 -0.001 -0.001 -0.000 -0.001 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.002 -0.001 -0.003 -0.000 -0.000 -0.0000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.001 -0.000 -0.000	Rotation 0.000 0.000 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.001 -0.000 -0.000 0.000

Node	X-Axis Transl'n	Y-Axis Transl'n	Z-Axis Transl'n	X-Axis Rotation	Y-Axis Rotation	Z-Axis Rotation		ode	X-Axis Transl'n	Y-Axis Transl'n	Z-Axis Transl'n	X-Axis Rotation	Y-Axis Rotation	Z-Axis Rotation
61 62	0.000	0.000	0.000	0.000	0.000	0.000		186 187	-1.378 0.000	-0.299 0.000	18.920 0.000	0.002	-0.001 0.000	-0.003 0.000
63	-13.588	0.007	1.482	0.000	-0.016	0.025		188	0.046	-0.004	0.199	0.000	0.000	0.000
64 65	-21.970 -20.342	12.450 10.019	9.682 13.157	-0.007 0.000	-0.023 -0.010	0.021 -0.012		189 190	-1.178 -2.016	-0.003 -1.240	0.328 6.636	0.000	0.001	0.000
66 67	-11.548 0.000	-3.025 0.000	18.231 0.000	0.006	-0.009 0.000	-0.016 0.000		191 192	-2.942 -2.942	-2.614 -0.299	14.232 15.532	-0.001 0.008	0.002	-0.004 -0.002
68	-0.249	-0.007	0.190	0.000	0.000	0.000	1	193	0.000	0.000	0.000	0.000	0.000	0.000
69 70	-9.522 -15.797	-0.004 -9.292	0.348 6.384	0.000	-0.005 0.028	0.014		194 195	-0.080 -1.223	0.007	0.286	0.000	0.000	0.000
71	-20.335	-16.012	14.275	0.011	-0.011	-0.008		196	-2.001	1.154	6.383	0.002	-0.016	0.004
72 73	-20.340 0.000	-3.026 0.000	14.316 0.000	0.008	0.003	-0.017 0.000		197 198	-2.318 -1.059	1.621 -0.240	13.181 18.946	0.003	-0.001 0.000	-0.005 -0.002
74 75	-1.151 -20.619	-0.033 -0.063	0.271 1.579	0.000	0.000	0.002		199 200	0.000	0.000	0.000	0.000	0.000	0.000
76	-33.415	19.106	14.157	-0.018	-0.039	0.026	1	201	-0.896	0.000	0.319	0.000	0.001	-0.001
77 78	-25.435 -16.142	7.394	13.166 18.335	0.000	0.001	-0.027 -0.017		202 203	-1.546 -2.321	-0.959 -2.109	6.642 14.229	0.001	0.018	0.004
79	0.000	0.000	0.000	0.000	0.000	0.000		204	-2.320	-0.239	15.585	0.008	-0.001	-0.002
80 81	-0.278 -11.855	-0.008	0.193 0.351	0.000	0.000	0.001		205 206	0.000 -0.050	0.000	0.000	0.000	0.000	0.000
82 83	-19.716 -25.358	-11.619 -19.951	6.439 14.271	-0.007 -0.001	0.027	0.030		207 208	-0.626 -1.023	0.032	0.797 6.258	0.001	0.000 -0.016	-0.001 0.002
84	-25.397	-6.339	16.537	0.004	-0.001	-0.015	1	209	-1.305	1.032	13.180	0.003	0.000	-0.004
85 86	0.000 -1.120	0.000	0.000	0.000	0.000	0.000		210 211	-0.568 0.000	-0.061 0.000	18.964 0.000	0.002	0.000	-0.001 0.000
87 88	-13.688 -22.067	0.008 12.447	1.516 8.638	0.003 -0.015	0.014	0.020		212 213	0.038	0.011	0.203	0.000	0.000	0.000
89	-20.023	9.408	13.174	0.002	0.008	-0.023		214	-0.911	-0.559	6.766	0.002	0.018	0.002
90 91	-11.782 0.000	-2.810 0.000	18.430 0.000	-0.003 0.000	0.007	-0.015 0.000		215 216	-1.303 -1.304	-1.141 -0.061	14.227 15.523	-0.003 0.007	0.004	-0.003 -0.001
92 93	-0.285 -9.898	-0.003 -0.001	0.195 0.353	0.000	0.000	0.001		217 218	0.000	0.000 -0.014	0.000	0.000	0.000	0.000
94	-16.394	-9.619	6.890	-0.005	0.023	0.024		219	-0.135	-0.121	0.719	0.002	-0.001	-0.001
95 96	-20.020 -20.022	-14.988 -2.812	14.264 17.436	-0.012 0.004	0.012 -0.006	-0.010 -0.014		220 221	-0.219 -0.229	-0.009 -0.007	6.493 13.179	0.008	-0.011 -0.001	0.001
97 98	0.000	0.000	0.000	0.000	0.000	0.000		222 223	-0.073 0.000	-0.245	18.974	0.001	0.000	-0.001
99	-0.910 -7.798	0.005	0.272 1.450	0.000	0.006	0.001	2	224	0.008	0.000 -0.006	0.000	0.000	0.000	0.000
100 101	-12.453 -13.612	6.891 8.596	6.739 13.179	-0.004 0.007	-0.023 0.007	0.016 -0.014		225 226	0.053 0.076	-0.034 -0.010	0.295 6.883	0.001	0.002	-0.001 0.001
102	-7.462	-0.511	18.519	0.001	0.004	-0.011		227	0.080	-0.014	14.226	0.000	0.003	-0.003
103 104	0.000 -0.261	0.000	0.000 0.196	0.000	0.000	0.000	1	228 229	0.000 -0.002	-0.055 -0.001	-0.011 0.050	0.000	0.000	0.000
105 106	-7.109 -11.737	0.006 -6.842	0.354 7.119	0.000	0.006	0.012 0.016		230 231	0.088	-0.010 0.000	0.166	0.000	0.000	0.000
107 108	-13.610	-9.608 -0.512	14.258	-0.007 0.007	0.009	-0.009 -0.010		232 233	0.000	0.000 0.015	0.000 16.576	0.000	0.000	0.000
109	-13.611 0.000	0.000	15.804 0.000	0.000	0.000	0.000		234	1.568	0.001	15.307	0.010	0.004	0.000
110 111	-0.659 -5.110	-0.001 -0.003	0.271 1.382	0.000	0.000	0.001		235 236	0.847	0.012	13.046 12.920	0.013	-0.001 -0.001	0.003
112 113	-8.124	4.453	6.560	0.000	-0.018	0.011		237 238	0.111 -0.464	-0.013 -0.012	2.889 9.630	0.008	0.014	0.000
114	-9.248 -5.005	6.113 -0.167	13.181 18.600	0.002	0.004	-0.007		239	-0.002	-0.012	0.149	0.012	0.000	0.000
115 116	0.000 -0.216	0.000	0.000 0.196	0.000	0.000	0.000		240 241	-0.002 0.719	-0.011 -0.108	0.091 2.790	0.000	0.000	0.000
117 118	-4.887 -8.045	0.000 -4.672	0.354 7.079	0.000	0.004	0.007		242 243	1.730	-0.067 -0.108	10.596	0.010	-0.009	0.002
119	-9.250	-6.450	14.253	-0.004	0.006	-0.007		244	0.093	-0.072	0.235	0.000	0.000	0.000
120 121	-9.249 0.000	-0.166 0.000	15.360 0.000	0.007	-0.003 0.000	-0.007 0.000		245 246	0.000	-0.001 -0.008	-0.129 0.156	0.000	0.000	0.000
122 123	-0.473	-0.012 -0.014	0.271 1.313	0.000	0.000	0.001		247 248	0.000	-0.001	0.106 0.085	0.000	0.000	0.000
124	-3.693 -5.870	3.207	6.653	0.001	-0.017	0.004		249	-0.007	-0.001 -0.007	0.145	0.000	0.000	0.000
125 126	-6.570 -3.536	4.239	13.183 18.673	0.005	0.001	-0.007 -0.005		250 251	0.000	0.000	0.000	0.000	0.000	0.000
127 128	0.000 -0.167	0.000	0.000 0.196	0.000	0.000	0.000		252 253	0.000 0.158	0.000	0.000 2.833	0.000	0.000	0.000
129	-3.368	-0.008	0.353	0.000	0.003	0.004		254	-0.042	-0.001	-0.148	0.000	0.000	0.000
130 131	-5.535 -6.573	-3.214 -4.747	6.917 14.248	0.000	0.020	0.008		255 256	0.008	-0.012 -0.001	10.896 0.087	0.012	0.003	0.003
132 133	-6.572 0.000	-0.252 0.000	15.397 0.000	0.007	-0.002 0.000	-0.005 0.000		257 258	0.007 -0.010	-0.008 -0.009	0.100 2.713	0.000	0.000	0.000
134	-0.334	-0.004	0.270	0.000	0.000	0.001	2	259	-0.520	-0.007	8.723	0.011	-0.001	0.001
135 136	-2.839 -4.533	-0.005 2.501	1.242 6.672	0.001	0.000 -0.016	0.003		260 261	-0.007 -4.033	-0.010 -2.834	0.225 9.126	0.000	0.000	0.000
137 138	-5.030 -2.644	3.233	13.183 18.739	0.003	0.000	-0.006 -0.004		262 263	-1.525 -1.604	-1.338 1.284	14.987 14.162	0.006	0.002	-0.002 -0.002
139	0.000	0.000	0.000	0.000	0.000	0.000		264	-4.347	2.815	8.609	0.003	-0.014	0.005
140 141	-0.113 -2.442	-0.003 -0.002	0.196 0.351	0.000	0.000	0.000		265 266	-0.853 -2.271	0.363 1.554	14.474 8.444	0.006	-0.004 -0.015	-0.002 0.003
142 143	-4.022 -5.032	-2.339 -3.833	6.791 14.244	0.000	0.019	0.007 -0.005		267 268	-0.935 -1.871	-0.598 -1.442	15.287 8.984	0.001	0.006	-0.002 0.004
144	-5.032	-0.298	15.463	0.007	-0.002	-0.004		269	-4.248	2.666	14.282	-0.003	-0.006	-0.005
145 146	0.000	0.000	0.000	0.000	0.000	0.000		270 271	-8.648 -13.402	6.225 8.366	12.687 10.276	-0.005 -0.008	-0.010 -0.015	-0.001 0.009
147 148	-2.324 -3.741	0.008	1.171 6.641	0.001	0.000 -0.016	0.002		272 273	-18.920 -1.130	7.920 0.589	6.320 15.704	-0.008 0.001	-0.022 -0.005	0.025
149	-4.177	2.745	13.183	0.003	-0.001	-0.005	1	274	-0.675	0.099	17.182	0.006	-0.005	0.000
150 151	-2.121 0.000	-0.298 0.000	18.796 0.000	0.002	0.000	-0.004 0.000		275 276	-1.761 -3.118	0.798 2.276	14.511 12.778	0.005	-0.004 -0.005	-0.003 -0.002
152 153	-0.060 -1.915	0.006	0.194	0.000	0.000	0.000		277 278	-3.265 -2.657	2.158 0.956	8.566 3.613	0.004	-0.015 -0.012	0.004
154	-3.177	-1.858	6.715	0.001	0.019	0.006		279	-0.738	-0.309	17.539	0.003	0.005	-0.001
155 156	-4.179 -4.179	-3.343 -0.297	14.241 15.492	-0.001 0.007	0.002	-0.004 -0.003		280 281	-1.884 -3.044	-1.463 -2.763	15.313 13.861	0.002	0.005	-0.002 -0.001
157	0.000	0.000	0.000	0.000	0.000	0.000		282 283	-2.781 -2.106	-2.046	9.009	0.003	0.018	0.005
158 159	-0.165 -2.013	0.005	0.265 1.098	0.000	-0.001	0.000		284	0.037	-0.725 -0.001	3.224 -0.055	0.002	0.014	0.004
160 161	-3.265 -3.688	1.856 2.479	6.605 13.183	0.002	-0.016 -0.001	0.005 -0.005		285 286	0.153	-0.009 -0.002	2.704 0.000	0.008	0.014	0.000
162	-1.814	-0.295 0.000	18.845	0.002	-0.001	-0.003	1	287 288	0.185	-0.009	2.664	0.018	0.003	-0.001
163 164	0.000	0.004	0.000	0.000	0.000	0.000	:	289	-0.082	-0.009 -0.007	2.593	0.007	-0.011 -0.001	0.000
165 166	-1.611 -2.699	0.005 -1.602	0.343 6.681	0.000	0.001	0.001		290 291	0.108 -0.051	-0.013 -0.011	2.757	0.008	0.014	0.000
167 168	-3.690 -3.690	-3.071 -0.294	14.238 15.499	0.000	0.002	-0.004 -0.003		292 293	0.692	-0.108 -0.071	2.671	0.007	-0.010 -0.009	-0.002 -0.004
169	0.000	0.000	0.000	0.000	0.000	0.000		294	0.000	-0.001	0.000	0.000	0.000	0.000
170 171	-0.129 -1.798	-0.009 -0.010	0.273 1.025	0.000	0.000	0.000		295 296	0.000	-0.001 -0.002	0.000	0.000	0.000	0.000
172	-2.930	1.663	6.542	0.002	-0.016	0.005	1	297	0.000	-0.002	0.000	0.000	0.000	0.000
173 174	-3.339 -1.602	2.267	13.182 18.887	0.002	-0.001 -0.001	-0.005 -0.003		298 299	0.000	-0.001 -0.001	0.000	0.000	0.000	0.000
175 176	0.000	0.000	0.000 0.195	0.000	0.000	0.000		300 301	0.000 -0.013	-0.002 -0.008	0.000	0.000	0.000	0.000
177 178	-1.400 -2.371	-0.006 -1.439	0.336 6.652	0.000	0.001	0.000		302 303	-0.011 -0.106	-0.003 -0.007	0.038	0.000	0.000	0.000
179	-3.341	-2.877	14.235	0.000	0.002	-0.004		304	-0.044	-0.003	0.076	0.000	0.000	0.000
180 181	-3.341 0.000	-0.304 0.000	15.512 0.000	0.008	-0.001 0.000	-0.003 0.000		305 306	-0.313 -0.098	-0.001 -0.002	0.160 0.114	0.000	0.000	0.001
182 183	-0.104 -1.573	-0.005 -0.006	0.280 0.950	0.000	0.000	0.000		307 308	-0.624 -0.170	0.002	0.212 0.151	0.000	0.000	0.001
184 185	-2.569 -2.941	1.466	6.482 13.182	0.002	-0.016 -0.001	0.004		309 310	-0.105 0.015	-0.006 -0.005	0.209	0.000	0.000	0.000
							-	-		2.303			2.300	

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923

\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

\De	sargii	(COMP	ucer r	шату	SIS (22	±2/T	323-2243	1303	ΤU	EVISII	ING GIVE	, поа	us Ok		
Node	X-Axi Transl'				Axis Y-Axi tion Rotatio		Axis	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
311 312 313	-0.06 0.02 -0.03	7 -0.0	03 0.11	.3 0	.000 0.00 .000 0.00	0 0	1.000 1.000	37	34 261	0.056 0.055	0.014 0.013	0.000	0.000	0.000	-0.004 -0.002
314 315 316	0.02 -0.00 0.00	0.0	00 0.07 06 0.05	75 0. 54 0.	.000 0.00	0 0	1.000	38	35 30	0.047 0.041	0.003	0.000	0.000	0.000	0.000 -0.001
		8 0.0 ND MOMENTS			.000 0.00			39	32 33	0.012 0.006	0.000	0.000	0.000	0.000	0.000
								40	29 36	0.001 0.001	0.000 -0.012	0.000	0.000	0.000	0.003
		near): Sel	Y-Axis	Z-Axis	X-Axis	Y-Axis	Z-Axis	41	26 28	0.082 0.070	-0.001 -0.008	0.000	0.000	0.000	0.002
Memb 1	Node 1	Force 1.158	Shear -0.090	Shear 0.021	Torsion 0.014	-0.007	Moment 0.032	42	36 35	0.002	0.010 -0.001	-0.001 -0.001	0.000	0.000	-0.002 0.002
2	12	0.606	0.002	0.021	0.014	0.014	0.000	43	30 36	-0.030 -0.022	0.002	-0.002 -0.002	0.000	0.001	-0.001 0.000
3	4	0.013	0.003	0.001	0.000	0.000	0.000	44	26 27	0.010 0.005	0.000	0.000	0.000	0.000	0.000
4	5	0.014	0.003	0.001	0.000	0.001	0.000	45	32 34	0.074	-0.001 -0.008	0.001	0.000	0.000	0.002
5	234	1.165	0.002	0.000	0.000	0.000	0.000	46	37 305	0.585	0.000	0.000	0.001 0.001	0.000	0.000
6	13	0.613	0.087	0.020	0.000	0.013	0.056	47	39 40	0.002	-0.001 -0.006	-0.001 -0.001	0.000	0.001	0.000
7	8	0.021	0.003	-0.001 -0.001	0.000	0.000	0.000	48	40 270	0.065 0.062	0.017 0.013	-0.001 -0.001	0.000	0.000	-0.005 0.003
8	9	0.021	0.003	-0.001	0.000	0.000	0.000	49	41 42	0.046	0.002	0.000	0.000	0.000	0.001
9	233	0.014	0.002	0.002	0.000	0.000	0.000	50	43 306	0.577 0.494	0.000	0.000	-0.001 -0.001	0.000	0.000
10	7 219	0.056	0.000	0.001	0.000	0.000	0.000	51	45 46	-0.001 -0.004	0.000	-0.001 -0.001	0.000	0.001	0.000
11	260	-0.028	-0.003	-0.001	0.000	0.000	0.000	52	46 47	0.057 0.053	0.014	0.000	0.000	0.000	-0.004 0.002
12	246	-0.031	-0.003	0.000	0.000	0.000	0.000	53	47 42	0.047	0.003	0.001	0.000	-0.001	0.000
13	235	-0.001	-0.005	0.000	0.000	0.000	-0.001	54	44	0.041	0.000	0.001	0.000	0.000	0.000
	239	-0.028	-0.003	0.000	0.000	0.000	0.000	55	45	0.007	0.000	0.000	0.000	0.000	0.000
14	12	0.048	0.000	0.000	0.000	0.000	0.000	56	48 38	0.001	-0.011	0.000	0.000	0.000	0.001
15	2 243	-0.027 -0.022	0.002	0.001	0.000	0.001	0.000	57	40	0.070	0.010	0.000	0.000	0.000	-0.003
16	11 301	0.549 0.522	-0.001 -0.001	-0.003 -0.003	0.001 0.001	0.000	0.000	58	47	0.001	0.001	-0.001	0.000	-0.001	0.002
17	15 16	0.008	0.000	0.000	0.000	0.000	0.000	59	48	-0.021 0.015	0.001	0.000	0.000	0.000	0.000
18	16 17	0.057 0.054	0.012 0.006	0.001	0.000	0.000	-0.004 0.002	60	39 44	0.009	0.000	0.000	0.000	0.000	0.000
19	17 263	0.050 0.048	0.004	0.001	0.000	-0.001 0.000	0.000 0.001	61	46 49	0.064	0.000	0.001	0.000	0.000	-0.003
20	19 302	0.544 0.516	0.001	-0.003 -0.003	-0.001 -0.001	0.000	0.000	62	307 51	0.379	0.000	0.000	0.000	0.000	0.000
21	21 22	0.006 0.003	0.001	-0.001 -0.001	0.000	0.001	0.000 -0.001	63	52	-0.011	-0.007	0.001	0.000	0.001	-0.002
22	22 23	0.051 0.047	0.011 0.006	-0.001 -0.001	0.000	0.000	-0.003 0.002	64	271	0.062	0.020	0.001	0.000	0.001	-0.002
23	23 262	0.046 0.044	0.004	-0.001 -0.001	0.000	0.000	0.000 0.001	65	54 55	0.042	-0.007	0.000	0.000	0.000	-0.001
24	20 21	0.017 0.011	0.001	0.000	0.000	0.000	0.000		308	0.373	0.000	0.000	0.000	0.000	0.000
25	17 24	0.002	0.001	0.001	0.000	0.000	0.002	66	57 58	0.001	0.000	0.000	0.000	0.001	0.000
26	14 16	0.066 0.055	0.000	0.000	0.000	0.000	0.001 -0.002	67	58 59	0.058	0.014	0.000	0.000	0.000	-0.004
27	24 23	0.004	0.010 -0.001	-0.002 -0.002	0.000	0.000	-0.002 0.002	68	59 54	0.047	0.003	0.001	0.000	-0.001 0.000	0.000
28	18 24	-0.028 -0.020	0.003	-0.003 -0.003	0.000	0.002	-0.001 0.000	69	56 57	0.012 0.007	0.000	0.000	0.000	0.000	0.000
29	14 15	0.020 0.014	0.000	0.000	0.000	0.000	0.000	70	53 60	0.004	0.001	0.000	0.000	0.000	0.002
30	20 22	0.061 0.050	0.000	0.001	0.000	0.000	0.001 -0.002	71	50 52	0.089 0.078	0.001 -0.006	0.000	0.000	0.000	0.000
31	25 303	0.582 0.527	0.000	0.000	0.001	0.000	0.000	72	60 59	0.005 0.005	0.010 -0.002	-0.001 -0.001	0.000	0.000 -0.001	-0.002 0.002
32	27 28	-0.001 -0.004	-0.001 -0.006	-0.001 -0.001	0.000	0.001	0.000	73	54 60	-0.028 -0.020	0.000	-0.001 -0.001	0.000	0.000	0.000
33	28 264	0.063 0.062	0.017 0.015	-0.001 -0.001	0.000	0.000	-0.002 -0.005 -0.003	74	50 51	0.006 0.000	0.000	0.000	0.000	0.000	0.000
34	29 269	0.056 0.054	0.006 0.004	-0.001 -0.002 -0.002	0.000	0.000	0.000	75	56 58	0.074 0.063	-0.001 -0.008	0.001	0.000	-0.001 0.000	0.002 -0.003
35	31	0.576	0.000	0.000	-0.001	0.000	0.000	76	61 62	1.054 0.502	-0.161 -0.161	-0.003 -0.003	0.002	0.001 -0.002	0.145 -0.017
36	304	0.521	0.000	0.000	0.000	0.000	0.000	77	63 272	0.002	0.001 -0.002	0.001 0.001	0.000	0.000	0.000
	34	-0.004	-0.005	-0.001	0.000	0.000	-0.002	78	64 65	0.058 0.055	0.014	-0.002 -0.002	0.000	0.001	-0.004 0.003

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
79	65 66	0.047 0.041	0.003	0.000	0.000	0.000	0.001 -0.001	120	92 94	0.074	-0.001 -0.007	0.000	0.000	0.000	0.001
80	67 68	1.049	0.159 0.159	-0.003 -0.003	-0.003 -0.003	0.001	-0.147 0.012	121	97 98	0.424 0.286	0.000	0.000	0.000	0.000	0.000
81	69 70	0.000	0.000	0.000	0.000	0.000	0.000	122	99 100	0.000	0.000 -0.006	-0.001 -0.001	0.000	0.001	0.000
82	70 71	0.057 0.053	0.014	0.000	0.000	0.000	-0.004 0.002	123	100 101	0.055 0.051	0.015 0.009	-0.001 -0.001	0.000	0.000	-0.004 0.003
83	71 66	0.047	0.003	0.001	0.000	-0.001 0.000	0.001 -0.001	124	101 102	0.047	0.003	0.000	0.000	0.000	0.001
84	68 69	0.012	0.000	0.000	0.000	0.000	0.000	125	103 104	0.425 0.287	0.000	0.000	0.000	0.000	0.000
85	65 72	0.002	0.001	0.000	0.000	-0.001 0.000	0.002	126	105 106	-0.001 -0.004	0.000	0.000	0.000	0.000	0.000
86	62 64	0.075 0.064	0.002	0.000	0.000	0.000	0.000 -0.002	127	106 107	0.056 0.052	0.014	0.000	0.000	0.000	-0.004 0.003
87	72 71	0.002	0.010	-0.001 -0.001	0.000	0.000	-0.002 0.002	128	107 102	0.047	0.003	0.001	0.000	-0.001 0.000	0.001
88	66 72	-0.028 -0.020	0.000	-0.001 -0.001	0.000	0.000	0.000	129	104 105	0.011	0.000	0.000	0.000	0.000	0.000
89	62 63	0.015 0.010	0.000	0.000	0.000	0.000	0.000	130	101 108	0.000	0.001	0.000	0.000	0.000	0.002
90	68 70	0.074	-0.001 -0.008	0.001 0.001	0.000	0.000	0.002	131	98 100	0.073 0.062	0.000	0.000	0.000	0.000	0.001
91	73 74	0.423 0.285	0.000	0.000	0.000	0.000	0.000	132	108 107	0.000	0.010	-0.001 -0.001	0.000	0.000 -0.001	-0.002 0.002
92	75 76	0.006	0.000	0.000	0.000	0.000	0.000	133	102 108	-0.028 -0.020	0.000	-0.001 -0.001	0.000	0.000	0.000
93	76 77	0.056	0.014	-0.001 -0.001	0.000	0.000	-0.004 0.003	134	98 99	0.012 0.006	0.000	0.000	0.000	0.000	0.000
94	77 78	0.047	0.003	0.001 0.001	0.000	0.000	0.001	135	104 106	0.074	0.000	0.000	0.000	0.000	0.001
95	79 80	0.424	0.000	0.000	0.000	0.000	0.000	136	109 110	1.013 0.461	-0.150 -0.150	0.000	0.000	0.000	0.147 -0.003
96	81 82	0.000	0.000	0.000	0.000	0.000	0.000	137	111 112	0.000 -0.004	0.000 -0.006	-0.001 -0.001	0.000	0.001	0.000
97	82 83	0.056 0.052	0.014	0.000	0.000	0.000	-0.004 0.002	138	112 113	0.056 0.052	0.015 0.009	-0.001 -0.001	0.000	0.000	-0.004 0.003
98	83 78	0.047	0.003	0.001	0.000	-0.001 0.000	0.001	139	113 114	0.048 0.041	0.003 -0.007	0.000	0.000	0.000	0.001 -0.001
99	80 81	0.012 0.006	0.000	0.000	0.000	0.000	0.000	140	115 116	1.013 0.461	0.154 0.154	0.000	0.000	0.000	-0.152 0.002
100	77 84	0.001	0.001	0.000	0.000	-0.001 0.000	0.002	141	117 118	-0.001 -0.004	0.000 -0.006	0.000	0.000	0.000	0.000
101	74 76	0.069	0.001	0.000	0.000	0.000	0.000	142	118 119	0.056 0.052	0.015 0.009	0.000	0.000	0.000	-0.004 0.003
102	84 83	0.002	0.010	-0.001 -0.001	0.000	0.000	-0.002 0.002	143	119 114	0.048	0.003	0.001	0.000	-0.001 0.000	0.001
103	78 84	-0.028 -0.020	0.000	-0.001 -0.001	0.000	0.001	0.000	144	116 117	0.012 0.006	0.000	0.000	0.000	0.000	0.000
104	74 75	0.015 0.009	0.000	0.000	0.000	0.000	0.000	145	113 120	0.000	0.001	0.000	0.000	0.000	0.002
105	80 82	0.074	-0.001 -0.008	0.000	0.000	0.000	0.001	146	110 112	0.074 0.062	0.000	0.000	0.000	0.000	0.001
106	85 86	0.063 0.506 0.368	0.000	0.000	0.000	0.000	0.000	147	120 119	0.000	0.010 -0.001	-0.001 -0.001	0.000	0.000 -0.001	-0.002 0.002
107	87	0.001	0.000	0.000	0.000	0.000	0.000	148	114 120	-0.028 -0.021	0.000	-0.001 -0.001	0.000	0.000	0.000
108	88	0.055	0.014	-0.001	0.000	0.000	-0.004	149	110 111	0.012 0.007	0.000	0.000	0.000	0.000	0.000
109	89	0.051	0.009 0.003 -0.007	0.000	0.000	0.000	0.003	150	116 118	0.075 0.063	0.000 -0.007	0.000	0.000	0.000	0.001
110	90 91 92	0.041	0.000	0.000	0.000	0.000	0.000	151	121 122	0.424 0.286	0.000	0.000	0.000	0.000	0.000
111	93	0.369	0.000	0.000	0.000	0.000	0.000	152	123 124	0.000 -0.004	0.000 -0.006	-0.001 -0.001	0.000	0.001	0.000
112	94	0.056	0.014	0.000	0.000	0.000	-0.002	153	124 125	0.055 0.051	0.015 0.009	-0.001 -0.001	0.000	0.000	-0.004 0.003
113	95 95	0.052	0.009	0.000	0.000	-0.001	0.003	154	125 126	0.047 0.041	0.003	0.000	0.000	0.000	0.001
114	90	0.041	0.007	0.001	0.000	0.000	0.000	155	127 128	0.424 0.287	0.000	0.000	0.000	0.000	0.000
115	93 89	0.006	0.000	0.000	0.000	-0.001	0.000	156	129 130	0.000 -0.004	0.000	0.000	0.000	0.000	0.000
116	96 86	0.000	0.000	0.000	0.000	0.000	0.002	157	130 131	0.055 0.052	0.015 0.009	0.000	0.000	0.000	-0.004 0.003
117	96	0.061	0.010	0.000	0.000	0.000	-0.002	158	131 126	0.047 0.041	0.003	0.001 0.001	0.000	-0.001 0.000	0.001 -0.001
118	95	0.000	0.000	-0.001	0.000	0.000	0.002	159	128 129	0.011	0.000	0.000	0.000	0.000	0.000
119	96 86	0.012	0.000	0.001	0.000	0.000	0.000	160	125 132	0.000	0.001 -0.010	0.000	0.000	0.000	0.002
	87	0.007	0.000	0.000	0.000	0.000	0.000	161	122 124	0.073 0.062	0.000	0.000	0.000	0.000	0.001

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
162	132 131	0.000	0.010 -0.001	-0.001 -0.001	0.000	0.000 -0.001	-0.002 0.002	203	167 162	0.047	0.003	0.001	0.000	-0.001 0.000	0.001
163	126 132	-0.028 -0.020	0.000	-0.001 -0.001	0.000	0.000	0.000	204	164 165	0.012 0.006	0.000	0.000	0.000	0.000	0.000
164	122 123	0.012	0.000	0.000	0.000	0.000	0.000	205	161 168	0.000	0.001	0.000	0.000	0.000	0.002
165	128 130	0.074	0.000	0.000	0.000	0.000	0.001 -0.003	206	158 160	0.074 0.062	0.000	0.000	0.000	0.000	0.001
166	133 134	0.506 0.368	0.000	0.000	0.000	0.000	0.000	207	168 167	0.000	0.010	-0.001 -0.001	0.000	0.000	-0.002 0.002
167	135 136	0.000	0.000	-0.001 -0.001	0.000	0.001	0.000 -0.002	208	162 168	-0.028 -0.020	0.000	-0.001 -0.001	0.000	0.000	0.000
168	136 137	0.055 0.052	0.014	-0.001 -0.001	0.000	0.000	-0.004 0.003	209	158 159	0.012 0.007	0.000	0.000	0.000	0.000	0.000
169	137 138	0.047	0.003	0.000	0.000	0.000	0.001 -0.001	210	164 166	0.074	0.000	0.000	0.000	0.000	0.001
170	139 140	0.506 0.368	0.000	0.000	0.000	0.000	0.000	211	169 309	0.483	0.000	0.000	0.000	0.000	0.000
171	141 142	0.000	0.000	0.000	0.000	0.000	0.000 -0.002	212	171 172	0.000	0.000	-0.001 -0.001	0.000	0.001	0.000
172	142 143	0.055 0.052	0.014	0.000	0.000	0.000	-0.004 0.003	213	172 277	0.056 0.055	0.014	-0.001 -0.001	0.000	0.000	-0.004 -0.002
173	143 138	0.047	0.003	0.001 0.001	0.000	-0.001 0.000	0.001 -0.001	214	173 174	0.047 0.041	0.003	0.000	0.000	0.000	0.001
174	140 141	0.012 0.006	0.000	0.000	0.000	0.000	0.000	215	175 310	0.483	0.000	0.000	0.000	0.000	0.000
175	137 144	0.000	0.001	0.000	0.000	0.000	0.002	216	177 178	-0.001 -0.004	0.000 -0.006	0.000	0.000	0.000	0.000
176	134 136	0.073	0.000	0.000	0.000	0.000	0.001	217	178 282	0.056 0.055	0.014	0.000	0.000	0.000	-0.004 -0.002
177	144	0.000	0.010	-0.001 -0.001	0.000	0.000	-0.002 0.002	218	179 174	0.047 0.041	0.003	0.001	0.000	-0.001 0.000	0.001
178	138	-0.028 -0.020	0.000	-0.001 -0.001	0.000	0.000	0.000	219	176 177	0.012 0.006	0.000	0.000	0.000	0.000	0.000
179	134 135	0.012	0.000	0.000	0.000	0.000	0.000	220	173 180	0.000	0.001 -0.010	0.000	0.000	0.000	0.002
180	140 142	0.073 0.062	0.000	0.000	0.000	0.000	0.001	221	170 172	0.074 0.062	0.000	0.000	0.000	0.000	0.001
181	145 146	0.424	0.000	0.000	0.000	0.000	0.000	222	180 179	0.000	0.010 -0.001	-0.001 -0.001	0.000	0.000 -0.001	-0.002 0.002
182	147 148	0.000	0.000	-0.001 -0.001	0.000	0.001	0.000	223	174 180	-0.028 -0.020	0.000	-0.001 -0.001	0.000	0.000	0.000
183	148 149	0.055 0.052	0.015	-0.001 -0.001	0.000	0.000	-0.004 0.003	224	170 171	0.012 0.006	0.000	0.000	0.000	0.000	0.000
184	149 150	0.047	0.003	0.000	0.000	0.000	0.001 -0.001	225	176 178	0.074 0.063	0.000	0.000	0.000	0.000	0.001
185	151 152	0.424	0.000	0.000	0.000	0.000	0.000	226	181 311	0.576 0.493	0.000	0.000	-0.001 -0.001	0.000	0.000
186	153 154	0.000	0.000	0.000	0.000	0.000	0.000	227	183 184	0.000	0.000	-0.001 -0.001	0.000	0.001	0.000
187	154 155	0.055 0.052	0.014	0.000	0.000	0.000	-0.002 -0.004 0.003	228	184 276	0.056 0.053	0.014 0.010	-0.001 -0.001	0.000	0.000	-0.004 0.002
188	155 150	0.047 0.041	0.003	0.001 0.001	0.000	-0.001 0.000	0.001	229	185 186	0.047 0.041	0.003	0.000	0.000	0.000	0.001
189	152 153	0.012	0.000	0.000	0.000	0.000	0.000	230	187 312	0.576 0.493	0.000	0.000	0.001	0.000	0.000
190	149 156	0.000	0.001	0.000	0.000	0.000	0.002	231	189 190	0.000	0.000	0.000	0.000	0.000	0.000
191	146	0.073	0.000	0.000	0.000	0.000	0.001	232	190 281	0.056 0.053	0.014 0.010	0.000	0.000	0.000	-0.004 0.002
192	148 156 155	0.000	0.010	-0.001 -0.001	0.000	0.000	-0.003 -0.002 0.002	233	191 186	0.047 0.041	0.003	0.001	0.000	-0.001 0.000	0.001
193	150 156	-0.028 -0.020	0.000	-0.001 -0.001 -0.001	0.000	0.000	0.002	234	188 189	0.012 0.006	0.000	0.000	0.000	0.000	0.000
194	146 147	0.012 0.006	0.000	0.000	0.000	0.000	0.000	235	185 192	0.001 0.001	0.001	0.000	0.000	0.000	0.002
195	152 154	0.074 0.063	0.000	0.000	0.000	0.000	0.001 -0.003	236	182 184	0.074	-0.001 -0.007	0.000	0.000	0.000	0.001
196	157 158	1.049	-0.156	0.003	-0.003	-0.001	0.142	237	192 191	0.001 0.001	0.010 -0.001	-0.001 -0.001	0.000	0.000 -0.001	-0.002 0.002
197	159	0.497	0.000	-0.001	0.000	0.002	0.000	238	186 192	-0.028 -0.020	0.000	-0.001 -0.001	0.000	0.000	0.000
198	278 160	0.056	0.015	-0.001 -0.001	0.000	0.000	-0.001	239	182 183	0.012 0.006	0.000	0.000	0.000	0.000	0.000
199	161 161 162	0.052 0.048 0.041	0.009	0.000	0.000	0.000 0.000 0.000	0.003 0.001 -0.001	240	188 190	0.074 0.063	-0.001 -0.007	0.000	0.000	0.000	0.001
200	163	1.048	-0.007 0.155	0.000	0.004	-0.001	-0.142	241	193 313	0.575 0.520	0.000	0.000	-0.001 -0.001	0.000	0.000
201	164	0.497	0.155	0.003	0.004	0.002	0.013	242	195 196	-0.001 -0.005	0.000	-0.001 -0.001	0.000	0.001	0.000 -0.002
202	283 166	0.056	0.015	0.000	0.000	0.000	-0.001	243	196 266	0.054 0.053	0.014 0.013	-0.001 -0.001	0.000	0.000	-0.004 -0.002
	167	0.052	0.009	0.000	0.000	0.000	0.003	244	197 275	0.045 0.043	0.003	0.000	0.000	0.000	0.001

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

			•	-		- • -									
Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
245	199 314	0.575 0.520	0.000	0.000	0.001 0.001	0.000	0.000	286	225 213	0.001	0.005	-0.004 -0.004	0.000	0.001	-0.001 0.000
246	201	-0.001 -0.004	0.000	0.000	0.000	0.000	0.000	287	224 212	-0.004 -0.004	0.149 -0.127	-0.082 -0.082	-0.024 -0.024	0.044	-0.011 -0.005
247	202	0.054	0.014	0.000	0.000	0.000	-0.004 -0.002	288	21 7	0.005 0.005	0.003	0.004	0.000	-0.001 0.001	0.000
248	203 280	0.045 0.043	0.003	0.001 0.001	0.000	-0.001 -0.001	0.001 0.001	289	20 13	-0.005 -0.005	0.128 -0.147	0.086 0.086	0.026 0.026	0.003 0.046	-0.006 -0.011
249	200 201	0.012	0.000	0.000	0.000	0.000	0.000	290	33 21	0.004	0.003	0.000	0.000	-0.001 0.000	0.000
250	197	0.002	0.001	0.000	0.000	0.000	0.000	291	32 20	-0.010 -0.010	0.150 -0.126	0.053	0.024 0.024	-0.022 0.004	-0.012 -0.006
251	194	0.002	-0.010	0.000	0.000	0.001	0.002	292	45 33	0.003	0.003	0.001	0.000	0.000	0.000
252	196 204	0.061	0.010	0.000	0.000	0.000	-0.003	293	44 32	-0.008 -0.008	0.135 -0.140	0.013 0.013	0.022 0.022	-0.028 -0.021	-0.010 -0.011
253	203 198	0.002	0.000	0.000	0.000	0.000	0.002	294	57 45	0.002	0.003	0.001	0.000	0.000	0.000
254	204 194	0.011	0.000	0.000	0.000	0.000	0.000	295	56 44	-0.005 -0.005	0.121 -0.155	-0.025 -0.025	0.021 0.021	-0.015 -0.027	-0.001 -0.010
255	195 200	0.005	0.000	0.000	0.000	0.000	0.000	296	69 57	0.002	0.003	0.001	0.000	0.000	0.000
256	202	0.061	-0.007	0.000	0.000	0.000	0.000	297	68 56	0.004	0.204 -0.072	-0.063 -0.063	0.019 0.019	0.017 -0.015	-0.034 -0.001
257	315 207	0.517	0.001	0.003	0.000	0.001	0.000	298	81 69	0.002	0.003	0.001	0.000	0.000	0.000
258	208	0.005	0.011	-0.001 -0.001	0.000	0.000	-0.001 -0.003	299	80 68	0.014 0.014	0.082	0.056 0.056	0.005	-0.008 0.020	-0.004 -0.032
259	209 209	0.048	0.005	-0.001 -0.001	0.000	0.000	0.002	300	93 81	0.002	0.003	0.001	0.000	0.000	0.000
260	265 211	0.038	0.001	-0.001	0.000	0.000	0.001	301	92 80	0.015 0.015	0.147 -0.129	0.018 0.018	0.003	-0.017 -0.008	-0.008 -0.004
261	316 213	0.517	0.003	0.003	0.001	0.001	0.001	302	105 93	0.001	0.003	0.001	0.000	0.000	0.000
262	214	0.003	-0.005	0.001	0.000	0.000	-0.001	303	104	0.015 0.015	0.129	-0.021 -0.021	0.002	-0.007 -0.017	-0.004 -0.008
263	215	0.046	0.005	0.001	0.000	0.001	0.001	304	117 105	0.001	0.003	0.001	0.000	0.000	0.000
264	267	0.038	0.000	0.002	0.000	-0.001	0.000	305	116 104	0.001 0.015 0.015	0.193	-0.059 -0.059	0.001 0.001	0.022 -0.007	-0.031 -0.003
	213	0.009	0.000	0.000	0.000	0.000	0.000	306	129	0.001	0.003	0.001	0.000	0.000	0.000
265	209 216	0.009	0.002	-0.001 -0.001	0.000	0.000	0.001	307	117	0.001	0.083	0.001	-0.002	-0.007	0.000
266	206 208	0.059 0.048	0.000	0.000	0.000	0.000	0.001	308	116 141	0.015	0.003	0.057	0.000	0.022	0.000
267	216 215	0.008	0.008	0.000	0.000	-0.001 0.000	-0.001 0.001	309	129 140	0.001	0.147	0.001	0.000	0.000	0.000
268	210 216	-0.025 -0.017	-0.001 -0.001	0.002	0.000	-0.001 0.000	0.001	310	128 153	0.015	0.003	0.019	0.000	0.007	0.000
269	206 207	0.023 0.018	-0.001 -0.001	0.001	0.000	0.000	0.000	311	141 152	0.001	0.129	0.001	0.000	0.000	0.000
270	212 214	0.060	0.000	0.000	0.000	0.000	0.001	312	140 165	0.015	0.003	0.018	0.004	-0.016 0.000	-0.008
271	217 218	1.163 0.611	-0.088 -0.088	-0.020 -0.020	-0.013 -0.013	0.007 -0.013	0.032 -0.056	313	153 164	0.000	0.194	0.001	0.000	0.000	0.000
272	219 220	0.023	0.003	-0.001 -0.001	0.000	0.001	0.000	314	152 177	0.015	0.003	-0.056 0.001	-0.005	0.008	0.004
273	220 221	0.023 0.019	0.002	-0.001 -0.001	0.000	0.000	0.000 -0.001	315	165 176	0.000	0.073	0.001	0.000	0.000	0.000
274	221 222	0.021 0.015	0.005 -0.005	-0.002 -0.002	0.000	0.001 -0.001	-0.001 -0.001	316	164 189	0.005	0.003	0.061	-0.019	0.017	-0.033
275	223 224	1.164 0.612	0.088	-0.020 -0.020	0.013 0.013	0.007 -0.013	-0.032 0.057	317	177	0.000	-0.004	0.001	0.000	0.000	0.000
276	225 226	0.025 0.022	0.002	0.002	0.000	-0.001 0.000	0.000		176	-0.003	-0.119	0.024	-0.020	-0.014	-0.001
277	226 227	0.025 0.022	0.002	0.002 0.002	0.000	0.000 0.001	0.000 -0.001	318	189	0.000	-0.004	0.001	0.000	0.000	0.000
278	227 222	0.021 0.015	0.005 -0.005	0.001 0.001	0.000	-0.001 0.001	-0.001 -0.001	319	200 188	-0.005 -0.005	0.142	-0.014 -0.014	-0.022 -0.022	-0.020 -0.027	-0.012 -0.010
279	224 225	0.059 0.053	0.000	0.000	0.000	0.000	0.000	320	213 201	-0.001 -0.001	0.003	0.001	0.000	-0.001	0.000
280	3 273	-0.002 0.000	0.004	0.000	0.000	0.000	0.000	321	212 200	-0.006 -0.006	0.127 -0.148	-0.051 -0.051	-0.023 -0.023	0.004	-0.006 -0.011
281	269 30	0.046 0.042	-0.002 -0.008	0.001 0.001	0.000	-0.001 0.000	0.002	322	222 210	0.003	0.008	0.000	0.000	0.000	-0.001 0.002
282	269 270	-0.005 -0.002	0.004	-0.001 -0.001	0.000	0.000 -0.001	0.000	323	18	0.003	-0.001 -0.008	0.002	0.000	-0.001 0.000	0.002
283	270 41	0.049	0.008	0.013 0.013	0.000	-0.002 -0.001	0.003	324	30 18	0.007	0.001	0.000	0.000	0.000	0.001
284	218 219	0.059	0.000	0.000	0.000	0.000	0.000	325	42 30	0.009	0.003	0.000	0.000	0.000	0.000
285	225 212	-0.005 0.000	0.002	0.001	0.000	0.000	0.000	326	54 42	0.009	0.004	0.001	0.000	0.000	0.000
	•							327	66 54	0.009	0.003	0.000	0.000	0.000	0.000

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment -0.001
328	78 66	0.009	0.002	-0.001 -0.001	0.000	0.000	0.000	369	170 158	0.004	-0.203	-0.062	0.019	0.014	-0.033
329	90 78	0.010 0.010	0.003	-0.001 -0.001	0.000	0.000	0.000	370	183 171	0.002	0.004	0.001	0.000	0.000	0.000
330	102 90	0.010 0.010	0.003	0.000	0.000	0.000	0.000	371	182 170	-0.005 -0.005	0.156 -0.120	-0.025 -0.025	0.020	0.026 0.014	-0.010 -0.001
331	114 102	0.010 0.010	0.003	0.000	0.000	0.000	0.000	372	195 183	0.003	0.004	0.001	0.000	0.000	-0.001 0.000
332	126 114	0.010 0.010	0.003	0.000	0.000	0.000	0.000	373	194 182	-0.008 -0.008	0.141	0.013	0.021 0.021	0.021 0.027	-0.012 -0.010
333	138 126	0.010 0.010	0.003	0.000	0.000	0.000	0.000	374	207 195	0.004	0.005	0.000	0.000	0.001	-0.001 0.000
334	150 138	0.010 0.010	0.003	0.000	0.000	0.000	0.000	375	206 194	-0.009 -0.009	0.126 -0.150	0.051 0.051	0.023	-0.004 0.022	-0.006 -0.012
335	162 150	0.010 0.010	0.003	0.000	0.000	0.000	0.000	376	13 239	0.001	0.405 0.129	-0.024 -0.024	0.003	0.032	-0.081 0.052
336	174 162	0.010 0.010	0.003	0.000	0.000	0.000	0.000	377	10 236	-0.001 -0.001	0.000	0.000	0.000	0.000	0.001 -0.001
337	186 174	0.010 0.010	0.003	0.000	0.000	0.000	0.000	378	230 244	-0.019 -0.019	0.392 0.172	0.025 0.025	-0.003 -0.003	-0.002 0.008	-0.064 0.049
338	198 186	0.009	0.003	0.000	0.000	0.000	0.000	379	231 229	1.006 0.454	-0.090 -0.090	-0.024 -0.024	0.001	0.021	0.028 -0.063
339	210 198	0.008	0.005	0.000	0.000	0.000	0.000	380	232 230	1.011 0.460	0.092	-0.025 -0.025	-0.002 -0.002	0.022	-0.028 0.064
340	219 207	0.006	0.000	0.006	0.000	-0.001 0.002	0.001 -0.001	381	233	0.019 0.016	0.002	-0.002 -0.002	0.000	0.000	0.000
341	218	-0.003 -0.003	0.148	0.084	0.024	-0.044 -0.002	-0.011 -0.006	382	229 235	0.027 0.014	0.000	0.000	0.000	0.000	0.000
342	15	0.003	0.006	-0.005 -0.005	0.000	0.001	-0.001 0.000	383	234 3	0.017 0.014	0.003	0.001	0.000	0.000	0.000
343	14 12	-0.003 -0.003	0.126 -0.150	-0.092 -0.092	-0.024 -0.024	-0.002 -0.048	-0.005 -0.011	384	230 236	0.028 0.015	0.000	0.000	0.000	0.000	0.000
344	27	0.003	0.003	0.002	0.000	0.000	-0.001 -0.001	385	237 8	0.012 0.006	0.000	0.000	0.000	0.000	0.000
345	26 14	-0.009 -0.009	0.150 -0.126	-0.057 -0.057	-0.023 -0.023	0.025	-0.012 -0.006	386	235 233	0.009	0.001	0.000	0.000	0.000	-0.001 0.000
346	39 27	0.004	0.004	0.002	0.000	0.000	-0.001 0.000	387	238 9	0.016 0.010	0.000	0.000	0.000	0.000	0.000
347	38 26	-0.009 -0.009	0.134 -0.142	-0.014 -0.014	-0.021 -0.021	0.031 0.024	-0.010 -0.012	388	236 234	0.010	-0.001 -0.001	0.000	0.000	0.000	0.000
348	51 39	0.006	0.002	0.003	0.000	-0.001 0.001	0.000	389	239 240	-0.021 -0.021	0.131 -0.145	-0.025 -0.025	0.003	0.020	0.052 0.049
349	50 38	-0.007 -0.007	0.120 -0.156	0.028	-0.020 -0.020	0.016 0.030	-0.001 -0.010	390	237 290	0.012 0.012	0.000	0.000	0.000	0.000	0.000
350	63 51	0.004	0.004	-0.001 -0.001	0.000	0.000	0.000	391	240 229	-0.021 -0.021	-0.168 -0.388	-0.024 -0.024	0.003	0.008	0.049 -0.063
351	62 50	0.002	0.204	0.071	-0.020 -0.020	-0.019 0.016	-0.034 -0.001	392	238 291	0.016 0.021	0.000	0.000	0.000	0.000	0.000
352	75 63	0.003	0.003	0.000	0.000	0.000	0.000	393	241 4	0.013 0.007	0.000	0.000	0.000	0.000	0.000
353	74 62	0.013 0.013	0.082	-0.053 -0.053	-0.003 -0.003	0.005 -0.021	-0.004 -0.032	394	242 5	0.018 0.012	0.000	0.001	0.000	0.000	0.000
354	87 75	-0.005 -0.005	0.004	0.000	0.000	0.000	0.000	395	241 292	0.013 0.013	0.000	0.000	0.000	0.000	0.000
355	86 74	0.013 0.013	0.147 -0.129	-0.018 -0.018	-0.003 -0.003	0.015 0.005	-0.008 -0.004	396	242 293	0.018 0.024	0.000	-0.001 -0.001	0.000	0.000	0.000
356	99	-0.004 -0.004	0.004	0.001	0.000	0.000	0.000	397	243 12	-0.001 -0.001	-0.133 -0.408	0.025 0.025	-0.003 -0.003	0.021	0.054 -0.081
357	98 86	0.013	0.129	0.018	-0.003 -0.003	0.006 0.015	-0.004 -0.008	398	244 243	-0.019 -0.019	0.146 -0.129	0.026 0.026	-0.003 -0.003	0.008 0.021	0.049
358	111 99	-0.003 -0.003	-0.147 0.004 -0.003	0.001 0.001	0.000	0.000	0.000	399	228 245	0.000	0.000	0.000	0.000	0.000	0.001
359	110	0.013 0.013	0.193	0.055	-0.002 -0.002	-0.022 0.006	-0.031 -0.003	400	224 246	0.006	0.404 0.128	0.023 0.023	-0.003 -0.003	-0.031 -0.019	-0.081 0.053
360	123 111	-0.003 -0.003	0.004	0.001 0.001	0.000	0.000	0.000	401	228 247	0.000	0.000	0.000	0.000	0.000	0.001
361	122	0.014 0.014	0.083	-0.057 -0.057	0.002 0.002	0.007 -0.022	-0.004 -0.031	402	248 249	-0.018 -0.018	0.392 0.171	-0.024 -0.024	0.003	0.002	-0.063 0.049
362	135 123	-0.002 -0.002	0.004	0.001	0.000	0.000	0.000	403	250 251	1.005 0.454	-0.092 -0.092	0.023 0.023	-0.001 -0.001	-0.020 0.003	0.028 -0.064
363	134	0.013	0.147	0.001	0.002	0.000	-0.008	404	252 248	1.005 0.453	0.092 0.092	0.023 0.023	0.001	-0.020 0.003	-0.028 0.063
364	122	0.013 -0.001	0.004	0.001	0.002	0.007	0.000	405	251 284	0.021 0.014	0.000	0.000	0.000	0.000	0.000
365	135 146 134	-0.001 0.013 0.013	-0.003 0.130 -0.146	0.001 0.018 0.018	0.000	0.000 0.008 0.017	0.000 -0.004 -0.008	406	248 247	0.021 0.008	0.000	0.000	0.000	0.000	0.000
366	159	0.000	0.004	0.001	0.003	0.000	0.000	407	253 226	0.012 0.007	0.000	0.000	0.000	0.000	0.000
367	147	0.000	0.194	0.001	0.000	-0.020	0.000 -0.032 -0.004	408	245 254	0.003	0.000	0.000	0.000	0.000	0.000
368	146	0.013	0.004	0.056	0.004	0.008	0.004	409	255 227	0.021 0.015	0.000	-0.001 -0.001	0.000	0.000 -0.001	0.000
	159	0.001	-0.003	0.001	0.000	0.000	0.000	410	247 256	0.003	0.000	0.000	0.000	0.000	0.000

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
411	246 257	-0.017 -0.017	0.132 -0.144	0.024	-0.003 -0.003	-0.019 -0.007	0.052 0.049	452	43 31	0.000	-0.383	-0.002 -0.002	0.000	0.000	-0.032
412	253 285	0.012 0.012	0.000	0.000	0.000	0.000	0.000	453	55 43	0.000	0.383	-0.001 -0.001	0.000	0.000	-0.032 -0.032
413	257 251	-0.017 -0.017	-0.172 -0.393	0.023 0.023	-0.003 -0.003	-0.007 0.002	0.049	454	67 55	0.000	0.383	0.000	0.000	0.000	-0.032 -0.032
414	255 287	0.021 0.027	0.000	0.001	0.000	0.000	0.000	455	79 67	0.000	0.383	0.000	0.000	0.000	-0.032 -0.032
415	258 220	0.011	0.000	0.000	0.000	0.000	0.000	456	91 79	0.000	0.383	-0.001 -0.001	0.000	0.000	-0.032 -0.032
416	259 221	0.020 0.014	0.000	0.000	0.000	0.000	0.000	457	103 91	0.000	0.383	0.000	0.000	0.000	-0.032 -0.032
417	258 288	0.011	0.000	0.000	0.000	0.000	0.000	458	115 103	0.000	0.383	0.000	0.000	0.000	-0.032 -0.032
418	259 289	0.020 0.026	0.000	0.000	0.000	0.000	0.000	459	127 115	0.000	0.383	0.000	0.000	0.000	-0.032 -0.032
419	260 218	0.004	-0.128 -0.404	-0.023 -0.023	0.003	-0.020 -0.031	0.053 -0.081	460	139 127	0.000	0.383	0.000	0.000	0.000	-0.032 -0.032
420	249 260	-0.017 -0.017	0.144	-0.024 -0.024	0.003	-0.008 -0.020	0.049	461	151 139	0.000	0.383	0.001	0.000	0.000	-0.032 -0.032
421	219 206	-0.014 -0.008	0.003	-0.002 -0.002	0.000	0.001	-0.001 0.000	462	163 151	0.000	0.383	0.001	0.000	0.000	-0.032 -0.032
422	2 14	-0.011 -0.005	0.002	0.001	0.000	0.000	0.000	463	175 163	0.000	0.383	0.000	0.000	0.000	-0.032 -0.032
423	7 20	-0.011 -0.006	0.003	-0.001 -0.001	0.000	0.001	0.000	464	187 175	0.000	0.383	0.001	0.000	0.000	-0.032 -0.032
424	261 35	0.055	0.013	0.000	0.000	0.000	-0.002 0.002	465	199 187	0.000	0.383	0.002	0.000	0.000	-0.032 -0.032
425	270 271	-0.021 -0.019	0.002	-0.001 -0.001	0.000	0.000	0.000	466	211 199	0.000	0.383	0.003	0.000	-0.001 0.001	-0.032 -0.032
426	262	0.044	0.001	-0.001 -0.001 -0.001	0.000	0.000	0.001	467	217 205	0.000	0.383	-0.002 -0.002	0.000	0.000 -0.001	-0.032 -0.032
427	271 53	0.061 0.058	0.012 0.007	-0.001 -0.003 -0.003	0.000	0.001	-0.001 -0.002 0.003	468	11 1	0.000	0.383	0.002	0.000	-0.001 0.000	-0.032 -0.032
428	263 273	0.048	0.002	0.001	0.000	0.000	0.001 0.001	469	25 11	0.000	0.383	0.003	0.000	-0.001 0.001	-0.032 -0.032
429	271 272	-0.015 -0.013	0.004	0.000	0.000	0.000	-0.001	470	37 25	0.000	0.383	0.002	0.000	0.000	-0.032 -0.032
430	264	0.062	0.015	-0.001	0.000	0.000	-0.001	471	49 37	0.000	0.383	0.001	0.000	0.000	-0.032 -0.032
431	29	0.059	0.011	-0.001	0.000	0.000	0.003	472	284 245	0.014	0.000	0.000	0.000	0.000	0.000
432	265	0.038	0.009	-0.002	0.000	0.001	0.001	473	61 49	0.000	0.383	0.000	0.000	0.000	-0.032 -0.032
433	274	0.036	0.002	0.001	0.000	0.000	0.001	474	285 246	0.012 0.016	0.000	0.000	0.000	0.000	0.000
434	75 266	0.053	0.013	0.001	0.000	0.000	0.000	475	73 61	0.000	0.383	0.000	0.000	0.000	-0.032 -0.032
435	197 273	0.050	0.008	0.001	0.000	0.000	0.002	476	287 257	0.027 0.028	0.000	0.001	0.000	0.000	0.000
436	269	0.002	0.004	0.001	0.000	-0.001	0.000	477	85 73	0.000	0.383	0.000	0.000	0.000	-0.032 -0.032
437	279	0.036	-0.003	0.002	0.000	0.000	0.000	478	97 85	0.000	0.383	0.000	0.000	0.000	-0.032 -0.032
438	18 268	0.042	0.010	0.000	0.000	0.000	-0.002	479	288 260	0.011 0.014	0.000	0.000	0.000	0.000	0.000
439	203 283	0.051	0.008	0.000	0.000	0.000	0.003	480	109 97	0.000	0.383	0.000	0.000	0.000	-0.032 -0.032
440	166 282	0.055	-0.006	0.000	0.000	0.000	-0.002	481	289 249	0.026 0.027	0.000	0.000	0.000	0.000	0.000
441	179 281	0.052	0.009	0.000	0.000	0.000	0.003	482	121 109	0.000	0.383	0.000	0.000	0.000	-0.032 -0.032
442	191 280	0.052	0.009	0.000	0.000	0.000	0.003	483	133 121	0.000	0.383	0.000	0.000	0.000	-0.032 -0.032
443	198 279	0.039	-0.007	0.001	0.000	0.000	0.000	484	145 133	0.000	0.383	-0.001 -0.001	0.000	0.000	-0.032 -0.032
444	210 223	0.034	-0.007	0.002	0.000	0.001	-0.002	485	157 145	0.000	0.383	0.000	0.000	0.000	-0.032 -0.032
445	211 278	0.000	-0.383	0.001	0.000	0.000	-0.032	486	169 157	0.000	0.383	0.000	0.000	0.000	-0.032 -0.032
446	160 277	0.055	-0.006 0.013	-0.001 -0.001	0.000	0.000	-0.002	487	181 169	0.000	0.383	-0.001 -0.001	0.000	0.000	-0.032 -0.032
447	173 276	0.052	0.009	-0.001 -0.001	0.000	0.000	0.003	488	193 181	0.000	0.383	-0.002 -0.002	0.000	0.000	-0.032 -0.032
448	185 275	0.052	0.009	0.001	0.000	0.000	0.003	489	290 239	0.012 0.015	0.000	0.000	0.000	0.000	0.000
449	198 274	0.038	-0.007 -0.002	0.000	0.000	0.000	-0.001	490	291 240	0.021 0.023	0.000	0.000	0.000	0.000	0.000
450	210 19	0.034	-0.006 0.383	-0.001	0.000	0.001	-0.001 -0.032	491	292 243	0.013 0.016	0.000	0.000	0.000	0.000	0.000
451	6	0.000	-0.383	-0.002	0.000	0.000	-0.032	492	293 244	0.024 0.025	0.000	-0.001 -0.001	0.000	0.000	0.000
	19	0.000	-0.383	-0.003	0.000	-0.001	-0.032	493	205 193	0.000	0.383	-0.003 -0.003	0.000	0.001 -0.001	-0.032 -0.032

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
494	6 286	0.000	1.073 0.306	0.000	0.000	0.000	-0.250 0.094	535	310 164	0.030	0.042	0.001	0.000	0.000	-0.004 0.000
495	232 294	0.000	1.073	0.000	0.000	0.000	-0.250 0.056	536	311 182	0.421 0.365	-0.001 -0.001	-0.002 -0.002	-0.001 -0.001	0.001	0.000
496	286 295	0.000	0.306	0.000	0.000	0.000	0.094 0.056	537	311 309	0.037	0.035	0.000	0.000	0.000	-0.003
497	295 231	0.000	-0.460 -1.073	0.000	0.000	0.000	0.056 -0.250	538	312 188	0.421 0.366	0.001	-0.002 -0.002	0.001	0.001	0.000
498	296 1	0.000	-0.306 -1.073	0.000	0.000	0.000	0.094 -0.250	539	312 310	0.038	0.036	0.000	0.000	0.000	-0.003 -0.003
499	294 296	0.000	0.460 -0.306	0.000	0.000	0.000	0.056 0.094	540	313 194	0.447	0.000	-0.001 -0.001	-0.001 -0.001	0.001	0.000
500	223 297	0.000	1.073	0.000	0.000	0.000	-0.250 0.094	541	313 311	0.039 0.012	0.036	0.001	0.001	-0.001 0.000	-0.003 -0.003
501	252 298	0.000	1.073	0.000	0.000	0.000	-0.250 0.056	542	314 200	0.447	0.000	-0.001 -0.001	0.001	0.001	0.000
502	297 299	0.000	0.306 -0.460	0.000	0.000	0.000	0.094 0.056	543	314 312	0.040	0.036	-0.001 -0.001	-0.001 -0.001	0.001	-0.003 -0.003
503	299 250	0.000	-0.460 -1.073	0.000	0.000	0.000	0.056 -0.250	544	315 206	0.434	0.000	0.000	-0.001 -0.001	0.000	0.000
504	300 217	0.000	-0.306 -1.073	0.000	0.000	0.000	0.094	545	315 313	0.040	0.036 -0.032	0.001	0.001	-0.001 -0.001	-0.004 -0.003
505	298 300	0.000	0.460 -0.306	0.000	0.000	0.000	0.056	546	316 212	0.433	-0.001 -0.001	0.000	0.001	0.000	0.000
506	231 232	0.000	0.690	0.000	0.000	0.000	-0.103 -0.103	547	316 314	0.041 0.014	0.036 -0.032	-0.001 -0.001	-0.001 -0.001	0.001	-0.004 -0.003
507	250 252	0.000	0.690	0.000	0.000	0.000	-0.103 -0.103	565	227 215	0.001	0.009	-0.005 -0.005	0.000	0.001 -0.001	-0.002 0.001
508	230	0.068	0.097	-0.001 -0.001	0.000	0.000	0.000	566	23 9	-0.001 -0.001	-0.001 -0.008	0.006 0.006	0.000	-0.002 0.001	0.001 -0.001
509	1 301	0.042 0.014	0.027	0.000	-0.001 -0.001	0.001	0.000	567	35 23	-0.003 -0.003	0.005	0.002	0.000	-0.001 0.000	0.000
510	6 229	0.206 0.068	0.097	0.001 0.001	0.000	-0.001 0.000	0.000	568	47 35	-0.004 -0.004	0.005	0.001	0.000	0.000	0.000
511	217 248	0.204	0.097	0.000	0.000	-0.001 0.000	0.000	569	59 47	-0.005 -0.005	0.005	0.001	0.000	0.000	-0.001 0.000
512	217 315	0.040 0.012	0.027	0.000	0.001	-0.001 -0.001	0.000	570	71 59	-0.005 -0.005	0.005	-0.001 -0.001	0.000	0.000	-0.001 0.000
513	223 251	0.204 0.066	0.097	0.000	0.000	0.001	0.000	571	83 71	-0.005 -0.005	0.005	-0.001 -0.001	0.000	0.000	-0.001 0.000
514	223 316	0.041 0.013	0.027	0.003	-0.001 -0.001	0.000	0.000	572	95 83	-0.004 -0.004	0.005 -0.002	-0.001 -0.001	0.000	0.000	-0.001 0.000
515	6 302	0.040 0.013	0.027	0.000	0.001 0.001	-0.001 -0.001	0.004	573	107 95	-0.004 -0.004	0.005 -0.002	0.000	0.000	0.000	-0.001 0.000
516	301 14	0.438 0.328	0.000	0.000	0.001 0.001 0.001	0.000	0.000	574	119 107	-0.003 -0.003	0.005 -0.002	0.000	0.000	0.000	-0.001 0.000
517	301 303	0.043 0.015	0.037	-0.001 -0.001	-0.001 -0.001	0.001 0.001	-0.004 -0.003	575	131 119	-0.003 -0.003	0.004	0.000	0.000	0.000	-0.001 0.000
518	302	0.432 0.322	0.000	0.000	-0.001	0.000	0.000	576	143 131	-0.003 -0.003	0.004	0.000	0.000	0.000	-0.001 0.000
519	302 304	0.322 0.041 0.013	0.000 0.037 -0.032	0.000 0.001 0.001	-0.001 0.001 0.001	0.000 -0.001 -0.001	0.000	577	155 143	-0.002 -0.002	0.005 -0.002	0.000	0.000	0.000	-0.001 0.000
520	303	0.454	0.000	0.001	0.001	-0.001	0.000	578	167 155	-0.002 -0.002	0.005 -0.002	0.000	0.000	0.000	-0.001 0.000
521	303	0.371	0.000	-0.001	-0.001	0.000	0.000	579	179 167	-0.001 -0.001	0.004	0.000	0.000	0.000	-0.001 0.000
522	305	0.014	0.000	0.001	-0.001	-0.001	0.000	580	191 179	-0.001 -0.001	0.004	0.000	0.000	0.000	0.000
523	304	0.365	0.000	0.001	0.001	-0.001	0.000	581	203 191	-0.001 -0.001	0.004	0.000	0.000	0.000	0.000
524	306 305	0.012	-0.033	0.001	0.001	-0.001	0.000	582	215 203	0.000	0.004	-0.001 -0.001	0.000	0.000	0.000
525	38 305 307	0.374 0.039 0.011	-0.001 0.036 -0.033	0.002	0.001 0.000 0.000	0.000	0.000	600	221 209	-0.001 -0.001	0.006	0.003	0.000	-0.001 0.001	-0.001 0.001
526	306	0.421	0.001	0.000	-0.001	-0.001	0.000	601	17 5	0.001 0.001	-0.001 -0.008	-0.002 -0.002	0.000	0.000 -0.001	0.001 -0.001
527	306	0.366	0.001	0.002	0.000	0.000	0.000	602	29 17	0.000	0.003 -0.004	-0.002 -0.002	0.000	0.000 -0.001	0.001
528	308	0.010	-0.033	0.000	0.000	-0.002	0.000	603	41 29	0.001 0.001	0.004	-0.001 -0.001	0.000	0.000	0.000
529	307	0.274	0.042	0.009	0.000	0.000	0.000	604	53 41	0.014 0.014	0.005 -0.001	0.001	0.000	0.000	-0.001 0.000
530	308	0.004	0.001	0.001	0.000	0.000	0.000	605	65 53	0.011 0.011	0.004	0.000	0.000	0.000	0.000
531	308	0.267	0.001	0.009	0.000	0.000	0.000	606	77 65	0.008	0.003	-0.002 -0.002	0.000	0.000	0.000
532	309	0.002	-0.027	-0.001	0.000	0.000	0.000	607	89 77	0.006 0.006	0.003	-0.002 -0.002	0.000	0.001 -0.001	0.000
533	309	0.267	0.042	-0.009	0.000	0.000	0.000	608	101 89	0.005 0.005	0.003	-0.002 -0.002	0.000	0.000	0.000
534	158 310	0.002	0.001	-0.001	0.000	0.000	0.000	609	113 101	0.004	0.003 -0.004	-0.001 -0.001	0.000	0.000	0.000
	176	0.267	0.001	-0.009	0.000	0.000	0.000	610	125 113	0.003	0.003	-0.001 -0.001	0.000	0.000	0.000

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
611	137 125	0.002	0.003	-0.001 -0.001	0.000	0.000	0.000	34	29 269	-0.206 -0.206	-0.011 -0.011	-0.074 -0.074	0.000	0.002 -0.019	0.013 0.010
612	149 137	0.001	0.003	-0.001 -0.001	0.000	0.000	0.000	35	31 304	0.134 0.134	0.013 0.013	0.002	-0.049 -0.049	0.000	0.000
613	161 149	0.000	0.003	-0.001 -0.001	0.000	0.000	0.000	36	33 34	0.048	0.008	-0.060 -0.060	0.001	0.040	-0.013 -0.008
614	173 161	-0.001 -0.001	0.003	-0.001 -0.001	0.000	0.000	0.000	37	34 261	0.317 0.317	0.058 0.058	-0.053 -0.053	-0.001 -0.001	0.009	-0.032 -0.024
615	185 173	-0.002 -0.002	0.003	-0.001 -0.001	0.000	0.000	0.000	38	35 30	0.452 0.452	0.027 0.027	-0.047 -0.047	0.000	0.023 -0.025	-0.014 0.014
616	197 185	-0.002 -0.002	0.003	-0.001 -0.001	0.000	0.000	0.000	39	32 33	0.025 0.025	0.026 0.026	-0.012 -0.012	0.000	0.000 -0.006	0.000 0.013
617	209 197	-0.002 -0.002	0.003	0.000	0.000	0.000	0.000	40	29 36	-0.089 -0.089	-0.023 -0.023	0.002	0.000	0.007	0.009 -0.011
Load c	ase 2	(Linear): Se	ism on X di		X-Axis	Y-Axis	Z-Axis	41	26 28	-0.122 -0.122	0.065 0.065	-0.017 -0.017	0.000	0.015 -0.001	-0.046 0.018
Memb	Node 1	Force	Shear	Z-Axis Shear	Torsion	Moment	Moment	42	36 35	-0.047 -0.047	0.027 0.027	-0.046 -0.046	0.000	0.010 -0.030	-0.006 0.017
1	12	-1.703 -1.703	-0.213 -0.213	-0.166 -0.166	-0.546 -0.546	0.067	-0.177 -0.390	43	30 36	-0.050 -0.050	0.043	-0.049 -0.049	0.000	0.027	-0.020 0.004
2	2	-1.637 -1.637	-0.004	-0.014 -0.014	0.000	0.006	0.003	44	26 27	-0.045 -0.045	0.005 0.005	-0.005 -0.005	0.000	0.000	0.000
3	5	-1.634 -1.634	0.003	-0.013 -0.013	-0.001	-0.002 -0.010	0.002	45	32 34	0.264 0.264	-0.069 -0.069	0.007	0.001 0.001	-0.002 0.005	0.043 -0.024
4	5 234	-1.491 -1.491	0.000	-0.026 -0.026	0.001	0.013	-0.004 -0.004	46	37 305	0.034	0.003	-0.001 -0.001	-0.030 -0.030	0.000	0.000
5	6 13	1.698 1.698	-0.142 -0.142	0.152 0.152	-0.563 -0.563	-0.069 0.083	-0.183 -0.324	47	39 40	0.143 0.143	-0.002 -0.002	-0.019 -0.019	0.000	0.005 -0.006	0.000
6	7 8	0.854 0.854	0.034	-0.072 -0.072	0.000	0.044	-0.021 0.000	48	40 270	0.091 0.091	0.048	-0.042 -0.042	0.000	-0.007 -0.029	0.014 0.038
7	9	0.841 0.841	0.017 0.017	-0.071 -0.071	-0.001 -0.001	0.001	0.002 0.012	49	41 42	-0.443 -0.443	-0.025 -0.025	0.007	0.000	-0.005 0.002	0.017 -0.008
8	9 233	0.547 0.547	-0.015 -0.015	-0.049 -0.049	0.000	0.023	0.003	50	43 306	0.242 0.242	0.002	0.001 0.001	-0.029 -0.029	0.000	0.000
9	13 7	1.726 1.726	0.013 0.013	0.000	0.000	0.000	0.000	51	45 46	0.005	0.004	-0.055 -0.055	0.001	0.038	-0.012 -0.010
10	219 260	1.094	-0.011 -0.011	0.036 0.036	0.000	-0.019 0.006	0.007 -0.001	52	46 47	0.342	0.062 0.062	-0.040 -0.040	-0.001 -0.001	0.010 -0.014	-0.041 -0.003
11	225 246	-1.110 -1.110	-0.004 -0.004	0.032 0.032	0.000	-0.016 0.007	0.002	53	47 42	0.488	0.025 0.025	-0.039 -0.039	0.000	0.020	-0.014 0.012
12	10 235	0.026 0.026	-0.002 -0.002	0.000	0.000	0.000	0.001	54	44 45	0.020	0.024	-0.012 -0.012	0.000	0.000	0.000
13	7 239	-1.140 -1.140	-0.014 -0.014	-0.003 -0.003	0.000	0.003	0.005 -0.005	55	41 48	-0.208 -0.208	-0.049 -0.049	-0.001 -0.001	0.000	0.009	0.025 -0.016
14	12 2	-1.977 -1.977	-0.021 -0.021	0.015 0.015	0.000	0.000	0.000 -0.011	56	38 40	-0.026 -0.026	0.067 0.067	-0.023 -0.023	0.000	0.022	-0.051 0.015
15	2 243	2.041 2.041	0.012 0.012	-0.037 -0.037	0.000	0.018	-0.005 0.003	57	48 47	-0.158 -0.158	0.021 0.021	-0.039 -0.039	0.000	0.009	-0.007 0.011
16	11 301	-0.666 -0.666	0.023	-0.001 -0.001	-0.058 -0.058	0.000	0.000	58	42 48	-0.070 -0.070	0.051 0.051	-0.038 -0.038	0.000	0.022	-0.020 0.009
17	15 16	-0.136 -0.136	0.012 0.012	-0.008 -0.008	0.000	0.003	-0.003 0.004	59	38 39	0.133 0.133	-0.001 -0.001	0.003	0.000	0.000	0.000
18	16 17	-0.363 -0.363	-0.037 -0.037	-0.013 -0.013	0.000	-0.001 -0.009	0.023	60	44 46	0.330	-0.091 -0.091	0.015 0.015	0.001	-0.010 0.005	0.058
19	17 263	-0.277 -0.277	-0.001 -0.001	-0.031 -0.031	0.000	0.005 -0.004	0.006 0.005	61	49 307	-0.139 -0.139	0.010 0.010	0.000	-0.015 -0.015	0.000	0.000
20	19 302	0.149 0.149	0.027 0.027	0.005 0.005	-0.059 -0.059	0.000	0.000	62	51 52	-0.057 -0.057	0.019 0.019	-0.036 -0.036	0.000	0.009	-0.004 0.008
21	21 22	0.176 0.176	0.016 0.016	-0.073 -0.073	0.001	0.047	-0.016 -0.006	63	52 271	-0.399 -0.399	-0.017 -0.017	-0.072 -0.072	0.001	-0.016 -0.026	0.040
22	22 23	0.336 0.336	0.053	-0.074 -0.074	-0.001 -0.001	0.008 -0.037	-0.020 0.012	64	53 54	-0.383 -0.383	-0.019 -0.019	0.009	0.000	-0.008 0.001	0.015 -0.005
23	23 262	0.470 0.470	0.033	-0.059 -0.059	0.000	0.029 0.012	-0.016 -0.007	65	55 308	0.215 0.215	0.009	-0.001 -0.001	-0.013 -0.013	0.000	0.000
24	20 21	0.075 0.075	0.032	-0.018 -0.018	0.000	0.000	0.000 0.016	66	57 58	0.051 0.051	0.004	-0.053 -0.053	0.001	0.037	-0.012 -0.009
25	17 24	-0.102 -0.102	-0.006 -0.006	-0.023 -0.023	0.000	0.028	-0.005 -0.010	67	58 59	0.422	0.054 0.054	-0.028 -0.028	-0.001 -0.001	0.011	-0.045 -0.013
26	14 16	-0.226 -0.226	0.052 0.052	-0.006 -0.006	0.000	0.006	-0.033 0.018	68	59 54	0.468	0.027 0.027	-0.038 -0.038	0.000	0.020 -0.019	-0.016 0.012
27	24 23	-0.066 -0.066	0.041	-0.065 -0.065	0.000	0.009 -0.046	-0.007 0.028	69	56 57	0.022	0.023	-0.011 -0.011	0.000	0.000	0.000
28	18 24	-0.047 -0.047	0.036 0.036	-0.042 -0.042	0.000	0.024	-0.017 0.003	70	53 60	-0.050 -0.050	-0.034 -0.034	0.001	0.000	0.004	0.018
29	14 15	-0.126 -0.126	-0.005 -0.005	0.003	0.000	0.000	0.000	71	50 52	-0.325 -0.325	0.112 0.112	-0.036 -0.036	0.000	0.032	-0.077 0.033
30	20 22	0.161 0.161	-0.035 -0.035	-0.002 -0.002	0.001	0.007 0.005	0.020 -0.014	72	60 59	-0.006 -0.006	0.006	-0.029 -0.029	0.000	0.004	-0.002 0.003
31	25 303	-0.176 -0.176	0.012 0.012	0.000	-0.048 -0.048	0.000	0.000	73	54 60	-0.040 -0.040	0.044	-0.031 -0.031	0.000	0.017	-0.017 0.008
32	27 28	-0.041 -0.041	-0.003 -0.003	0.005 0.005	0.000	-0.005 -0.002	0.002 0.001	74	50 51	-0.040 -0.052 -0.052	-0.008 -0.008	0.006	0.000	0.000	0.008 0.000 -0.004
33	28 264	-0.179 -0.179	0.004	-0.012 -0.012	0.000	-0.003 -0.005	0.019 0.019		21		3.000	3.000	3.000	3.003	3.001

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
75	56 58	0.357 0.357	-0.113 -0.113	0.025 0.025	0.001	-0.018 0.006	0.074	117	96 95	0.007	-0.020 -0.020	-0.003 -0.003	0.000	0.008	0.000
76	61 62	-0.331 -0.331	6.582 6.582	-0.027 -0.027	-0.211 -0.211	0.016 -0.012	-6.350 0.232	118	90 96	-0.013 -0.013	0.044	-0.033 -0.033	0.000	0.019	-0.018 0.007
77	63 272	0.034	0.024 0.024	-0.044 -0.044	0.000	0.005 -0.011	-0.002 0.007	119	86 87	0.022	0.010	-0.009	0.000	0.000	0.000
78	64 65	-0.494 -0.494	-0.039 -0.039	-0.006 -0.006	0.001	-0.018 -0.021	0.054 0.031	120	92 94	0.393	-0.146 -0.146	0.036	0.001	-0.030 0.005	0.098
79	65 66	-0.427 -0.427	-0.019 -0.019	0.016 0.016	0.000	-0.011 0.005	0.014 -0.006	121	97 98	-0.241 -0.241	0.000	0.000	0.006	0.000	0.000
80	67 68	0.293 0.293	6.654 6.654	0.042	-0.184 -0.184	-0.022 0.020	-6.377 0.277	122	99 100	-0.009	0.007	0.016 0.016	-0.001 -0.001	-0.017 -0.007	0.005 0.010
81	69 70	0.025 0.025	0.003	-0.047 -0.047	0.001	0.034	-0.011 -0.009	123	100	-0.476 -0.476	-0.033 -0.033	-0.029 -0.029	0.001 0.001	-0.012 -0.029	0.059
82	70 71	0.422 0.422	0.046 0.046	-0.017 -0.017	-0.001 -0.001	0.011	-0.049 -0.022	124	101 101 102	-0.428 -0.428	-0.035 -0.026 -0.026	0.033	0.000	-0.019 0.015	0.016 -0.010
83	71 66	0.455 0.455	0.027 0.027	-0.034 -0.034	0.000	0.019 -0.016	-0.016 0.011	125	103	0.242	0.000	0.000	0.006	0.000	0.000
84	68 69	0.019 0.019	0.022 0.022	-0.010 -0.010	0.000	0.000 -0.005	0.000 0.011	126	104	0.242	0.000	-0.035	0.006	0.000	0.000 -0.009 -0.009
85	65 72	-0.059 -0.059	-0.030 -0.030	0.011 0.011	0.000	-0.003 0.006	0.017 -0.009	127	106	0.022	0.000	0.003	-0.001	0.007	-0.055
86	62 64	-0.443 -0.443	0.139 0.139	-0.046 -0.046	-0.001 -0.001	0.039	-0.095 0.041	128	107	0.460	0.038	0.003 -0.019 -0.019	0.000	0.014	-0.032
87	72 71	-0.016 -0.016	-0.005 -0.005	-0.020 -0.020	0.000	0.007 -0.010	-0.001 -0.005	129	102	0.453	0.020	-0.008	0.000	0.008	0.007
88	66 72	-0.025 -0.025	0.043	-0.031 -0.031	0.000	0.017	-0.017 0.008	130	105	0.011	0.017	0.033	0.000	-0.004	0.009
89	62 63	0.059 0.059	-0.003 -0.003	0.004	0.000	0.000	0.000	131	108 98	-0.037	-0.035 0.162	-0.045	-0.001	0.007	-0.007 -0.109
90	68 70	0.377 0.377	-0.130 -0.130	0.030	0.001	-0.024 0.006	0.086 -0.040	132	100	0.006	0.162	0.001	0.000	0.005	0.049
91	73 74	-0.258 -0.258	0.000	0.000	-0.018 -0.018	0.000	0.000	133	107	0.006	0.043	0.001	0.000	0.008	-0.019 -0.017
92	75 76	0.074 0.074	0.012 0.012	0.011 0.011	-0.001 -0.001	-0.013 -0.006	0.003 0.010	134	108 98	0.012	0.043	-0.032	0.000	0.000	0.007
93	76 77	-0.416 -0.416	-0.043 -0.043	-0.033 -0.033	0.001	-0.010 -0.030	0.059	135	99	0.001	0.010	0.038	0.000	-0.004	0.005
94	77 78	-0.410 -0.410	-0.021 -0.021	0.024 0.024	0.000	-0.015 0.009	0.015 -0.007	136	106	0.413	-0.152 6.880	0.038	0.001	0.005	-0.046 -7.000
95	79 80	0.197 0.197	0.000	0.000	-0.017 -0.017	0.000	0.000	137	110	-0.389	6.880	-0.008	-0.008	-0.002	-0.120 0.005
96	81 82	0.040	0.003	-0.042 -0.042	0.001	0.032 0.006	-0.010 -0.008	138	112	-0.005 -0.481	0.007	0.017	0.001	-0.007	0.010
97	82 83	0.447 0.447	0.038	-0.008 -0.008	-0.001 -0.001	0.012 0.007	-0.051 -0.028	139	113	-0.481	-0.034	0.030	0.001	-0.029	0.039
98	83 78	0.448 0.448	0.025 0.025	-0.029 -0.029	0.000	0.017 -0.013	-0.016 0.010	140	114	0.393	-0.026 6.807	0.033	0.000	0.015	-0.010 -6.917
99	80 81	0.018 0.018	0.020	-0.009 -0.009	0.000	0.000	0.000	141	116	0.393	6.807	0.015	0.001	0.008	-0.110
100	77 84	-0.015 -0.015	-0.030 -0.030	0.022 0.022	0.000	-0.012 0.007	0.018 -0.007	142	118	0.016	0.041	0.004	0.001	0.007	-0.009 -0.057
101	74 76	-0.467 -0.467	0.158 0.158	-0.043 -0.043	-0.001 -0.001	0.038	-0.106 0.049	143	119	0.473	0.041	0.004	0.000	0.015	-0.032 -0.013
102	84 83	0.029	-0.015 -0.015	-0.010 -0.010	0.000	0.007	0.000 -0.012	144	114	0.460	0.019	-0.018	0.000	0.007	0.006
103	78 84	-0.016 -0.016	0.043	-0.032 -0.032	0.000	0.018	-0.017 0.007	145	117	0.009	0.017	0.035	0.000	-0.004	0.008
104	74 75	-0.029 -0.029	0.007	-0.006 -0.006	0.000	0.000	0.000	146	120	-0.041	-0.035 0.165	0.035	0.000	0.007	-0.007 -0.111
105	80 82	0.383	-0.140 -0.140	0.034	0.001	-0.027 0.006	0.094	147	112	0.000	0.165	0.046	0.000	-0.005 0.007	0.050
106	85 86	-0.314 -0.314	0.000	0.000	-0.006 -0.006	0.000	0.000	148	119 114	0.000	0.023	0.004	0.000	0.010	-0.019 -0.017
107	87 88	0.007	0.008	0.015 0.015	-0.001 -0.001	-0.016 -0.007	0.005 0.010	149	120	0.005	0.041	-0.031	0.000	0.000	0.007
108	88 89	-0.468 -0.468	-0.037 -0.037	-0.030 -0.030	0.001	-0.011 -0.029	0.059 0.037	150	111 116	0.005	0.011	-0.009	0.000	-0.005 -0.032	0.005
109	89 90	-0.430 -0.430	-0.024 -0.024	0.031 0.031	0.000	-0.018 0.013	0.016 -0.009	151	118	0.431	0.000	0.038	0.001	0.005	-0.048
110	91 92	0.289	0.000	0.000	-0.005 -0.005	0.000	0.000	152	122	-0.235 -0.009	0.000	0.000	-0.008	0.000	0.000
111	93 94	0.025 0.025	0.001	-0.037 -0.037	0.001	0.029	-0.009 -0.009	153	124	-0.009 -0.475	0.007	0.017	0.001	-0.007 -0.012	0.009
112	94 95	0.443	0.035 0.035	-0.001 -0.001	-0.001 -0.001	0.012 0.011	-0.053 -0.032	154	125 125	-0.475 -0.427	-0.032 -0.026	0.029	0.001	-0.029 -0.020	0.039
113	95 90	0.447	0.022	-0.023 -0.023	0.000	0.014	-0.015 0.008	155	126	0.231	-0.026	0.034	0.000	0.015	-0.010
114	92 93	0.014	0.018	-0.008	0.000	0.000	0.000	156	128	0.231	0.000	0.000	-0.008	0.000	0.000
115	89 96	-0.036 -0.036	-0.033 -0.033	0.030	0.000	-0.018 0.008	0.021 -0.007	157	130	0.020	-0.002	-0.033	0.001	0.007	-0.009
116	86 88	-0.450 -0.450	0.161 0.161	-0.045 -0.045	-0.001 -0.001	0.039	-0.108 0.049		131	0.466	0.039	0.004	-0.001	0.015	-0.033

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

•				-	·	- • -									
Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
158	131 126	0.456 0.456	0.018	-0.016 -0.016	0.000	0.010 -0.006 0.000	-0.012 0.006	200	163 164	0.365 0.365	6.791 6.791	-0.007 -0.007	0.171 0.171	0.005 -0.002	-6.532 0.259
	128 129	0.009	0.016	-0.008	0.000	-0.004	0.000	201	165 283	0.015 0.015	-0.004 -0.004	-0.027 -0.027	0.001	0.023 0.013	-0.007 -0.008
160	125 132	-0.039 -0.039	-0.035 -0.035	0.036	0.000	-0.024 0.007	0.023	202	166 167	0.459 0.459	0.040	0.009	-0.001 -0.001	0.011 0.016	-0.055 -0.031
161	122 124	-0.438 -0.438	0.163	-0.046 -0.046	-0.001 -0.001	0.040	-0.110 0.049	203	167 162	0.455 0.455	0.010 0.010	-0.005 -0.005	0.000	0.005 -0.001	-0.008 0.003
162	132 131	0.002	-0.025 -0.025	0.006 0.006	0.000	0.007 0.012	0.001	204	164 165	0.006 0.006	0.014 0.014	-0.006 -0.006	0.000	0.000	0.000
163	126 132	-0.011 -0.011	0.041	-0.030 -0.030	0.000	0.017	-0.016 0.007	205	161 168	-0.035 -0.035	-0.031 -0.031	0.042	0.000	-0.029 0.007	0.022
164	122 123	0.001	0.011	-0.009 -0.009	0.000	0.000	0.000	206	158 160	-0.427 -0.427	0.157 0.157	-0.044 -0.044	-0.001 -0.001	0.037 -0.005	-0.105 0.048
165	128 130	0.421 0.421	-0.153 -0.153	0.037	0.001	-0.031 0.005	0.102	207	168 167	-0.002 -0.002	-0.027 -0.027	0.015 0.015	0.000	0.006 0.019	0.000 -0.023
166	133 134	-0.302 -0.302	0.000	0.000	0.004	0.000	0.000	208	162 168	-0.004 -0.004	0.033	-0.027 -0.027	0.000	0.015	-0.014 0.005
167	135 136	-0.014 -0.014	0.006	0.018 0.018	-0.001 -0.001	-0.018 -0.007	0.006	209	158 159	-0.001 -0.001	0.014 0.014	-0.011 -0.011	0.000	0.000	0.000
168	136 137	-0.470 -0.470	-0.031 -0.031	-0.027 -0.027	0.001	-0.012 -0.028	0.058	210	164 166	0.421 0.421	-0.149 -0.149	0.036 0.036	0.001	-0.031 0.005	0.099
169	137 138	-0.427 -0.427	-0.026 -0.026	0.035 0.035	0.000	-0.020 0.016	0.016 -0.011	211	169	-0.219 -0.219	0.009	-0.001 -0.001	0.013	0.000	0.000
170	139 140	0.301	0.000	0.000	0.004	0.000	0.000	212	171 172	-0.020 -0.020	0.002	0.027	-0.001 -0.001	-0.023 -0.007	0.008
171	141 142	0.022	-0.002 -0.002	-0.031 -0.031	0.001 0.001	0.026 0.007	-0.008 -0.009	213	172 277	-0.449 -0.449	-0.034 -0.034	-0.015 -0.015	0.001	-0.012 -0.014	0.054
172	142 143	0.459 0.459	0.037 0.037	0.006 0.006	-0.001 -0.001	0.012 0.015	-0.055 -0.033	214	173	-0.431	-0.024	0.040	0.000	-0.021	0.013
173	143 138	0.452 0.452	0.017 0.017	-0.014 -0.014	0.000	0.009	-0.012 0.005	215	174	0.212	0.008	0.040	0.000	0.020	0.000
174	140 141	0.009	0.016 0.016	-0.007 -0.007	0.000	0.000 -0.004	0.000	216	310 177	0.212	0.008	0.000	0.012	0.000	0.007
175	137 144	-0.036 -0.036	-0.035 -0.035	0.037 0.037	0.000	-0.025 0.007	0.023	217	178 178	0.017	0.038	0.010	0.001	0.006	-0.008 -0.052
176	134 136	-0.429 -0.429	0.160 0.160	-0.045 -0.045	-0.001 -0.001	0.039 -0.005	-0.108 0.049	218	282 179	0.439	0.038	0.010	0.000	0.012	-0.047 -0.005
177	144 143	0.004	-0.026 -0.026	0.008	0.000	0.007 0.013	0.001 -0.021	219	174 176	0.449	0.005	0.002	0.000	0.003	0.000
178	138 144	-0.009 -0.009	0.039	-0.029 -0.029	0.000	0.017	-0.016 0.007	220	177 173	0.004	0.012	-0.006 0.048	0.000	-0.003	0.006
179	134 135	-0.003 -0.003	0.011 0.011	-0.010 -0.010	0.000	0.000	0.000	221	180 170	-0.028	-0.028 0.149	0.048	0.000	0.006	-0.003 -0.100
180	140 142	0.412 0.412	-0.151 -0.151	0.037 0.037	0.001 0.001	-0.031 0.005	0.101 -0.046	222	172 180	-0.404	0.149	0.042	0.000	-0.005 0.006	0.045
181	145 146	-0.226 -0.226	0.000	0.000	0.016 0.016	0.000	0.000	223	179 174	-0.002 0.001	-0.029 0.026	0.023	0.000	0.026	-0.024 -0.012
182	147 148	-0.013 -0.013	0.006	0.020	-0.001 -0.001	-0.019 -0.007	0.006	224	180 170	0.001	0.026	-0.025 -0.013	0.000	0.000	0.003
183	148 149	-0.469 -0.469	-0.033 -0.033	-0.024 -0.024	0.001	-0.012 -0.026	0.058	225	171 176	-0.007 0.399	0.015	-0.013	0.000	-0.006 -0.028	0.008
184	149 150	-0.428 -0.428	-0.026 -0.026	0.037	0.000	-0.021 0.017	0.015 -0.011	226	178	0.399	0.003	0.033	0.001	0.004	0.000
185	151 152	0.234	0.000	0.000	0.016 0.016	0.000	0.000	227	311 183	-0.255 -0.031	0.003	0.000	0.030	0.000	0.002
186	153 154	0.018 0.018	-0.002 -0.002	-0.030 -0.030	0.001 0.001	0.025 0.007	-0.008 -0.009	228	184	-0.031	0.000	0.033	-0.001	-0.006	0.009
187	154 155	0.460 0.460	0.038	0.008	-0.001 -0.001	0.011 0.016	-0.055 -0.032	229	276	-0.433	-0.039	-0.003	0.001	-0.013	0.031
188	155 150	0.454	0.014 0.014	-0.010	0.000	0.007	-0.010 0.004	230	186	-0.434	-0.021	0.045	0.000	0.024	-0.012
189	152 153	0.454 0.008 0.008	0.014 0.015 0.015	-0.010 -0.007 -0.007	0.000	-0.003 0.000 -0.004	0.000	231	312 189	0.255	0.002	0.000	0.030	0.000	0.001
190	149	-0.035	-0.033	0.039	0.000	-0.026	0.023		190	0.020	-0.006	-0.016	0.001	0.006	-0.008
191	156	-0.035	0.159	0.039	0.000	0.007	-0.006	232	190 281	0.417	0.038	0.013	0.000	0.009	-0.048 -0.028
192	148	0.002	0.159	0.011	0.001	0.005	0.048	233	191 186	0.438	-0.006 -0.006	0.015	0.000	-0.007 0.009	0.001
193	155 150	0.002	0.027	0.011	0.000	0.016	-0.022 -0.015	234	188 189	0.003	0.009	-0.004 -0.004	0.000	0.000	0.000
194	156	-0.006	0.037	-0.028	0.000	0.000	0.006	235	185 192	-0.023 -0.023	-0.021 -0.021	0.056	0.000	-0.041	0.018
195	147 152	0.417	0.012	0.038	0.000	-0.005	0.006	236	182 184	-0.381 -0.381	0.135 0.135	-0.037 -0.037	-0.001 -0.001	0.030	-0.090 0.042
196	154 157	0.417	-0.151 6.809	0.038	0.001	0.005	-0.046 -6.571	237	192 191	-0.009 -0.009	-0.031 -0.031	0.034	0.000	0.006 0.035	0.000 -0.026
197	158 159	-0.359 -0.012	6.809 0.005	0.016	0.179	0.009	0.238	238	186 192	0.009	0.015 0.015	-0.021 -0.021	0.000	0.012 0.000	-0.008
198	278 160	-0.012 -0.466	0.005	0.023	0.001	-0.012 -0.012	0.008	239	182 183	-0.015 -0.015	0.018 0.018	-0.015 -0.015	0.000	0.000	0.000
199	161	-0.466	-0.035	-0.021	0.001	-0.024	0.036	240	188 190	0.379 0.379	-0.129 -0.129	0.029 0.029	0.001 0.001	-0.025 0.003	0.086 -0.040
177	162	-0.430	-0.025	0.038	0.000	0.018	-0.011								

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

•				-	·	- • -									
Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
241	193 313	-0.211 -0.211 -0.032	0.014 0.014 -0.003	0.000 0.000 0.044	0.051 0.051 -0.001	0.000 0.000 -0.033	0.000	283	270 41	-0.671 -0.671	0.065 0.065	1.062 1.062	0.001	-0.070 0.026	0.037
	195 196	-0.032	-0.003	0.044	-0.001	-0.006	0.011	284	218 219	-1.449 -1.449	0.017 0.017	-0.017 -0.017	0.000	0.000	0.000
243	196 266	-0.386 -0.386	-0.046 -0.046	0.016 0.016	0.001	-0.012 -0.009	0.046	285	225 212	0.610 0.610	-0.030 -0.030	0.035 0.035	0.000	-0.018 0.007	0.015 -0.006
244	197 275	-0.432 -0.432	-0.019 -0.019	0.053	0.000	-0.024 -0.009	0.006	286	225 213	-0.449 -0.449	0.024 0.024	-0.091 -0.091	0.000	0.026 -0.020	-0.004 0.007
245	199 314	0.354 0.354	0.016 0.016	0.000	0.049	0.000	0.000	287	224 212	-0.864 -0.864	-0.090 -0.090	-3.761 -3.761	-0.939 -0.939	1.991 0.110	0.070 0.025
246	201 202	0.003	-0.011 -0.011	-0.006 -0.006	0.000	0.009	-0.002 -0.008	288	21 7	0.273 0.273	-0.067 -0.067	0.164 0.164	0.000	-0.034 0.048	0.015 -0.019
247	202 268	0.369	0.042	0.016 0.016	0.000	0.007	-0.043 -0.037	289	20 13	-0.870 -0.870	0.228 0.228	3.598 3.598	0.869 0.869	0.118 1.916	-0.031 0.083
248	203 280	0.442	-0.022 -0.022	0.037	0.000	-0.018 -0.008	0.011	290	33 21	0.183 0.183	-0.030 -0.030	0.059	0.000	-0.025 0.005	0.013 -0.002
249	200 201	-0.014 -0.014	0.004	-0.002 -0.002	0.000	0.000	0.000	291	32 20	-1.200 -1.200	-0.077 -0.077	2.105 2.105	0.845	-0.871 0.182	0.002
250	197 204	-0.016 -0.016	-0.010 -0.010	0.067 0.067	0.000	-0.051 0.006	0.012 0.003	292	45 33	0.111 0.111	-0.021 -0.021	0.050	0.000	-0.016 0.009	0.007
251	194 196	-0.339 -0.339	0.111 0.111	-0.028 -0.028	-0.001 -0.001	0.021 -0.006	-0.072 0.036	293	44 32	-1.177 -1.177	0.007	0.568 0.568	0.803	-1.105 -0.821	0.001
252	204 203	-0.019 -0.019	-0.033 -0.033	0.051 0.051	0.000	0.006 0.049	-0.001 -0.029	294	57 45	0.044	-0.035 -0.035	0.073	0.000	-0.020 0.016	0.010
253	198 204	0.023 0.023	-0.003 -0.003	-0.016 -0.016	0.001	0.009	-0.002 -0.004	295	56 44	-1.141 -1.141	0.021 0.021	-0.988 -0.988	0.745 0.745	-0.587 -1.081	-0.001 0.009
254	194 195	-0.010 -0.010	0.023 0.023	-0.019 -0.019	0.000	0.000	0.000 0.011	296	69 57	-0.020 -0.020	-0.026 -0.026	0.056 0.056	0.000	-0.017 0.011	0.008
255	200 202	0.353 0.353	-0.108 -0.108	0.021 0.021	0.000	-0.018 0.002	0.071 -0.035	297	68	-1.083	0.060	-2.562	0.671	0.686	-0.015
256	205 315	-0.314 -0.314	0.029 0.029	-0.001 -0.001	0.062 0.062	0.000	0.000	298	56 81	-1.083	0.060	0.059	0.671	-0.595	0.015
257	207 208	-0.211 -0.211	-0.012 -0.012	0.056 0.056	-0.001 -0.001	-0.040 -0.006	0.015 0.008	299	69 80	-0.078	-0.028	2.426	0.000	0.012	-0.005
258	208 209	-0.397 -0.397	-0.030 -0.030	0.041	0.001 0.001	-0.012 0.013	0.029 0.010	300	68 93	-0.847	-0.020	0.048	0.308	0.858	0.007
259	209 265	-0.409 -0.409	-0.019 -0.019	0.065 0.065	0.000	-0.028 -0.009	0.003	301	92	-0.129	0.059	0.048	0.000	0.009	-0.004
260	211 316	0.696 0.696	0.156 0.156	0.002	0.053 0.053	0.000	0.000 0.031	302	80 105	-0.804 -0.174	0.059	0.769	0.214	-0.352 -0.013	0.019
261	213 214	0.119 0.119	-0.015 -0.015	0.012 0.012	0.000	-0.003 0.004	0.003	303	93	-0.174 -0.759	0.021	0.046	0.000	0.010	-0.004
262	214 215	0.372 0.372	0.032	0.016 0.016	0.000	0.004	-0.029 -0.010	304	92 117	-0.759 -0.217	0.047	-0.896 0.045	0.116	-0.746 -0.012	0.016
263	215 267	0.367 0.367	-0.039 -0.039	0.062 0.062	0.000	-0.031 -0.014	0.021 0.010	305	105 116	-0.217 -0.713	0.021	0.045	0.000	0.010	-0.005 -0.026
264	212 213	0.022	-0.005 -0.005	0.005	0.000	0.000	0.000	306	104 129	-0.713 -0.259	0.093	-2.576 0.047	0.014	-0.320 -0.012	0.021
265	209 216	-0.034 -0.034	-0.002 -0.002	0.078	0.000	-0.060 0.006	0.008	307	117	-0.259 -0.652	0.022	0.047	0.000	0.011	-0.005 -0.006
266	206	-0.176 -0.176	0.062	-0.015 -0.015	-0.001 -0.001	0.009	-0.040 0.021	308	116	-0.652	0.001	2.540	0.020	0.963	-0.006
267	216 215	-0.053 -0.053	-0.035 -0.035	0.066	0.000	0.005	-0.002 -0.031	309	129	-0.300	0.062	0.046	0.000	0.010	-0.005 -0.011
268	210 216	0.033	-0.019 -0.019	-0.012 -0.012	0.001	0.007	0.002	310	128	-0.607	0.062	0.857	-0.082	-0.314	0.020
269	206 207	-0.208 -0.208	0.030	-0.012 -0.025 -0.025	0.000	0.000	0.000 0.015	311	141	-0.338	-0.020	0.043	0.000	0.009	-0.004
270	212 214	0.250 0.250	-0.065 -0.065	0.004	0.000	-0.004	0.040 -0.023	312	140	-0.562	0.047	-0.819	-0.183	-0.762	0.016
271	217 218	-1.455 -1.455	-0.195 -0.195	0.141	0.586 0.586	-0.058	-0.170	313	153	-0.375 -0.517	-0.019	0.041	0.000	0.009	-0.004
272	219 220	-0.793 -0.793	-0.193 -0.029 -0.029	0.141 0.052 0.052	0.000	0.083 -0.033 -0.002	-0.365 0.017 0.000	314	152	-0.517	0.102	-2.498	-0.285	-0.384	0.021
273	220	-0.774	-0.003	0.050	0.001	-0.002	-0.001		165	-0.409	-0.020	0.041	0.000	0.008	-0.003
274	221	-0.774	-0.003	0.050	0.001	-0.029	0.008	315	176 164	-0.530 -0.530	0.008	2.592 2.592	-0.643 -0.643	-0.617 0.679	-0.005 -0.001
275	222	1.007	-0.023	0.061	0.000	0.033	-0.016	316	189 177	-0.438 -0.438	-0.018 -0.018	0.037	0.000	-0.014	0.007
276	224 225	0.870	0.011	0.005	0.588	-0.105	-0.357 -0.006	317	188 176	-0.502 -0.502	0.062 0.062	0.989	-0.738 -0.738	-1.126 -0.632	-0.012 0.019
277	226 226	0.870	0.011	0.005	0.000	0.001	0.000	318	201 189	-0.458 -0.458	-0.014 -0.014	0.026 0.026	0.000	-0.014 -0.001	0.008
278	227	0.873	0.010	0.004	0.001	-0.035	0.004	319	200 188	-0.473 -0.473	0.070	-0.609 -0.609	-0.823 -0.823	-0.863 -1.167	-0.025 0.010
279	222 224	0.618	-0.030 -0.017	0.065	0.000	0.032	-0.016 0.000	320	213 201	-0.466 -0.466	-0.008 -0.008	0.021 0.021	0.000	-0.017 -0.006	0.008
280	225 3	0.849	-0.017 -0.025	0.001	0.000	0.000	0.008	321	212 200	-0.451 -0.451	-0.049 -0.049	-2.207 -2.207	-0.894 -0.894	0.179 -0.925	0.015 -0.009
281	273 269	1.680	-0.025 -0.022	0.034	0.000	0.010	-0.011 0.010	322	222 210	0.004	0.006 0.006	-0.203 -0.203	0.000	0.054 -0.048	0.000
282	30 269	-0.395	-0.022	0.039	0.000	0.011	-0.006	323	18 3	-1.299 -1.299	-0.067 -0.067	0.092 0.092	0.000	-0.023 0.023	0.019 -0.014
202	270	1.388	0.049	-0.056	0.000	-0.025	0.023								

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
324	30 18	-1.176 -1.176	-0.103 -0.103	0.035 0.035	0.000	-0.015 0.002	0.029 -0.023	366	159 147	0.163 0.163	-0.011 -0.011	-0.033 -0.033	0.000	0.007 -0.010	0.004
325	42 30	-1.042 -1.042	-0.089 -0.089	0.002 0.002	0.000	-0.005 -0.004	0.026 -0.019	367	158 146	0.754	0.011	-2.446 -2.446	-0.299 -0.299	0.852 -0.371	0.004
326	54 42	-0.958 -0.958	-0.045 -0.045	0.046	0.000	-0.013 0.010	0.014	368	171 159	0.129	-0.013 -0.013	-0.033 -0.033	0.000	0.005	0.005
327	66 54	-0.880 -0.880	-0.059 -0.059	0.019 0.019	0.000	-0.008 0.002	0.016 -0.014	369	170	0.862	0.099	2.653	-0.643	-0.635	-0.022
328	78 66	-0.800 -0.800	-0.057 -0.057	0.017 0.017	0.000	-0.007 0.002	0.015 -0.013	370	158 183 171	0.862 0.089 0.089	0.099 -0.016 -0.016	2.653 -0.035 -0.035	-0.643 0.000 0.000	0.692 0.004 -0.014	0.027 0.007 -0.001
329	90 78	-0.715 -0.715	-0.066 -0.066	-0.005 -0.005	0.000	-0.002 -0.004	0.018 -0.015	371	182	0.931	0.051	1.037	-0.743	-1.137	-0.017
330	102 90	-0.628 -0.628	-0.061 -0.061	-0.011 -0.011	0.000	0.001 -0.004	0.016 -0.014	372	170 195 183	0.931 0.041 0.041	0.051 -0.018 -0.018	1.037 -0.043 -0.043	-0.743 0.000 0.000	-0.619 0.003 -0.019	0.009 0.010 0.000
331	114 102	-0.543 -0.543	-0.059 -0.059	-0.014 -0.014	0.000	0.003	0.015 -0.014	373	194 182	0.989	0.034 0.034	-0.576 -0.576	-0.833 -0.833	-0.019 -0.863 -1.151	-0.008 0.009
332	126 114	-0.461 -0.461	-0.059 -0.059	-0.012 -0.012	0.000	0.003	0.015 -0.014	374	207	-0.022	-0.028	-0.045	0.000	-0.002	0.016
333	138 126	-0.381 -0.381	-0.058 -0.058	-0.014 -0.014	0.000	0.003	0.015 -0.014	375	195 206	1.038	-0.028	-0.045 -2.184 -2.184	-0.905	0.186	0.002 0.011 0.011
334	150 138	-0.303 -0.303	-0.056 -0.056	-0.020 -0.020	0.000	0.004	0.015 -0.013	376	194	1.038	0.201	-1.021	0.166	1.353	-0.544
335	162 150	-0.228 -0.228	-0.054 -0.054	-0.025 -0.025	0.000	0.005	0.015 -0.013	377	239 10 236	0.026	0.201	-1.021 0.000 0.000	0.166 0.000 0.000	0.843 0.000 0.000	0.001
336	174 162	-0.157 -0.157	-0.053 -0.053	-0.029 -0.029	0.000	0.005 -0.010	0.015 -0.012	378	230	0.026 6.427	1.369	-1.005	0.158	0.079	0.002
337	186 174	-0.094 -0.094	-0.048 -0.048	-0.040 -0.040	0.000	0.005 -0.015	0.015 -0.009	379	244	6.427 -4.551	1.369	-1.005	0.158	0.843	-0.047
338	198 186	-0.044 -0.044	-0.038 -0.038	-0.062 -0.062	0.000	0.009 -0.022	0.013 -0.005	380	229	-4.551 5.093	1.064	0.985	0.064	-0.165	0.509
339	210 198	-0.011 -0.011	-0.032 -0.032	-0.089 -0.089	0.000	0.012 -0.033	0.014	381	230	0.536	0.013	0.985	0.062	0.157	0.595
340	219 207	-0.103 -0.103	0.051 0.051	-0.184 -0.184	0.000	0.056 -0.036	-0.019 0.007	382	229	0.536	0.013	0.000	0.000	0.000	0.009
341	218 206	0.872 0.872	0.237 0.237	-3.724 -3.724	-0.951 -0.951	1.987 0.125	-0.093 0.025	383	235	0.019	0.001	0.000	0.000	0.000	0.001
342	15 2	0.382 0.382	-0.047 -0.047	0.098	0.000	-0.023 0.026	0.012 -0.012	384	230	0.004	0.019	0.001	0.000	0.000	0.010
343	14 12	0.769 0.769	-0.086 -0.086	3.468 3.468	0.872 0.872	0.112 1.845	-0.022 -0.065	385	236	0.004	-0.001	-0.001	0.000	0.001	-0.001
344	27 15	0.393	0.012 0.012	-0.026 -0.026	0.000	-0.007 -0.020	0.006 0.012	386	235	0.017	-0.002	0.000	0.000	0.000	0.001
345	26 14	0.454 0.454	-0.043 -0.043	1.967 1.967	0.836 0.836	-0.811 0.172	0.007 -0.015	387	233	0.017	0.007	-0.005	0.000	0.000	0.006
346	39 27	0.384	0.031 0.031	-0.054 -0.054	0.000	0.015 -0.012	-0.010 0.006	388	236	0.006	0.007	0.001	0.000	0.001	0.009
347	38 26	0.474 0.474	0.018 0.018	0.528 0.528	0.791 0.791	-1.018 -0.754	0.011 0.020	389	234	0.006 -5.886	1.019	0.001	0.000	0.001	0.004
348	51 39	0.405 0.405	-0.024 -0.024	0.065 0.065	0.000	-0.013 0.020	0.004	390	240	-5.886 -0.022	1.019	0.001	0.167	0.331	0.061
349	50 38	0.491 0.491	0.122 0.122	-0.831 -0.831	0.740 0.740	-0.564 -0.979	-0.031 0.030	391	290	-0.022 -5.894	1.120	0.001	0.000	0.000	0.001
350	63 51	0.447 0.447	0.012 0.012	-0.001 -0.001	0.000	-0.005 -0.005	0.000 0.006	392	229 238 291	-5.894 -0.101	1.120 0.007 0.007	-1.030 0.005 0.005	0.167	-0.081	0.509 -0.005 -0.001
351	62 50	0.506 0.506	0.002	-2.362 -2.362	0.663 0.663	0.636 -0.545	-0.004 -0.003	393	241	0.008	0.002	0.001	0.000	0.000	0.001
352	75 63	0.495 0.495	-0.008 -0.008	0.010 0.010	0.000	-0.006 -0.001	0.005 0.001	394	242	0.008	0.002	0.001	0.000	0.001	-0.004
353	74 62	0.387 0.387	0.137 0.137	2.543 2.543	0.336 0.336	-0.405 0.867	-0.028 0.041	395	5 241 292	0.115	0.002	0.016	0.000	0.019	-0.007
354	87 75	0.322	0.003	-0.040 -0.040	0.000	0.005 -0.015	0.003	396	292 242 293	0.008 0.115 0.115	0.002 -0.006 -0.006	-0.001	0.000	0.000	0.001
355	86 74	0.436 0.436	0.047	0.841 0.841	0.231 0.231	-0.788 -0.367	-0.018 0.005	397	243 12	4.980 4.980	-0.188 -0.188	-0.016 -0.951 -0.951	0.000 0.164 0.164	0.002 -0.824 -1.300	0.001 0.577 0.482
356	99 87	0.298 0.298	-0.008 -0.008	-0.029 -0.029	0.000	0.006	0.003	398	244 243	6.433 6.433	1.254	-0.989 -0.989	0.158 0.158	-0.324 -0.818	-0.047 0.580
357	98 86	0.489 0.489	0.078 0.078	-0.857 -0.857	0.123 0.123	-0.334 -0.763	-0.023 0.016	399	228 245	0.000	0.000	0.000	0.000	0.000	0.000
358	111 99	0.274 0.274	-0.008 -0.008	-0.030 -0.030	0.000	0.007 -0.008	0.002	400	224 246	-5.247 -5.247	0.248	1.033	-0.175 -0.175	-1.403 -0.887	-0.582 -0.458
359	110 98	0.542 0.542	0.025 0.025	-2.552 -2.552	0.015 0.015	0.955 -0.321	-0.002 0.010	401	228 247	0.000	0.000	0.000	0.000	0.000	0.000
360	123 111	0.248 0.248	-0.010 -0.010	-0.028 -0.028	0.000	0.007 -0.007	0.003	402	248	6.030	1.148	1.081	-0.172	-0.085	-0.524
361	122 110	0.590 0.590	0.118 0.118	2.626 2.626	0.024	-0.330 0.983	-0.024 0.035	403	249 250 251	6.030 -4.703 -4.703	1.148 1.100 1.100	1.081 1.063 1.063	-0.172 -0.068 -0.068	0.347 -0.894 0.169	-0.065 -0.571 0.529
362	135 123	0.221 0.221	-0.010 -0.010	-0.028 -0.028	0.000	0.006	0.003	404	251 252 248	4.675	1.093	-1.058	-0.068 -0.068	0.888	-0.569
363	134 122	0.645 0.645	0.061 0.061	0.931 0.931	-0.086 -0.086	-0.768 -0.302	-0.020 0.011	405	251 284	0.000	0.000	-1.058 0.000 0.000	0.000	-0.171 0.000 0.000	0.524 0.000 0.000
364	147 135	0.194 0.194	-0.010 -0.010	-0.032 -0.032	0.000	0.006 -0.009	0.003 -0.001	406	248	0.000	0.000	0.000	0.000	0.000	0.000
365	146 134	0.700 0.700	0.074 0.074	-0.757 -0.757	-0.193 -0.193	-0.374 -0.752	-0.023 0.014		247	0.000	0.000	0.000	0.000	0.000	0.000

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
407	253 226	0.001	0.002	0.001	0.000	0.000	0.001	449	274 210	-0.409 -0.409	-0.019 -0.019	0.065	0.000	0.015	-0.010 -0.017
408	245 254	0.000	0.000	0.000	0.000	0.000	0.000	450	19 6	0.000	0.000	-0.077 -0.077	0.000	0.026 -0.013	0.000
409	255 227	-0.154 -0.154	-0.009 -0.009	0.020	0.000	0.013	-0.006 -0.011	451	31 19	0.000	0.000	-0.124 -0.124	0.000	0.028	0.000
410	247 256	0.000	0.000	0.000	0.000	0.000	0.000	452	43 31	0.000	0.000	-0.076 -0.076	0.000	0.018	0.000
411	246 257	-6.037 -6.037	1.029	1.066 1.066	-0.170 -0.170	-0.882 -0.349	-0.459 0.055	453	55 43	0.000	0.000	-0.041 -0.041	0.000	0.009	0.000
412	253 285	0.001	0.002	-0.001 -0.001	0.000	0.000	-0.001 -0.001	454	67 55	0.000	0.000	-0.012 -0.012	0.000	0.002	0.000
413	257 251	-6.028 -6.028	1.183 1.183	1.086 1.086	-0.170 -0.170	-0.349 0.086	0.055 0.529	455	79 67	0.000	0.000	-0.024 -0.024	0.000	0.008	0.000
414	255 287	-0.154 -0.154	-0.009 -0.009	-0.020 -0.020	0.000	0.013	0.006 0.001	456	91 79	0.000	0.000	-0.029 -0.029	0.000	0.005	0.000
415	258 220	0.032 0.032	-0.001 -0.001	-0.001 -0.001	0.000	0.000 -0.001	0.000 -0.001	457	103	0.000	0.000	0.007	0.000	-0.003 0.000	0.000
416	259 221	0.092	0.010 0.010	-0.013 -0.013	0.000	-0.009 -0.016	0.007 0.012	458	115 103	0.000	0.000	0.011	0.000	-0.002 0.004	0.000
417	258 288	0.032 0.032	-0.001 -0.001	0.001	0.000	0.000	0.000	459	127	0.000	0.000	-0.013	0.000	0.004	0.000
418	259 289	0.092 0.092	0.010 0.010	0.013 0.013	0.000	-0.009 -0.002	-0.007 -0.001	460	115 139 127	0.000 0.000 0.000	0.000	-0.013 -0.010 -0.010	0.000 0.000 0.000	-0.002 0.001 -0.004	0.000 0.000 0.000
419	260 218	5.256 5.256	0.243 0.243	1.031	-0.177 -0.177	0.885 1.401	0.465 0.586	461	151	0.000	0.000	0.026	0.000	-0.008	0.000
420	249 260	6.020 6.020	1.056 1.056	1.068	-0.172 -0.172	0.347 0.881	-0.065 0.464	462	139	0.000	0.000	0.026	0.000	0.005	0.000
421	219 206	0.324 0.324	-0.031 -0.031	0.042 0.042	0.000	-0.021 0.008	0.016 -0.006	463	151	0.000	0.000	0.023	0.000	0.008	0.000
422	2 14	-0.457 -0.457	0.010 0.010	-0.021 -0.021	0.000	0.011 -0.004	-0.005 0.002	464	163	0.000	0.000	0.011	0.000	0.002	0.000
423	7 20	-0.497 -0.497	0.006 0.006	-0.024 -0.024	0.000	0.013 -0.004	-0.004 0.000	465	175	0.000	0.000	0.041	0.000	0.009	0.000
424	261 35	0.317 0.317	0.058 0.058	-0.053 -0.053	-0.001 -0.001	0.001 -0.023	-0.024 0.003	466	187 211	0.000	0.000	0.079	0.000	0.018	0.000
425	270 271	0.047	0.011 0.011	-0.022 -0.022	0.000	0.010	0.002 0.009	467	199 217	0.000	0.000	0.116	0.000	0.028	0.000
426	262 18	0.470 0.470	0.033	-0.059 -0.059	0.000	0.012 -0.032	-0.007 0.018	468	205	0.000	0.000	0.080	0.000	0.027	0.000
427	271 53	-0.472 -0.472	-0.013 -0.013	0.054 0.054	0.000	-0.033 -0.008	0.038	469	1 25	0.000	0.000	-0.075 -0.120	0.000	0.028	0.000
428	263 273	-0.277 -0.277	-0.001 -0.001	-0.031 -0.031	0.000	-0.004 -0.015	0.005 0.005	470	37	0.000	0.000	-0.120	0.000	0.017	0.000
429	271 272	-0.098 -0.098	-0.001 -0.001	-0.010 -0.010	0.000	0.003	0.006 0.006	471	25 49	0.000	0.000	-0.075 -0.044	0.000	0.010	0.000
430	264 29	-0.179 -0.179	0.004	-0.012 -0.012	0.000	-0.005 -0.010	0.019 0.021	472	37 284	0.000	0.000	0.000	0.000	0.000	0.000
431	272 64	-0.033 -0.033	0.024 0.024	0.040	-0.001 -0.001	-0.021 -0.012	0.008 0.013	473	245 61	0.000	0.000	-0.014	0.000	0.000	0.000
432	265 274	-0.409 -0.409	-0.019 -0.019	0.065 0.065	0.000	-0.009 0.015	-0.003 -0.010	474	49 285	0.000	0.000	-0.014	0.000	0.005	0.000
433	272 75	-0.204 -0.204	0.001	-0.014 -0.014	0.000	0.006 -0.002	0.002 0.002	475	246 73	0.001	0.002	-0.001	0.000	0.000	0.000
434	266 197	-0.386 -0.386	-0.046 -0.046	0.016 0.016	0.001	-0.009 -0.002	0.039 0.018	476	287	0.000 -0.154	-0.009	-0.026	0.000	0.004	0.000
435	273 269	1.592 1.592	-0.001 -0.001	0.012 0.012	0.000	0.003 0.010	-0.007 -0.008	477	257 85	0.000	0.009	-0.020 -0.031	0.000	0.000	0.000
436	267 279	0.367 0.367	-0.039 -0.039	0.062 0.062	0.000	-0.014 0.009	0.010 -0.005	478	73 97	0.000	0.000	0.006	0.000	-0.010	0.000
437	273 18	-0.353 -0.353	-0.012 -0.012	0.022 0.022	0.000	-0.007 0.001	0.005	479	85 288	0.000	0.000	0.006	0.000	0.000	0.000
438	268 203	0.369 0.369	0.042	0.016 0.016	0.000	0.010 0.017	-0.037 -0.018	480	260 109	0.032	0.001	0.001	0.000	0.000	0.000
439	283 166	0.015 0.015	-0.004 -0.004	-0.027 -0.027	0.001	0.013	-0.008 -0.009	481	97 289	0.000	0.000	0.011	0.000	0.004	0.000
440	282 179	0.439	0.038	0.010 0.010	-0.001 -0.001	0.012 0.016	-0.047 -0.029	482	249 121	0.092	0.010	0.013	0.000	0.000	0.000
441	281 191	0.417 0.417	0.038	0.013 0.013	0.000	0.015 0.017	-0.028 -0.025	483	109	0.000	0.000	-0.012	0.000	0.002	0.000
442	280 198	0.442	-0.022 -0.022	0.037	0.000	-0.008 0.019	0.005 -0.011	484	121 145	0.000	0.000	-0.009 0.027	0.000	-0.004	0.000
443	279 210	0.367 0.367	-0.039 -0.039	0.062	0.000	0.009	-0.005 -0.019	485	133	0.000	0.000	0.027	0.000	0.005	0.000
444	223 211	0.000	0.000	0.066	0.000	-0.011 0.022	0.000	486	145 169	0.000	0.000	0.024	0.000	0.008	0.000
445	278 160	-0.012 -0.012	0.005	0.023 0.023	-0.001 -0.001	-0.012 -0.007	0.008	487	157 181	0.000	0.000	0.012	0.000	0.002	0.000
446	277 173	-0.449 -0.449	-0.034 -0.034	-0.015 -0.015	0.001	-0.014 -0.021	0.049	488	169 193	0.000	0.000	0.042	0.000	0.009	0.000
447	276 185	-0.433 -0.433	-0.039 -0.039	-0.003 -0.003	0.001	-0.013 -0.014	0.031	489	181	0.000	0.000	0.079	0.000	0.018	0.000
448	275 198	-0.432 -0.432	-0.019 -0.019	0.053 0.053	0.000	-0.009 0.030	0.000 -0.014		239	-0.022	-0.002	0.001	0.000	0.000	0.000

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

•			•	-	•	- • -									
Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
490	291 240	-0.101 -0.101	0.007	0.005	0.000	-0.001	-0.001	532	309 170	-0.229 -0.229	0.054 0.054	0.014 0.014	0.001	-0.003 0.000	-0.011 0.000
491	292 243	0.008	0.002	-0.001 -0.001	0.000	0.000	-0.001 0.000	533	309 158	-0.040 -0.040	-0.001 -0.001	0.023	0.000	-0.012 0.000	0.001
492	293 244	0.115 0.115	-0.006 -0.006	-0.016 -0.016	0.000	0.002	0.001	534	310 176	0.221 0.221	0.055 0.055	-0.011 -0.011	0.001	0.002	-0.011 0.000
493	205 193	0.000	0.000	0.129 0.129	0.000	-0.035 0.029	0.000	535	310 164	0.052 0.052	0.001	0.023	0.000	-0.013 0.000	0.000
494	6 286	0.000	0.000	0.000	0.000	0.000	0.000	536	311 182	-0.256 -0.256	0.036 0.036	0.006	0.029	-0.002 0.000	-0.015 0.000
495	232 294	0.000	0.000	0.000	0.000	0.000	0.000	537	311 309	-0.058 -0.058	-0.005 -0.005	-0.022 -0.022	-0.021 -0.021	-0.005 -0.016	0.001
496	286 295	0.000	0.000	0.000	0.000	0.000	0.000	538	312 188	0.254 0.254	0.036 0.036	-0.004 -0.004	0.029	0.002	-0.015 0.000
497	295 231	0.000	0.000	0.000	0.000	0.000	0.000	539	312 310	0.066	0.004	-0.023 -0.023	-0.021 -0.021	-0.005 -0.017	-0.001 0.001
498	296 1	0.000	0.000	0.000	0.000	0.000	0.000	540	313 194	-0.210 -0.210	0.004	0.003	0.053	-0.002	-0.002 0.000
499	294 296	0.000	0.000	0.000	0.000	0.000	0.000	541	313 311	-0.064 -0.064	-0.004 -0.004	-0.056 -0.056	-0.037 -0.037	0.030	0.001
500	223 297	0.000	0.000	0.000	0.000	0.000	0.000	542	314 200	0.354	-0.001	-0.002	0.053	0.001	0.001
501	252 298	0.000	0.000	0.000	0.000	0.000	0.000	543	314	0.354	0.001	-0.002	-0.036	0.000	0.000
502	297 299	0.000	0.000	0.000	0.000	0.000	0.000	544	312	0.069	-0.002	0.001	0.059	-0.001	0.001
503	299 250	0.000	0.000	0.000	0.000	0.000	0.000	545	206 315	-0.314	-0.005	0.001	0.059	0.000	0.000
504	300 217	0.000	0.000	0.000	0.000	0.000	0.000	546	313 316	-0.066 0.697	-0.002	-0.045	0.043	0.035	0.016
505	298 300	0.000	0.000	0.000	0.000	0.000	0.000	547	212 316	0.697	0.000	-0.001	0.062	0.000	0.000
506	231 232	0.000	0.000	0.000	0.000	0.000	0.000	565	314 227	0.070	0.000	-0.041 -0.179	0.000	0.037	0.000
507	250 252	0.000	0.000	0.000	0.000	0.000	0.000	566	215	-0.080	0.022	-0.179 0.232	0.000	-0.057 -0.062	0.013
508	230	-6.401 -6.401	0.000	0.021 0.021	0.008	-0.014 0.023	0.000	567	9 35	0.017	-0.090 -0.073	0.232	0.000	0.054	-0.029 0.016
509	1 301	-0.165 -0.165	-0.002 -0.002	0.014	0.043	-0.061 -0.054	0.000 -0.001	568	23 47	-0.033 -0.073	-0.073 -0.050	0.176	0.000	0.040	-0.020 0.016
510	6 229	5.937 5.937	0.000	0.022	0.008	-0.023 0.014	0.000	569	35 59	-0.073 -0.111	-0.050 -0.020	0.093	0.000	0.020	-0.009 0.007
511	217 248	-6.067 -6.067	0.000	-0.023 -0.023	-0.009 -0.009	0.024 -0.015	0.000	570	47 71	-0.111 -0.150	-0.020 -0.022	0.110	0.000	0.027	-0.003
512	217 315	-0.068 -0.068	-0.001 -0.001	-0.012 -0.012	-0.046 -0.046	0.065	0.000	571	59 83	-0.150 -0.187	-0.022 -0.014	0.063	0.000	0.014	0.007
513	223 251	6.056 6.056	0.000	-0.023 -0.023	-0.009	0.025 -0.015	0.000	572	71 95	-0.187	-0.014	0.040	0.000	0.008	-0.005
514	223 316	0.074	0.001	0.136 0.136	-0.050 -0.050	0.000	0.000	573	83	-0.218 -0.244	0.009	0.002	0.000	0.002	0.003
515	6 302	0.197	0.002	0.012 0.012	0.044	-0.062 -0.056	0.000	574	95 119	-0.244	0.002	-0.015	0.000	-0.005	0.001
516	301 14	-0.666 -0.666	-0.003 -0.003	-0.001 -0.001	-0.055 -0.055	0.001	0.002	575	107	-0.265 -0.283	0.006	-0.024	0.000	-0.007	0.001
517	301 303	-0.165 -0.165	-0.002 -0.002	0.040	0.040	-0.055 -0.033	0.000	576	119	-0.283	0.004	-0.026	0.000	-0.007	0.001
518	302 20	0.144 0.144	-0.004 -0.004	0.002	-0.057 -0.057	-0.002 0.000	0.003	577	131	-0.298	0.005	-0.031	0.000	-0.009	0.002
519	302 304	0.202	0.005	0.043	0.041	-0.057 -0.034	-0.002 0.001	578	143	-0.310	0.011	-0.040	0.000	-0.011	0.003
520	303 26	-0.177 -0.177	0.004	-0.001 -0.001	-0.049 -0.049	0.001	-0.002 0.000	579	155	-0.318 -0.317	0.014	-0.050	0.000	-0.014	0.003
521	303 305	-0.163 -0.163	-0.001 -0.001	0.049	0.034	-0.029 -0.003	0.000	580	167	-0.317	0.014	-0.061	0.000	-0.018	0.003
522	304	0.133	0.004	0.004	-0.051	-0.002	-0.002		179	-0.301	0.021	-0.086	0.000	-0.026	0.005
523	304	0.133	0.004	0.004	0.035	-0.029	0.000	581	203 191 215	-0.264 -0.264	0.027	-0.119 -0.119	0.000	0.022	-0.006 0.007
524	306 305	0.201	0.007	0.053	0.035	0.000	0.002	582	203	-0.192 -0.192	0.049	-0.196 -0.196	0.000	0.042	-0.011 0.013
525	38	0.042	0.032	0.020	0.028	0.000	0.000	600	221 209	0.024	-0.030	-0.226 -0.226	0.000	0.048	0.015
526	307	0.243	0.035	0.020	-0.028	0.012	-0.003	601	17 5	0.029	-0.038	0.114	0.000	-0.038 0.019	0.012
527	306	0.243	0.035	0.009	0.028	0.000	0.000	602	29 17	0.070	0.034	0.064	0.000	-0.029 0.003	0.002
528	308	0.193	0.009	-0.015	-0.003	0.015	-0.009	603	41 29	0.130	-0.016 -0.016	-0.039 -0.039	0.000	0.008	0.016
529	50 307	-0.154 -0.144	0.044	-0.015 -0.013	0.000	0.000	0.000	604	53 41	1.186 1.186	-0.011 -0.011	-0.008 -0.008	0.000	-0.006 -0.009	0.006
530	308	0.232	0.049	0.022	-0.001	0.000	0.000	605	65 53	1.229	0.000	0.020	0.000	-0.011 -0.002	0.005
531	56 308	0.232	0.049	0.022	0.000	0.000	0.000	606	77 65	1.197 1.197	0.024	0.006 0.006	0.000	-0.009 -0.006	-0.001 0.011
	68	0.166	0.002	-0.020	0.000	0.000	0.000								

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923

\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

106	:sry	II (COME	ucer	миату	SIS \Z	Z T J \ T J	23-2243	1303	Τ0	EVISII	MG GM2	цоа	us or		
Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
607	89 77	1.118 1.118	0.015 0.015	-0.016 -0.016	0.000	-0.001 -0.009	0.000	30	20 22	0.120 0.120	-0.033 -0.033	0.043	-0.001 -0.001	-0.047 -0.006	0.026 -0.006
608	101 89	1.028	0.014	-0.027 -0.027	0.000	0.004	0.000	31	25 303	1.770 1.770	-0.006 -0.006	-0.192 -0.192	0.021 0.021	0.000 -0.077	0.000
609	113 101	0.933	0.012 0.012	-0.029 -0.029	0.000	0.005	-0.001 0.005	32	27 28	0.077 0.077	0.016 0.016	-0.031 -0.031	0.000	0.027 0.008	-0.010 0.000
610	125 113	0.835 0.835	0.014 0.014	-0.031 -0.031	0.000	0.006	-0.002 0.005	33	28 264	0.009	-0.020 -0.020	-0.066 -0.066	0.000	0.010	-0.002 -0.005
611	137 125	0.737	0.011	-0.034 -0.034	0.000	0.007 -0.010	-0.002 0.004	34	29 269	-0.025 -0.025	0.015 0.015	-0.065 -0.065	0.000	0.013 -0.005	-0.013 -0.009
612	149 137	0.638	0.005	-0.037 -0.037	0.000	0.007 -0.012	0.001 0.003	35	31 304	0.401	-0.001 -0.001	-0.132 -0.132	0.006	0.000	0.000
613	161 149	0.538 0.538	0.001	-0.043 -0.043	0.000	0.006 -0.015	0.004 0.005	36	33 34	-0.119 -0.119	-0.049 -0.049	0.118 0.118	-0.001 -0.001	-0.077 -0.006	0.029
614	173 161	0.437	-0.002 -0.002	-0.054 -0.054	0.000	0.006 -0.021	0.008	37	34 261	-0.040 -0.040	-0.008 -0.008	0.145 0.145	0.001	-0.012 0.008	0.002
615	185 173	0.334	-0.010 -0.010	-0.073 -0.073	0.000	0.007 -0.029	0.013 0.008	38	35 30	-0.004 -0.004	-0.054 -0.054	0.092	0.000	-0.045 0.048	0.028
616	197 185	0.231 0.231	-0.017 -0.017	-0.107 -0.107	0.000	0.012 -0.041	0.018 0.010	39	32 33	-0.100 -0.100	-0.058 -0.058	0.028	0.000	0.000 0.014	0.000
617	209	0.126 0.126	-0.030 -0.030	-0.176 -0.176	0.000	0.030	0.022	40	29	0.005	0.025 0.025	0.002	-0.001 -0.001	-0.025 -0.023	-0.001 0.020
Load c		(Linear): Se			0.000	0.030	0.007	41	26 28	-0.077 -0.077	-0.004 -0.004	-0.034 -0.034	0.000	0.035 0.001	0.001 -0.002
Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	42	36	-0.066	-0.052	0.094	0.000	-0.023	0.014
1	1 12	-13.680 -13.680	-0.106 -0.106	-2.019 -2.019	0.075 0.075	1.302 -0.717	-0.173 -0.279	43	35	0.077	-0.052	0.094	0.000	0.057	0.031
2	2 4	-7.313 -7.313	0.036 0.036	-0.055 -0.055	0.000	0.036	-0.021 0.001	44	36 26	0.077	-0.072	0.092	0.000	0.001	0.006
3	4 5	-7.337 -7.337	0.009	-0.055 -0.055	0.000	0.003	0.004 0.010	45	32	0.093	0.004	0.027	0.000	-0.002	-0.010
4	5 234	-7.388 -7.388	-0.048 -0.048	0.039	-0.001 -0.001	-0.024 -0.005	0.023 -0.001	46	34	0.089	0.004	0.027	0.024	0.007	0.002
5	6 13	-2.412 -2.412	0.120 0.120	-1.667 -1.667	0.086 0.086	0.984	-0.033 0.087	47	305 39	-0.319 0.013	0.020	-0.082 -0.027	0.024	0.049	-0.004
6	7 8	0.156 0.156	-0.058 -0.058	0.114 0.114	0.000	-0.070 -0.001	0.034	48	40	0.013	0.020	-0.027	0.000	0.007	0.004
7	8 9	0.183 0.183	-0.024 -0.024	0.113 0.113	0.000	-0.002 0.066	-0.004 -0.018	49	270 41	-0.025 -0.056	0.044	-0.049	0.000	-0.017 0.014	-0.030
8	9 233	0.515 0.515	0.038	0.040	0.000	-0.017 0.003	-0.015 0.004	50	42	-0.056 -0.160	0.030	-0.017	0.000	0.000	0.008
9	13	-1.075 -1.075	-0.031 -0.031	0.021	0.000	0.000	0.000 -0.015	51	306 45	-0.160 -0.081	-0.001 -0.057	-0.058 0.127	0.006	-0.035 -0.082	-0.001 0.032
10	219 260	-0.451 -0.451	-0.027 -0.027	0.025	0.000	-0.009 0.008	0.011 -0.008	52	46 46	-0.081 -0.072	-0.057	0.127	-0.001	-0.006 -0.014	-0.002 0.011
11	225 246	-0.538 -0.538	0.024 0.024	-0.029 -0.029	0.000	0.014	-0.012 0.005	53	47 47	-0.072 -0.069	0.005	0.133	0.002	0.067	0.014
12	10 235	0.189 0.189	0.000	-0.001 -0.001	0.000	0.000	0.007 0.007	54	42 44	-0.069 -0.106	-0.072 -0.063	0.111	0.000	0.057	-0.035
13	7 239	-0.108 -0.108	0.034	-0.027 -0.027	0.000	0.012	-0.016 0.008	55	45 41	-0.106 0.099	-0.063 0.043	0.031	0.000	0.015	-0.032 -0.013
14	12	-17.066 -17.066	-0.003 -0.003	0.009	0.000	0.000	0.000	56	48	0.099	0.043	0.010	-0.001	-0.023 0.022	0.024
15	2 243	8.711 8.711	-0.012 -0.012	0.040	0.000	-0.018 0.010	0.008	57	40	0.062	-0.043	-0.022	0.001	0.001	-0.011
16	11 301	5.404 5.404	-0.014 -0.014	-0.501 -0.501	0.013 0.013	0.000 -0.100	0.000	58	47	0.003	-0.044	0.105	0.000	0.066	-0.026
17	15 16	0.026 0.026	0.019	-0.038 -0.038	0.000	0.030	-0.011 0.000	59	48	0.087	-0.096	0.094	0.001	0.001	-0.013
18	16	-0.101	-0.006	-0.086	0.000	0.008	0.006		39	0.000	-0.017	-0.008	0.000	-0.004	-0.008
19	17 17 263	-0.101	-0.006 0.000 0.000	-0.086 0.001 0.001	0.000 0.000 0.000	0.004	0.003	60	44 46 49	0.035 0.035 -0.804	0.052 0.052 -0.015	0.007 0.007 -0.022	-0.001 -0.001 0.023	-0.015 -0.009	-0.038 0.013
20	19	1.799	-0.001	-0.351	0.006	0.004	0.005		307	-0.804	-0.015	-0.022	0.023	-0.018	-0.012
21	302 21	1.799	-0.001	0.110	0.006	-0.070	0.000	62	51 52	0.100	0.027	-0.057 -0.057	0.000	0.026	-0.008
22	22	0.016	-0.041	0.110	0.001	-0.006	0.002	63	52 271	0.193	-0.066 -0.066	-0.072 -0.072	0.002	-0.012 -0.023	-0.028 -0.037
23	23	0.016	-0.020	0.153	0.001	0.081	-0.016 0.015	64	53 54	0.027 0.027	0.028 0.028	0.003	0.000	0.008 0.011	-0.027 0.002
24	262 20	-0.190 -0.065	-0.034	0.069	0.000	0.000	0.006	65	55 308	-0.474 -0.474	-0.003 -0.003	-0.018 -0.018	0.004	0.000 -0.014	0.000
25	21 17	-0.065 0.286	0.008	0.025	0.000	0.012	-0.026 0.008	66	57 58	-0.142 -0.142	-0.073 -0.073	0.135 0.135	-0.001 -0.001	-0.086 -0.005	0.035
26	24 14	0.286	0.008	0.013	0.001	-0.018 0.047	0.015	67	58 59	-0.150 -0.150	0.047	0.113 0.113	0.002	-0.015 0.053	0.015 0.044
27	16 24	-0.125 0.241	0.032	-0.048 0.072	0.000	0.001	0.006	68	59 54	0.020 0.020	-0.098 -0.098	0.136 0.136	0.000	-0.072 0.067	0.057 -0.044
28	23 18	0.241	-0.052 -0.045	0.072	0.000	0.043	0.032	69	56 57	-0.130 -0.130	-0.070 -0.070	0.034	0.000	0.000	0.000 -0.035
29	24 14	0.061	-0.045 -0.022	0.059	0.000	0.001	0.000	70	53 60	-0.093 -0.093	0.056 0.056	0.030	-0.001 -0.001	-0.043 -0.018	-0.022 0.026
	15	0.017	-0.022	0.004	0.000	0.002	-0.011	71	50 52	0.045 0.045	-0.123 -0.123	-0.015 -0.015	0.001 0.001	0.010 -0.004	0.084 -0.036

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment		Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
72	60 59	-0.212 -0.212	-0.020 -0.020	0.110 0.110	0.000	-0.019 0.075	0.004 -0.013	113	95 90	0.162 0.162	-0.033 -0.033	0.022	0.000	-0.016 0.007	0.024
73	54 60	0.076 0.076	-0.119 -0.119	0.081 0.081	0.001	-0.045 0.001	0.046 -0.022	114	92 93	-0.081 -0.081	-0.034 -0.034	0.014 0.014	0.000	0.000	0.000 -0.017
74	50 51	0.153 0.153	-0.016 -0.016	-0.006 -0.006	0.000	0.000	0.000	115	89 96	-0.040 -0.040	-0.013 -0.013	-0.175 -0.175	0.000	0.101	0.009
75	56 58	0.043	0.111 0.111	-0.022 -0.022	-0.001 -0.001	0.011	-0.085 0.024	116	86 88	1.296 1.296	-0.332 -0.332	0.069	0.002	-0.051 0.017	0.211 -0.113
76	61 62	5.695 5.695	-2.954 -2.954	-2.561 -2.561	0.286 0.286	1.420 -1.141	2.987 0.033	117	96 95	-0.108 -0.108	0.092 0.092	-0.041 -0.041	0.001	-0.046 -0.081	0.005 0.083
77	63 272	-0.927 -0.927	-0.091 -0.091	0.062 0.062	0.001	-0.009 0.014	0.015 -0.019	118	90 96	-0.105 -0.105	-0.067 -0.067	0.134	-0.001 -0.001	-0.076 0.001	0.045
78	64 65	0.542 0.542	0.290	0.024	-0.001 -0.001	0.026	-0.161 0.013	119	86 87	-0.974 -0.974	-0.087 -0.087	0.052 0.052	0.000	0.000 0.026	0.000
79	65 66	0.405	-0.025 -0.025	0.070	0.000	-0.028 0.044	0.004	120	92 94	0.018 0.018	0.192 0.192	-0.042 -0.042	-0.001 -0.001	0.036 -0.005	-0.146 0.042
80	67 68	3.158 3.158	-0.495 -0.495	-1.915 -1.915	0.052 0.052	1.039	0.784	121	97 98	-1.431 -1.431	0.000	0.000	-0.024 -0.024	0.000	0.000
81	69 70	0.015 0.015	-0.097 -0.097	0.138 0.138	-0.002 -0.002	-0.087 -0.004	0.039	122	99 100	0.076 0.076	0.041	-0.102 -0.102	0.001	0.075 0.013	-0.028 -0.003
82	70 71	0.056 0.056	0.119 0.119	0.081 0.081	0.002	-0.016 0.033	0.014	123	100 101	0.208	-0.035 -0.035	-0.084 -0.084	-0.002 -0.002	0.023 -0.028	-0.037 -0.058
83	71 66	0.221 0.221	-0.124 -0.124	0.156 0.156	0.000	-0.085 0.075	0.075 -0.053	124	101 102	0.047 0.047	0.052 0.052	-0.115 -0.115	0.000	0.055 -0.064	-0.022 0.032
84	68 69	-0.156 -0.156	-0.077 -0.077	0.037 0.037	0.000	0.000	0.000	125	103 104	-1.088 -1.088	0.000	0.000	-0.004 -0.004	0.000	0.000
85	65 72	-0.116 -0.116	0.000	0.064	0.000	-0.062 -0.008	0.010	126	105 106	-0.031 -0.031	-0.029 -0.029	0.044	-0.001 -0.001	-0.037 -0.010	0.016 -0.002
86	62	1.676	-0.339 -0.339	0.045	0.001	-0.040	0.212	127	106 107	-0.198 -0.198	0.041	0.031 0.031	0.000	-0.015 0.004	0.034
87	72 71	-0.209 -0.209	0.028	0.094	0.000	-0.009 0.071	-0.013 0.011	128	107 102	-0.008 -0.008	-0.013 -0.013	0.012 0.012	0.000	-0.008 0.005	0.009
88	66 72	-0.029 -0.029	-0.093 -0.093	0.030	0.001	-0.017 0.000	0.031 -0.023	129	104 105	-0.054 -0.054	-0.031 -0.031	0.013 0.013	0.000	0.000	0.000 -0.016
89	62 63	-1.097 -1.097	0.030	-0.053 -0.053	0.000	0.000	0.000	130	101 108	-0.010 -0.010	0.053 0.053	-0.149 -0.149	0.000	0.096 -0.031	-0.036 0.009
90	68 70	0.129	0.178 0.178	-0.057 -0.057	-0.001 -0.001	0.043 -0.013	-0.140 0.034	131	98 100	0.087 0.087	-0.124 -0.124	0.018 0.018	0.001	-0.008 0.010	0.088
91	73 74	4.321 4.321	0.000	0.000	0.007	0.000	0.000	132	108 107	-0.071 -0.071	0.046 0.046	-0.042 -0.042	0.001	-0.030 -0.066	0.011
92	75 76	-6.094 -6.094	-0.147 -0.147	-0.130 -0.130	0.002	0.096 0.017	-0.006 -0.095	133	102 108	0.008	-0.061 -0.061	0.107 0.107	-0.001 -0.001	-0.061 0.001	0.036
93	76 77	-2.692 -2.692	0.771	-0.041 -0.041	-0.003 -0.003	0.033	-0.333 0.132	134	98 99	0.132 0.132	-0.055 -0.055	0.020 0.020	0.000	0.000	0.000 -0.027
94	77 78	-0.435 -0.435	-0.051 -0.051	-0.025 -0.025	0.000	0.007 -0.019	0.040 -0.012	135	104 106	-0.121 -0.121	0.134 0.134	-0.013 -0.013	-0.001 -0.001	0.008	-0.095 0.036
95	79	1.201	0.000	0.000	0.002	0.000	0.000	136	109 110	-0.058 -0.058	-1.613 -1.613	-2.699 -2.699	-0.317 -0.317	1.471 -1.228	1.830 0.217
96	80 81 82	-0.590 -0.590	-0.094	0.000 0.084 0.084	0.002 -0.001 -0.001	0.000 -0.056 -0.005	0.000	137	111 112	0.088	0.033	-0.073 -0.073	0.001	0.056 0.012	-0.021 -0.001
97	82	-0.536	0.186	0.011	0.001	-0.014	0.015	138	112 113	0.062 0.062	-0.044 -0.044	-0.080 -0.080	-0.001 -0.001	0.018 -0.030	-0.016 -0.043
98	83 83 78	0.328	0.186	0.011	0.001	-0.008	0.127	139	113 114	-0.050 -0.050	0.038	-0.079 -0.079	0.000	0.037 -0.044	-0.016 0.023
99	80	0.328	-0.095	0.101	0.000	0.045	0.000	140	115 116	-0.171 -0.171	-0.578 -0.578	-1.955 -1.955	-0.068 -0.068	1.065 -0.890	0.749 0.171
100	77	-0.198	-0.060 -0.132	0.028	0.000	0.014	0.090	141	117 118	-0.039 -0.039	-0.025 -0.025	0.058 0.058	-0.001 -0.001	-0.044 -0.009	0.017 0.002
101	74	3.470	-0.132	0.089	0.000	-0.031	0.361	142	118 119	-0.171 -0.171	0.003	0.066 0.066	0.000	-0.014 0.026	0.027 0.028
102	76 84	3.470	0.099	0.089	0.002	-0.031	-0.238	143	119 114	-0.068 -0.068	-0.012 -0.012	0.021 0.021	0.000	-0.011 0.011	0.006
103	83 78	-1.588	0.099	0.028	0.000	-0.007	0.067	144	116 117	-0.051 -0.051	-0.034 -0.034	0.015 0.015	0.000	0.000	0.000 -0.017
104	74	1.685	-0.034	0.065	0.000	0.001	0.005	145	113 120	0.049 0.049	0.043	-0.105 -0.105	0.000	0.064 -0.025	-0.026 0.010
105	75 80	0.168	-0.048	0.040	-0.001	0.020	-0.024	146	110 112	-0.056 -0.056	-0.059 -0.059	-0.007 -0.007	0.001	0.013 0.007	0.042 -0.016
106	82 85	0.168	0.230	0.000	-0.001	0.009	0.042	147	120 119	0.002	0.012 0.012	-0.015 -0.015	0.001	-0.024 -0.037	0.013 0.022
107	86 87	0.780	0.000	0.000	0.003	0.000	0.000	148	114 120	0.032 0.032	-0.047 -0.047	0.089	0.000	-0.051 0.001	0.029
108	88	0.321	0.008	-0.196	-0.003	0.019	-0.039	149	110 111	0.097 0.097	-0.041 -0.041	0.012 0.012	0.000	0.000	0.000 -0.021
109	89	0.321	0.257	-0.126 -0.157	0.000	0.040	0.003	150	116 118	-0.108 -0.108	0.081 0.081	0.008	-0.001 -0.001	-0.012 -0.005	-0.055 0.025
110	90	-0.064	0.041	0.000	-0.001	0.000	0.035	151	121 122	1.386 1.386	0.000	0.000	-0.015 -0.015	0.000	0.000
111	92	0.083	-0.052	0.000	-0.001	-0.030	0.000	152	123 124	0.064 0.064	0.024 0.024	-0.066 -0.066	0.001	0.050 0.011	-0.018 -0.003
112	94	0.083	0.130	0.033	0.001	-0.010	0.028	153	124 125	0.049	-0.016 -0.016	-0.088 -0.088	-0.001 -0.001	0.016 -0.037	-0.014 -0.024
	95	0.018	0.130	-0.009	0.000	-0.020	0.106	154	125 126	-0.050 -0.050	0.029 0.029	-0.065 -0.065	0.000	0.030	-0.012 0.018

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

•		•		-											
Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
155	127 128	0.932	0.000	0.000	-0.005 -0.005	0.000	0.000	196	157 158	-4.232 -4.232	-0.084 -0.084	-2.655 -2.655	-0.065 -0.065	1.443 -1.211	0.285 0.201
156	129 130	-0.051 -0.051	-0.027 -0.027	0.069	-0.001 -0.001	-0.050 -0.008	0.019 0.002	197	159 278	0.055 0.055	0.022	-0.060 -0.060	0.001 0.001	0.046	-0.017 -0.008
157	130 131	-0.101 -0.101	-0.006 -0.006	0.090	0.000	-0.013 0.042	0.017 0.013	198	160 161	0.012 0.012	0.000	-0.093 -0.093	-0.001 -0.001	0.013	-0.007 -0.007
158	131 126	-0.056 -0.056	-0.017 -0.017	0.034	0.000	-0.016 0.019	0.008	199	161 162	-0.048 -0.048	0.022 0.022	-0.052 -0.052	0.000	0.024 -0.029	-0.008 0.014
159	128	-0.057 -0.057	-0.037 -0.037	0.017	0.000	0.000	0.000	200	163 164	-3.068 -3.068	-0.076 -0.076	-1.908 -1.908	-0.062 -0.062	1.038 -0.870	0.147 0.072
160	125 132	0.070	0.027 0.027	-0.078 -0.078	0.000	0.041 -0.025	-0.012 0.011	201	165 283	-0.075 -0.075	-0.034 -0.034	0.084	-0.001 -0.001	-0.058 -0.026	0.022
161	122 124	-0.031 -0.031	-0.030 -0.030	-0.078 -0.022 -0.022	0.001 0.001	0.027 0.005	0.019	202	166 167	-0.008 -0.008	-0.005 -0.005	0.118 0.118	0.001	-0.011 0.059	0.003
162	132	0.027 0.027	-0.010 -0.010	0.012 0.012	0.001 0.001	-0.025 -0.015	0.014	203	167 162	-0.029 -0.029	-0.028 -0.028	0.056 0.056	0.000	-0.027 0.031	0.012 -0.016
163	126	0.037	-0.043	0.090	0.000	-0.051	0.028	204	164 165	-0.069 -0.069	-0.043 -0.043	0.020 0.020	0.000	0.000 0.010	0.000 -0.022
164	132 122 123	0.037	-0.043	0.090 0.009 0.009	0.000	0.001 0.000 0.005	0.003	205	161 168	0.060	0.014 0.014	-0.052 -0.052	0.000	0.017 -0.027	0.001
165	128	-0.036	0.041	0.022	0.000	-0.026	-0.018	206	158 160	-0.048 -0.048	-0.002 -0.002	-0.033 -0.033	0.001	0.036 0.004	-0.002 -0.004
166	130	0.058	0.041	0.022	-0.001	0.004	0.014	207	168 167	0.014 0.014	-0.034 -0.034	0.046 0.046	0.000	-0.027 0.012	0.016 -0.013
167	134	0.058	0.000	0.000	0.001	0.000	0.000	208	162 168	0.048	-0.046 -0.046	0.098	0.000	-0.056 0.001	0.030
168	136	0.052	0.021	-0.063	0.001	0.010	-0.004	209	158 159	0.052 0.052	-0.033 -0.033	0.011 0.011	0.000	0.000	0.000 -0.017
169	137	0.034	0.025	-0.092 -0.058	0.000	0.027	-0.013	210	164 166	0.073 0.073	-0.002 -0.002	0.034	-0.001 -0.001	-0.037 -0.005	0.004
170	138	-0.046	0.025	0.000	0.000	0.000	0.016	211	169 309	0.711 0.711	-0.003 -0.003	-0.023 -0.023	-0.003 -0.003	0.000 -0.019	0.000
171	141	-0.015 -0.064	0.000	0.000	-0.005	0.000	0.000	212	171 172	0.056 0.056	0.023 0.023	-0.061 -0.061	0.000	0.046	-0.017 -0.003
172	142	-0.064	-0.030	0.077	0.001	-0.008	0.002	213	172 277	0.001 0.001	-0.001 -0.001	-0.095 -0.095	-0.001 -0.001	0.013 -0.001	-0.006 -0.006
173	143	-0.050 -0.041	-0.006	0.105	0.001	0.051	0.006	214	173 174	-0.051 -0.051	0.021 0.021	-0.051 -0.051	0.000	0.024 -0.029	-0.008 0.014
174	138	-0.041	-0.023	0.046	0.000	0.025	0.000	215	175 310	0.473 0.473	-0.003 -0.003	-0.018 -0.018	-0.003 -0.003	0.000 -0.014	0.000
175	141	-0.063 0.067	-0.040	0.018	0.000	0.009	-0.020	216	177 178	-0.077 -0.077	-0.034 -0.034	0.084	-0.001 -0.001	-0.058 -0.007	0.022
176	144	0.067	0.018	-0.063 -0.029	0.000	0.033	0.011	217	178 282	0.002	-0.005 -0.005	0.120 0.120	0.001	-0.011 0.005	0.002
177	136 144	-0.026 0.023	-0.015 -0.023	-0.029 0.031	0.001	0.004	0.015	218	179 174	-0.029 -0.029	-0.028 -0.028	0.058	0.000	-0.027 0.032	0.012 -0.017
178	143	0.023	-0.023 -0.044	0.031	0.000	0.000	0.029	219	176 177	-0.072 -0.072	-0.044 -0.044	0.020	0.000	0.000	0.000
179	144	0.041	-0.044	0.094	0.000	0.001	0.004	220	173 180	0.059	0.013 0.013	-0.051 -0.051	0.000	0.016 -0.027	0.002
180	135 140	0.049	-0.034 0.016	0.008	0.000	0.004	-0.017 -0.009	221	170 172	-0.060 -0.060	0.002	-0.034 -0.034	0.001 0.001	0.037	-0.005 -0.003
181	142 145	0.023	0.016	0.029	-0.001	0.004	0.007	222	180 179	0.013 0.013	-0.036 -0.036	0.048	0.000	-0.027 0.013	0.017 -0.014
182	146 147	-1.598 0.053	0.000	0.000	-0.008	0.000	0.000	223	174 180	0.049	-0.046 -0.046	0.099	0.000	-0.056 0.001	0.030
183	148 148	0.053	0.021	-0.060	0.001	0.010	-0.004	224	170 171	0.050	-0.034 -0.034	0.013 0.013	0.000	0.000	0.000
184	149 149	0.022	0.000	-0.093 -0.054	-0.001	-0.043 0.025	-0.009	225	176 178	0.083	-0.007 -0.007	0.036	-0.001 -0.001	-0.039 -0.004	0.008
185	150 151	-0.046 -1.176	0.023	0.000	0.000	-0.030	0.015	226	181 311	0.280 0.280	0.000	-0.082 -0.082	-0.002 -0.002	0.000	0.000
186	152	-1.176 -0.071	0.000	0.000	-0.005	0.000	0.000	227	183 184	0.061 0.061	0.024 0.024	-0.063 -0.063	0.001 0.001	0.047	-0.018 -0.003
187	154	-0.071	-0.033	0.081	-0.001	-0.007	0.002	228	184 276	-0.006 -0.006	0.000	-0.098 -0.098	-0.001 -0.001	0.013 -0.038	-0.005 -0.005
188	155	-0.021	-0.005	0.114	0.001	0.057	0.002	229	185 186	-0.048 -0.048	0.021 0.021	-0.052 -0.052	0.000	0.024	-0.003 -0.007 0.014
189	150	-0.032	-0.026	0.053	0.000	0.029	-0.015	230	187	0.149	-0.001	-0.059	-0.002	0.000	0.000
	152 153	-0.067 -0.067	-0.042 -0.042	0.019	0.000	0.000	0.000	231	312 189	0.149	-0.001	0.059	-0.002	-0.035	0.000
190	149 156	0.063 0.063 -0.036	0.015 0.015 -0.006	-0.056 -0.056	0.000	0.020 -0.027 0.036	0.000 0.012 0.001	232	190	0.010	-0.034	0.083	0.001	-0.007	0.001 0.001 -0.002
	146 148	-0.036	-0.006	-0.033	0.001	0.004	-0.005	233	281 191	0.010	-0.006	0.121	0.001	0.051	0.011
192	156 155	0.018	-0.030 -0.030	0.041	0.000	-0.027 0.008	0.016	234	186	-0.020	-0.027	0.057	0.000	0.031	0.000
193	150 156	0.045	-0.045 -0.045	0.097	0.000	-0.055 0.001	0.030	235	189	0.053	0.011	0.020	0.000	0.010	0.003
194	146 147	0.050	-0.033 -0.033	0.009	0.000	0.000	0.000	236	192 182	0.053	0.011	-0.053	0.000	0.038	0.012
195	152 154	0.057 0.057	0.004	0.032	-0.001 -0.001	-0.036 -0.005	0.000	237	184 192	0.010	0.007	-0.035 0.047	0.001	0.004	-0.001 0.017
									191	0.010	-0.037	0.047	0.000	0.012	-0.014

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
238	186 192	0.048	-0.044 -0.044	0.100 0.100	0.000	-0.056 0.001	0.030 0.005	279	224 225	1.514	-0.018 -0.018	0.016 0.016	0.000	0.000	0.000
239	182 183	0.055 0.055	-0.035 -0.035	0.015 0.015	0.000	0.000	0.000 -0.018	280	3 273	13.270 13.270	0.035	-0.029 -0.029	0.000	0.012 -0.006	-0.008 0.014
240	188 190	0.092	-0.012 -0.012	0.038	-0.001 -0.001	-0.041 -0.004	0.011 -0.001	281	269 30	-0.038 -0.038	0.022	-0.035 -0.035	0.000	0.014	-0.009 0.008
241	193 313	-1.415 -1.415	0.001	-0.189 -0.189	-0.001 -0.001	0.000	0.000	282	269 270	13.411 13.411	-0.042 -0.042	0.044	0.000	-0.008 0.020	0.009 -0.018
242	195 196	0.073 0.073	0.025 0.025	-0.066 -0.066	0.001	0.049	-0.018 -0.003	283	270 41	0.147 0.147	-0.062 -0.062	-0.275 -0.275	0.000	0.017 -0.008	-0.030 -0.035
243	196 266	-0.015 -0.015	0.001 0.001	-0.104 -0.104	-0.001 -0.001	0.013	-0.002 -0.002	284	218 219	6.070 6.070	-0.028 -0.028	0.031	0.000	0.000	0.000 -0.014
244	197 275	-0.076 -0.076	0.020	-0.054 -0.054	0.000	0.024	-0.006 0.000	285	225 212	-1.358 -1.358	0.027 0.027	-0.039 -0.039	0.000	0.019	-0.014 0.006
245	199 314	-0.377 -0.377	0.000	-0.132 -0.132	-0.001 -0.001	0.000	0.000	286	225 213	0.855 0.855	0.067 0.067	-0.097 -0.097	0.000	0.028 -0.020	-0.022 0.011
246	201 202	-0.068 -0.068	-0.031 -0.031	0.082	-0.001 -0.001	-0.057 -0.007	0.021 0.002	287	224 212	0.475 0.475	1.267	0.000	0.005 0.005	-0.084 -0.084	-0.660 -0.026
247	202 268	0.018 0.018	-0.012 -0.012	0.123 0.123	0.000	-0.011 0.006	0.001 -0.001	288	21 7	-1.010 -1.010	0.087 0.087	-0.147 -0.147	0.000	0.022 -0.052	-0.010 0.034
248	203 280	-0.064 -0.064	-0.024 -0.024	0.054	0.000	-0.025 -0.010	0.009	289	20 13	-0.414 -0.414	1.240	-0.110 -0.110	-0.156 -0.156	-0.008 -0.064	0.030 0.650
249	200	-0.063 -0.063	-0.042 -0.042	0.020	0.000	0.000	0.000	290	33 21	-0.876 -0.876	0.059	-0.135 -0.135	0.000	0.029 -0.039	-0.012 0.017
250	197 204	0.087	0.009	-0.058 -0.058	0.000	0.021 -0.028	0.004 0.012	291	32 20	2.014 2.014	0.301	-0.139 -0.139	-0.181 -0.181	0.029 -0.040	-0.081 0.070
251	194	-0.091 -0.091	0.015 0.015	-0.038 -0.038	0.001	0.041	-0.014 0.001	292	45 33	-0.729 -0.729	0.052 0.052	-0.122 -0.122	0.000	0.026 -0.036	-0.010 0.016
252	204	0.047	-0.040	0.045	0.001	-0.028 0.010	0.018	293	44 32	3.263 3.263	-0.097 -0.097	-0.122 -0.122	-0.180 -0.180	0.066 0.005	-0.004 -0.052
253	198	0.049	-0.040 -0.040	0.103 0.103	0.000	-0.058 0.001	0.030	294	57 45	-0.571 -0.571	0.066 0.066	-0.150 -0.150	0.000	0.032	-0.013 0.020
254	194 195	0.066	-0.037 -0.037	0.018 0.018	0.000	0.000	0.000 -0.019	295	56 44	4.397 4.397	-0.020 -0.020	-0.032 -0.032	-0.142 -0.142	0.068 0.052	0.019
255	200	0.085	-0.019 -0.019	0.041	-0.001 -0.001	-0.044 -0.004	0.016	296	69 57	-0.402 -0.402	0.057 0.057	-0.144 -0.144	-0.001 -0.001	0.032 -0.040	-0.011 0.017
256	205	-4.878 -4.878	0.002	-0.498 -0.498	-0.001 -0.002 -0.002	0.000	0.000	297	68 56	5.223 5.223	0.769 0.769	0.105 0.105	-0.057 -0.057	0.016 0.069	-0.375 0.009
257	207	0.100 0.100	0.027 0.027	-0.070 -0.070	0.001 0.001	0.051	-0.020 -0.003	298	81 69	-0.227 -0.227	0.141 0.141	-0.288 -0.288	-0.001 -0.001	0.102 -0.042	-0.053 0.017
258	208 209	-0.021 -0.021	0.002	-0.112 -0.112	-0.001 -0.001	0.013 -0.055	0.001 0.003	299	80 68	-3.562 -3.562	0.961 0.961	-0.226 -0.226	-0.206 -0.206	0.098 -0.015	-0.017 0.463
259	209	0.024 0.024	0.016 0.016	-0.112 -0.052 -0.052	0.000	0.023	-0.004 0.001	300	93 81	-0.114 -0.114	-0.068 -0.068	0.088	0.000	0.011 0.055	-0.003 -0.037
260	211 316	-1.726	0.006	-0.352	0.001	0.000	0.000	301	92 80	-2.343 -2.343	-0.177 -0.177	-0.054 -0.054	-0.024 -0.024	0.153 0.126	0.017 -0.072
261	213	-1.726	0.006	0.081	0.001	-0.070	0.001	302	105 93	-0.067 -0.067	0.016 0.016	-0.044 -0.044	0.001	0.007 -0.014	-0.002 0.006
262	214	-0.068	-0.026	0.081	0.000	-0.007	0.005	303	104 92	-1.079 -1.079	-0.079 -0.079	0.135 0.135	0.121 0.121	0.104 0.172	0.025 -0.015
263	215	0.080	-0.029	0.128	0.000	0.067	0.004	304	117 105	-0.011 -0.011	0.029 0.029	-0.066 -0.066	0.000	0.009 -0.024	-0.003 0.011
264	267	-0.084	-0.015	0.046	0.000	0.008	0.000	305	116 104	0.215 0.215	0.919 0.919	0.344	0.216 0.216	-0.061 0.111	-0.442 0.018
265	209	-0.084	0.005	-0.057	0.000	0.009	0.006	306	129 117	0.062 0.062	0.038	-0.082 -0.082	0.000	0.013 -0.028	-0.005 0.014
266	216	-0.026	0.005	-0.057	0.000	0.045	0.010	307	128 116	-0.427 -0.427	0.988	-0.074 -0.074	0.100 0.100	0.037	-0.036 0.458
267	208	-0.121	0.029	0.042	0.001	-0.026	0.004	308	141 129	0.148 0.148	0.043	-0.092 -0.092	0.000	0.018 -0.028	-0.008 0.014
268	215	0.049	-0.045	0.036	0.001	0.004	0.019	309	140 128	0.898 0.898	-0.012 -0.012	0.017 0.017	0.125 0.125	0.020 0.028	-0.009 -0.015
269	216	0.049	-0.027	0.093	0.000	0.001	0.009	310	153 141	0.242 0.242	0.045 0.045	-0.097 -0.097	0.000	0.021 -0.027	-0.009 0.013
270	207	0.075	-0.039	0.021	0.000	0.011	0.019	311	152 140	2.229 2.229	-0.031 -0.031	0.059	0.134 0.134	-0.022 0.008	0.034 0.019
271	214 217	0.049 6.737	0.027	0.047	-0.001	1.323	-0.002 -0.014	312	165 153	0.342 0.342	0.045 0.045	-0.098 -0.098	0.000	0.023 -0.026	-0.010 0.012
272	218	0.331	0.081	-2.130 -0.074	0.000	0.049	0.066	313	164 152	3.562 3.562	1.128 1.128	0.076 0.076	0.134 0.134	-0.074 -0.036	-0.499 0.065
273	220	0.331	0.040	-0.074	0.000	0.004	0.001	314	177 165	0.446 0.446	0.044	-0.099 -0.099	0.000	0.024 -0.025	-0.011 0.011
274	221 221	0.309	0.012	-0.074	0.000	0.011	0.008	315	176 164	-5.133 -5.133	0.874 0.874	-0.006 -0.006	0.058 0.058	-0.029 -0.032	-0.034 0.403
275	222	0.087 2.592	0.000	-0.034 -1.659	0.000	0.981	0.005	316	189 177	0.551 0.551	0.044 0.044	-0.098 -0.098	0.000	0.025 -0.024	-0.011 0.011
276	224 225	0.213	-0.013	-1.659 0.098	0.042	-0.678	0.034	317	188 176	-4.234 -4.234	0.047 0.047	-0.004 -0.004	0.051 0.051	-0.046 -0.047	-0.024 -0.001
277	226 226	0.213	-0.059	0.098	0.000	-0.003	-0.001	318	201 189	0.654 0.654	0.043	-0.095 -0.095	0.000	0.025 -0.023	-0.011 0.010
278	227 227	0.248	-0.013 0.019	0.098	0.000	0.056	-0.012 -0.015	319	200 188	-3.058 -3.058	-0.065 -0.065	-0.016 -0.016	0.039	-0.057 -0.065	0.044
	222	0.063	0.019	0.019	0.000	0.015	0.005	320	213 201	0.757 0.757	0.042 0.042	-0.099 -0.099	0.000	0.027 -0.023	-0.011 0.010

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force 4.878	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
321	212 200	-1.787 -1.787	0.287 0.287	-0.032 -0.032	0.023 0.023	-0.064 -0.080	-0.063 0.081	362	135 123	4.878	0.048	0.078	0.000	-0.024 0.015	-0.009 0.015
322	222 210	-0.696 -0.696	0.100 0.100	0.030	0.000	-0.008 0.007	-0.022 0.028	363	134 122	1.065 1.065	-0.027 -0.027	0.001	0.275 0.275	-0.180 -0.179	-0.007 -0.021
323	18 3	-9.924 -9.924	0.045	-0.042 -0.042	0.000	0.000	-0.005 0.017	364	147 135	4.949 4.949	0.045	0.075 0.075	0.000	-0.022 0.016	-0.010 0.013
324	30 18	-9.384 -9.384	0.198 0.198	-0.061 -0.061	0.000	0.011	-0.042 0.057	365	146 134	2.405 2.405	-0.066 -0.066	0.034	0.282	-0.169 -0.151	0.053 0.021
325	42 30	-8.854 -8.854	0.171 0.171	-0.062 -0.062	0.000	0.011	-0.042 0.044	366	159 147	5.019 5.019	0.042	0.074	0.000	-0.020 0.017	-0.010 0.011
326	54 42	-8.325 -8.325	0.189	-0.111 -0.111	0.000	0.022	-0.050 0.045	367	158 146	3.749 3.749	1.549	0.054	0.283	-0.169 -0.142	-0.690 0.084
327	66 54	-7.789 -7.789	0.145 0.145	-0.164 -0.164	0.000	0.039	-0.045 0.027	368	171 159	5.090 5.090	0.039	0.074	0.000	-0.019 0.018	-0.009 0.010
328	78 66	-7.155 -7.155	-0.053 -0.053	-0.354 -0.354	0.000	0.117 -0.060	0.016 -0.011	369	170 158	-8.827 -8.827	1.190 1.190	-0.033 -0.033	0.080	-0.068 -0.085	-0.044 0.551
329	90 78	-6.596 -6.596	0.360 0.360	0.269	0.000	-0.038 0.096	-0.091 0.088	370	183 171	5.164 5.164	0.039	0.075 0.075	0.000	-0.018 0.019	-0.010 0.009
330	102	-6.160 -6.160	0.207	0.141	0.000	-0.038 0.032	-0.064 0.039	371	182 170	-8.111 -8.111	-0.018 -0.018	-0.018 -0.018	0.075 0.075	-0.039 -0.048	-0.003 -0.012
331	114 102	-5.644 -5.644	0.145 0.145	0.071 0.071	0.000	-0.025 0.011	-0.038 0.035	372	195 183	5.242 5.242	0.037 0.037	0.077	0.000	-0.017 0.021	-0.010 0.008
332	126 114	-5.083 -5.083	0.158 0.158	0.037	0.000	-0.016 0.003	-0.036 0.043	373	194 182	-7.006 -7.006	-0.266 -0.266	-0.026 -0.026	0.067 0.067	-0.005 -0.018	0.162 0.029
333	138	-4.523	0.171	0.015	0.000	-0.009	-0.039	374	207 195	5.326 5.326	0.033	0.086 0.086	0.000	-0.019 0.023	-0.009 0.007
334	126	-4.523 -3.970	0.171	0.015	0.000	-0.001	0.046	375	206 194	-5.770 -5.770	1.113 1.113	-0.050 -0.050	0.053 0.053	0.043	-0.360 0.197
335	138	-3.970	0.177	-0.002	0.000	0.002	0.046	376	13 239	0.261 0.261	-0.098 -0.098	-0.047 -0.047	-0.033 -0.033	0.023	0.069 0.021
336	150 174	-3.424 -2.880	0.179	-0.004	0.000	0.001	0.045	377	10 236	0.189 0.189	0.000	-0.001 -0.001	0.000	0.000	0.007 0.007
337	162 186	-2.880	0.180	-0.007	0.000	0.002	0.045	378	230 244	5.914 5.914	2.020 2.020	0.489	0.019 0.019	-0.136 0.060	-0.748 0.060
338	174 198	-2.338 -1.796	0.182	0.000	0.000	0.001	0.045	379	231 229	-0.150 -0.150	-0.045 -0.045	-0.076 -0.076	0.066 0.066	0.117 0.041	0.021 -0.025
339	186 210	-1.796 -1.256	0.177	0.000	0.000	0.000	0.045	380	232 230	4.991 4.991	1.405 1.405	-0.469 -0.469	-0.116 -0.116	0.493 0.024	-0.657 0.748
340	198 219	-1.256 5.418	0.209	-0.007 0.115	0.000	0.001	0.049	381	233	0.173 0.173	-0.146 -0.146	0.041	-0.001 -0.001	0.003 0.025	0.035 -0.045
341	207	5.418 1.029	0.037	0.115	0.000	0.023	0.008	382	229 235	-0.344 -0.344	0.009	-0.001 -0.001	0.000	0.000	0.000
342	206 15	1.029	0.881	-0.099 0.048	0.029	0.068	-0.322 -0.001	383	234	-7.679 -7.679	-0.149 -0.149	0.038	0.001	-0.007 0.013	0.037
343	2 14	-6.761 -1.127	0.034	0.048	0.000	0.006	0.017	384	230 236	-0.247 -0.247	-0.004 -0.004	-0.002 -0.002	0.000	0.000	0.000
344	12	-1.127 -6.718	0.517	-0.355	-0.497	-0.581	0.705	385	237	0.043	0.004	0.001	0.000	0.000	0.001
345	15 26	-6.718 6.980	0.047	0.037	0.000	0.007	0.014	386	235 233	-0.344 -0.344	-0.180 -0.180	-0.002 -0.002	0.000	-0.001 -0.001	0.017 -0.031
346	14	6.980	1.416	-0.392	-0.523	-0.393	0.492	387	238	0.043	-0.003 -0.003	-0.013 -0.013	0.000	-0.009 -0.016	-0.002 -0.004
347	27	-6.690 8.231	0.011	0.073	0.000	0.011	0.007	388	236 234	-0.247 -0.247	0.185 0.185	-0.001 -0.001	-0.001 -0.001	-0.003 -0.003	-0.012 0.038
348	26 51	8.231 -6.671	-0.302	-0.398	-0.522	-0.201	-0.186	389	239 240	0.205 0.205	-0.040 -0.040	-0.073 -0.073	-0.037 -0.037	-0.005 -0.041	0.029
349	39	-6.671 9.334	0.035	0.055	-0.001	-0.006	0.019	390	237 290	0.043	0.004	-0.001	0.000	0.000	-0.001
	38	9.334	-0.091	-0.364	-0.491	-0.014	-0.017	391	240	0.043	0.004	-0.001	0.000	0.000	0.009
350	51	-6.620	-0.040 -0.040	0.108	-0.001 -0.001	-0.013	0.018	392	229	0.208	-0.084	0.013	0.000	-0.076	0.002
351	62 50	10.020	1.364	-0.233 -0.233	-0.407 -0.407	0.271	-0.645 0.038	393	291	0.043	0.004	0.013	0.000	0.000	0.000
352	75 63	-6.735 -6.735	0.462 0.462	-0.581 -0.581	-0.001 -0.001	0.217 -0.073	-0.172 0.059	394	242	-0.036 -0.209	0.004	-0.001	0.000	-0.001	0.004
353	74 62	-2.555 -2.555	0.471 0.471	-2.091 -2.091	-0.227 -0.227	1.011	0.226 0.462	395	5 241	-0.209	0.011	0.001	0.000	0.000	0.013
354	87 75	4.349 4.349	-0.294 -0.294	0.991 0.991	0.002	-0.145 0.351	0.017 -0.130	396	292 242	-0.036	0.004	0.001	0.000	0.000	-0.001
355	86 74	-1.364 -1.364	0.500	0.263 0.263	0.133 0.133	0.838	-0.085 0.165	397	293 243	-0.209 -0.252	0.011	0.030	0.000	-0.004 0.296	-0.002 1.175
356	99 87	4.597 4.597	0.130 0.130	0.077	0.001	-0.068 -0.030	0.001 0.065	398	12 244	-0.252 5.903	-3.902 2.229	0.418	0.012	0.505	-0.776 0.060
357	98 86	-0.166 -0.166	-0.312 -0.312	1.299	0.345	0.177 0.826	0.026 -0.130	399	243	5.903	0.000	0.459	0.019	0.289	1.175 0.000
358	111 99	4.719 4.719	0.074 0.074	0.062 0.062	0.000	-0.036 -0.005	-0.006 0.031	400	245	0.000	0.000	0.000	0.000	0.000	0.000
359	110 98	1.116 1.116	1.262	1.505 1.505	0.432 0.432	-0.555 0.197	-0.612 0.019	401	246	0.004	-0.189	-0.120	-0.019	0.066	-0.067
360	123 111	4.803 4.803	0.054 0.054	0.075 0.075	0.000	-0.027 0.010	-0.008 0.019	402	247	0.000	0.000	0.000	0.000	0.000	0.000
361	122 110	-0.268 -0.268	1.339	-0.045 -0.045	0.257 0.257	-0.209 -0.231	-0.043 0.626	402	249	-0.348	-0.137	0.222	0.052	-0.113	-0.017
								403	251	-0.251	0.060	-0.162	0.071	0.189	0.027

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
404	252 248	-0.332 -0.332	-0.075 -0.075	-0.205 -0.205	-0.099 -0.099	0.261 0.056	0.036 -0.038	445	278 160	0.055 0.055	0.022	-0.060 -0.060	0.001	0.023	-0.008 -0.003
405	251 284	0.000	0.000	0.000	0.000	0.000	0.000	446	277 173	0.001	-0.001 -0.001	-0.095 -0.095	-0.001 -0.001	-0.001 -0.045	-0.006 -0.006
406	248 247	0.000	0.000	0.000	0.000	0.000	0.000	447	276 185	-0.006 -0.006	0.000	-0.098 -0.098	-0.001 -0.001	-0.038 -0.046	-0.005 -0.005
407	253 226	0.057 0.057	0.004	0.000	0.000	0.000	0.001	448	275 198	-0.076 -0.076	0.020	-0.054 -0.054	0.000	0.009	0.000 0.014
408	245 254	0.000	0.000	0.000	0.000	0.000	0.000	449	274 210	0.024 0.024	0.016 0.016	-0.052 -0.052	0.000	-0.011 -0.030	0.007
409	255 227	0.117 0.117	0.002	-0.025 -0.025	0.000	-0.017 -0.030	0.001	450	19 6	0.000	0.000	0.008	0.000	-0.003 0.001	0.000
410	247 256	0.000	0.000	0.000	0.000	0.000	0.000	451	31 19	0.000	0.000	0.014 0.014	0.000	-0.003 0.004	0.000
411	246 257	-0.363 -0.363	0.151 0.151	-0.149 -0.149	-0.023 -0.023	0.062 -0.013	-0.061 0.014	452	43 31	0.000	0.000	0.012 0.012	0.000	-0.003 0.003	0.000
412	253 285	0.057 0.057	0.004	0.000	0.000	0.000	-0.001 -0.001	453	55 43	0.000	0.000	0.011	0.000	-0.003 0.003	0.000
413	257 251	-0.364 -0.364	0.033	-0.174 -0.174	-0.023 -0.023	-0.013 -0.082	0.014 0.027	454	67 55	0.000	0.000	0.005 0.005	0.000	-0.001 0.002	0.000
414	255 287	0.117 0.117	0.002	0.025 0.025	0.000	-0.017 -0.004	-0.001 0.000	455	79 67	0.000	0.000	0.004	0.000	-0.001 0.001	0.000
415	258 220	-0.036 -0.036	0.002	0.000	0.000	0.000	0.001 0.002	456	91 79	0.000	0.000	0.003	0.000	0.000	0.000
416	259 221	-0.015 -0.015	-0.003 -0.003	-0.010 -0.010	0.000	-0.007 -0.012	-0.002 -0.003	457	103 91	0.000	0.000	-0.006 -0.006	0.000	0.002	0.000
417	258 288	-0.036 -0.036	0.002	0.000	0.000	0.000	-0.001 -0.001	458	115 103	0.000	0.000	-0.005 -0.005	0.000	0.001	0.000
418	259 289	-0.015 -0.015	-0.003	0.010	0.000	-0.007 -0.001	0.002	459	127 115	0.000	0.000	-0.006 -0.006	0.000	0.002	0.000
419	260 218	-0.009 -0.009	0.214 0.214	0.188 0.188	0.046	0.086	-0.069 0.038	460	139 127	0.000	0.000	-0.011 -0.011	0.000	0.003	0.000
420	249	-0.345 -0.345	-0.122 -0.122	0.212	0.052	-0.026 0.080	-0.017 -0.078	461	151 139	0.000	0.000	-0.011 -0.011	0.000	0.003	0.000
421	219 206	-7.787 -7.787	0.012 0.012	-0.001 -0.001	0.000	0.001	-0.008 0.001	462	163 151	0.000	0.000	-0.006 -0.006	0.000	0.001	0.000
422	2 14	9.605 9.605	-0.010 -0.010	0.019	0.000	-0.016 -0.003	0.012 0.005	463	175 163	0.000	0.000	-0.005 -0.005	0.000	0.002 -0.001	0.000
423	7 20	1.588	-0.006 -0.006	0.007	0.000	-0.004 0.001	0.004	464	187 175	0.000	0.000	-0.007 -0.007	0.000	0.001	0.000
424	261 35	-0.040 -0.040	-0.008	0.145 0.145	0.001 0.001	0.008	0.001	465	199 187	0.000	0.000	-0.003 -0.003	0.000	0.001	0.000
425	270 271	13.695 13.695	-0.028 -0.028	0.055	-0.001 -0.001	-0.009 0.025	-0.003 -0.001 -0.018	466	211 199	0.000	0.000	0.000	0.000	0.000	0.000
426	262	-0.190 -0.190	-0.034 -0.034	0.069	0.000	-0.014 0.038	0.006 -0.019	467	217 205	0.000	0.000	-0.003 -0.003	0.000	0.000	0.000
427	271 53	0.115 0.115	-0.034 -0.030 -0.030	0.048	0.000	0.007	-0.019 -0.036 -0.049	468	11 1	0.000	0.000	0.013 0.013	0.000	-0.004 0.002	0.000
428	263 273	-0.359 -0.359	0.000	0.001 0.001	0.000	0.004	-0.005 -0.005	469	25 11	0.000	0.000	0.036 0.036	0.000	-0.010 0.008	0.000
429	271 272	13.553 13.553	-0.064 -0.064	0.046 0.046	-0.001 -0.001	0.000	-0.003 -0.001 -0.041	470	37 25	0.000	0.000	0.046 0.046	0.000	-0.012 0.011	0.000
430	264	0.009	-0.020	-0.066	0.000	0.000	-0.005	471	49 37	0.000	0.000	0.053 0.053	0.000	-0.014 0.013	0.000
431	272	-1.120	-0.020	-0.066	0.000	0.026	-0.014	472	284 245	0.000	0.000	0.000	0.000	0.000	0.000
432	265	0.024	0.016	-0.021	0.000	0.021	0.001	473	61 49	0.000	0.000	0.029 0.029	0.000	-0.005 0.010	0.000
433	274	13.505	0.016	-0.052	0.000	0.020	0.007	474	285 246	0.057 0.057	0.004	0.000	0.000	0.000	-0.001 0.000
434	75 266	-0.015	0.056	-0.121	0.000	-0.056	0.001	475	73 61	0.000	0.000	0.014 0.014	0.000	-0.005 0.002	0.000
435	197 273	-0.015 13.443	0.001	0.041	0.000	-0.050	0.019	476	287 257	0.117 0.117	0.002	0.025 0.025	0.000	-0.004 0.000	0.000
436	269 267	0.080	-0.032	0.041	0.000	0.009	-0.001	477	85 73	0.000	0.000	0.000	0.000	0.002	0.000
437	279	-0.181	0.027	0.046	0.000	0.009	-0.006	478	97 85	0.000	0.000	-0.047 -0.047	0.000	0.013 -0.010	0.000
438	268	0.018	-0.012	0.123	0.000	0.014	-0.001	479	288 260	-0.036 -0.036	0.002	0.000	0.000	0.000	-0.001 0.000
439	203	0.018	-0.012	0.123	0.000	-0.026	0.007	480	109 97	0.000	0.000	-0.032 -0.032	0.000	0.005 -0.011	0.000
440	166 282	0.002	-0.034	0.084	0.001	0.007	0.001	481	289 249	-0.015 -0.015	-0.003 -0.003	0.010 0.010	0.000	-0.001 0.000	0.000
441	179 281	0.002	-0.005	0.120	0.001	0.061	-0.001	482	121 109	0.000	0.000	-0.020 -0.020	0.000	0.007	0.000
442	191 280	-0.064	-0.006	0.121	0.001	-0.010	0.002	483	133 121	0.000	0.000	-0.029 -0.029	0.000	0.006	0.000
443	198 279	0.080	-0.024	0.054	0.000	0.030	-0.015	484	145 133	0.000	0.000	-0.018 -0.018	0.000	0.005 -0.005	0.000
444	210	0.080	0.000	0.046	0.000	0.026	0.000	485	157 145	0.000	0.000	-0.009 -0.009	0.000	0.001	0.000
	211	0.000	0.000	0.001	0.000	0.000	0.000	486	169 157	0.000	0.000	-0.004 -0.004	0.000	0.001 -0.001	0.000

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

•			•	-	•	- • -	_								
Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
487	181 169	0.000	0.000	-0.005 -0.005	0.000	0.001	0.000	528	307 50	-1.327 -1.327	-0.013 -0.013	-0.655 -0.655	0.019	0.131	0.003
488	193 181	0.000	0.000	-0.002 -0.002	0.000	0.001 -0.001	0.000	529	307 62	-12.251 -12.251	-0.089 -0.089	-0.024 -0.024	0.000	0.013	0.048
489	290 239	0.043	0.004	-0.001 -0.001	0.000	0.000	-0.001 0.000	530	308 56	-0.825 -0.825	-0.006 -0.006	-0.437 -0.437	0.003	0.087	0.001
490	291 240	0.043	-0.003 -0.003	0.013 0.013	0.000	-0.002 0.000	0.000	531	308 68	-8.744 -8.744	-0.062 -0.062	-0.002 -0.002	0.000	0.001	0.033
491	292	-0.036 -0.036	0.004	0.001	0.000	0.000	-0.001 0.000	532	309 170	1.209 1.209	0.013 0.013	-0.626 -0.626	-0.001 -0.001	0.125 0.000	-0.003 0.000
492	293 244	-0.209 -0.209	0.011	0.030	0.000	-0.004	-0.002 0.000	533	309 158	12.165 12.165	0.088	0.012 0.012	0.000	-0.007 0.000	-0.047 0.000
493	205	0.000	0.000	-0.004 -0.004	0.000	0.001 -0.001	0.000	534	310 176	0.823 0.823	0.008	-0.437 -0.437	-0.002 -0.002	0.087	-0.002 0.000
494	6 286	0.000	0.000	0.000	0.000	0.000	0.000	535	310 164	8.771 8.771	0.062 0.062	0.010 0.010	0.000	-0.006 0.000	-0.033
495	232	0.000	0.000	0.000	0.000	0.000	0.000	536	311 182	0.246 0.246	-0.001 -0.001	-0.235 -0.235	-0.001 -0.001	0.094	0.000
496	294	0.000	0.000	0.000	0.000	0.000	0.000	537	311 309	12.910 12.910	0.326 0.326	-0.003 -0.003	0.000	-0.003 -0.005	-0.079 0.097
497	295 295	0.000	0.000	0.000	0.000	0.000	0.000	538	312 188	0.115 0.115	0.002	-0.161 -0.161	-0.002 -0.002	0.065	-0.001 0.000
498	231 296	0.000	0.000	0.000	0.000	0.000	0.000	539	312 310	9.290 9.290	0.231 0.231	-0.001 -0.001	0.001 0.001	-0.004 -0.005	-0.056 0.068
499	1 294	0.000	0.000	0.000	0.000	0.000	0.000	540	313 194	-1.383 -1.383	-0.002 -0.002	-0.103 -0.103	-0.001 -0.001	0.062	0.001
500	296 223	0.000	0.000	0.000	0.000	0.000	0.000	541	313 311	13.040 13.040	0.237	-0.002 -0.002	0.001	-0.001 -0.002	-0.064 0.064
501	297 252	0.000	0.000	0.000	0.000	0.000	0.000	542	314 200	-0.352 -0.352	0.001 0.001	-0.070 -0.070	-0.001 -0.001	0.042	-0.001 0.000
502	298 297	0.000	0.000	0.000	0.000	0.000	0.000	543	314 312	9.372 9.372	0.161 0.161	-0.003 -0.003	0.000	-0.002 -0.004	-0.043 0.043
503	299 299	0.000	0.000	0.000	0.000	0.000	0.000	544	315 206	-5.296 -5.296	-0.002 -0.002	-0.040 -0.040	-0.002 -0.002	0.032	0.001
504	250 300	0.000	0.000	0.000	0.000	0.000	0.000	545	315 313	12.971 12.971	0.299	0.000	0.001	-0.001 -0.001	-0.087 0.074
505	217 298	0.000	0.000	0.000	0.000	0.000	0.000	546	316 212	-2.015 -2.015	0.000	-0.028 -0.028	0.001	0.022	0.000
506	300	0.000	0.000	0.000	0.000	0.000	0.000	547	316 314	9.324 9.324	0.208	-0.004 -0.004	0.000	0.000	-0.060 0.052
507	232	0.000	0.000	0.000	0.000	0.000	0.000	565	227	0.104	0.194	-0.173	0.000	0.051	-0.064
507	252	0.000	0.000	0.000 0.000 -0.023	0.000	0.000	0.000	566	215	0.104	0.194	-0.173	0.000	0.053	-0.035
	230	-5.536 -5.536	0.000	-0.023	-0.008	0.019	0.000	567	35	-0.087	0.194	-0.243	0.000	0.075	0.062
509	301	-12.520 -12.520	-0.083	0.042	-0.002 -0.002	-0.003 0.020	0.000	568	23 47	-0.098	0.119	-0.321	0.000	0.072	0.029
510	6 229	-0.189 -0.189	0.000	0.011	0.003	-0.008 0.010	0.000	569	35 59	-0.057 0.024	0.153	-0.310 -0.359	0.000	0.083	0.036
511	217 248	0.335	0.000	-0.017 -0.017	-0.005 -0.005	0.014	0.000	570	47 71	0.024	0.135	-0.359 -0.369	0.000	-0.097	0.027
512	217 315	12.391 12.391	0.082 0.082	0.004	0.002	-0.004 -0.001	0.000	571	59 83	0.158	-0.008	-0.369	0.000	-0.097 0.134	0.027
513	223 251	0.374	0.000	0.012 0.012	0.004	-0.010 0.011	0.000	572	71 95	0.327	-0.008 0.143	-0.434	0.000	-0.083	0.026
514	223 316	8.916 8.916	0.060	0.001	-0.002 -0.002	0.000	0.000	573	83 107	0.444	0.143	0.281	0.000	0.099	0.058
515	6 302	-8.892 -8.892	-0.059 -0.059	0.000	-0.005 -0.005	0.006	0.000 -0.032	574	95 119	0.435	-0.003	0.178	0.000	0.043	-0.015 -0.013
516	301 14	5.826 5.826	0.013	-0.041 -0.041	0.016 0.016	0.033	-0.010 0.000	575	107	0.374	0.013	0.062	0.000	0.010	-0.006 -0.016
517	301 303	-13.105 -13.105	-0.303 -0.303	0.014 0.014	-0.010 -0.010	0.019 0.027	0.089 -0.075	576	119	0.314	0.048	-0.034	0.000	0.014	0.008
518	302 20	2.088 2.088	0.000	-0.028 -0.028	0.006	0.022	0.000	577	131	0.270	0.074	-0.105 -0.145	0.000	-0.030	0.017
519	302 304	-9.300 -9.300	-0.208 -0.208	-0.001 -0.001	-0.005 -0.005	0.007 0.006	0.060 -0.052	578	143	0.241	0.088	-0.145	0.000	-0.039	0.021
520	303 26	1.742 1.742	0.011	-0.107 -0.107	0.023 0.023	0.064	-0.007 0.000	579	155	0.222	0.095	-0.166	0.000	-0.043	0.023
521	303 305	-13.173 -13.173	-0.246 -0.246	-0.003 -0.003	-0.015 -0.015	0.027 0.025	0.066 -0.066		167	0.207	0.098	-0.175 -0.175	0.000	0.044	-0.024 0.025
522	304 32	0.376 0.376	0.001	-0.070 -0.070	0.006 0.006	0.042	0.000	580	191 179	0.193	0.097	-0.175 -0.175	0.000	0.044	-0.024 0.025
523	304 306	-9.348 -9.348	-0.162 -0.162	-0.004 -0.004	-0.004 -0.004	0.006	0.043 -0.044	581	203 191	0.175 0.175	0.100	-0.172 -0.172	0.000	0.044	-0.024 0.026
524	305 38	-0.285 -0.285	0.012 0.012	-0.247 -0.247	0.024	0.099	-0.005 0.000	582	215 203	0.150 0.150	0.085	-0.158 -0.158	0.000	0.040	-0.017 0.026
525	305 307	-13.033 -13.033	-0.339 -0.339	-0.023 -0.023	-0.015 -0.015	0.026 0.014	0.082 -0.101	600	221 209	0.049	0.119 0.119	0.180 0.180	0.000	-0.043 0.047	-0.040 0.019
526	306 44	-0.127 -0.127	0.000	-0.162 -0.162	0.005 0.005	0.065	0.000	601	17 5	-0.125 -0.125	0.134	0.001	0.000	0.003	-0.026 0.040
527	306 308	-9.264 -9.264	-0.231 -0.231	-0.005 -0.005	-0.004 -0.004	0.004	0.056	602	29 17	-0.225 -0.225	0.002	0.070 0.070	0.000	-0.020 0.015	0.001 0.002
								603	41 29	-0.227 -0.227	0.036 0.036	0.027 0.027	0.000	-0.023 -0.009	0.008 0.026

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923

\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
604	53 41	-0.496 -0.496	0.042 0.042	-0.093 -0.093	0.000	0.011 -0.036	0.000 0.021	27	24 23	-0.062 -0.062	0.051 0.040	-0.068 -0.068	0.000	0.009	-0.008 0.030
605	65 53	-0.481 -0.481	0.097 0.097	-0.292 -0.292	0.001	0.095 -0.051	-0.060 -0.011	28	18 24	-0.075 -0.067	0.039	-0.045 -0.045	0.000	0.025 0.000	-0.019 0.004
606	77 65	-0.591 -0.591	-0.241 -0.241	-0.345 -0.345	0.001	0.150 -0.023	0.022 -0.098	29	14 15	-0.106 -0.111	-0.004 -0.004	0.003	0.000	0.000	0.000
607	89 77	-0.570 -0.570	0.210 0.210	0.430 0.430	0.000	-0.064 0.151	-0.085 0.020	30	20 22	0.222 0.211	-0.035 -0.041	-0.001 -0.001	0.001	0.006 0.005	0.021 -0.015
608	101 89	-0.364 -0.364	-0.002 -0.002	0.482 0.482	-0.001 -0.001	-0.110 0.131	-0.025 -0.025	31	25 303	0.407 0.351	0.012 0.012	0.000	-0.046 -0.046	0.000	0.000
609	113 101	-0.184 -0.184	0.033	0.290 0.290	0.000	-0.090 0.055	0.003 0.020	32	27 28	-0.042 -0.045	-0.003 -0.009	0.004	0.000	-0.004 -0.002	0.002 -0.001
610	125 113	-0.080 -0.080	0.082 0.082	0.201 0.201	0.000	-0.070 0.030	-0.001 0.040	33	28 264	-0.117 -0.117	0.021 0.019	-0.012 -0.012	0.000	-0.003 -0.005	0.014 0.016
611	137 125	-0.024 -0.024	0.090	0.164 0.164	0.000	-0.054 0.028	-0.009 0.036	34	29 269	-0.149 -0.151	-0.004 -0.007	-0.076 -0.076	0.000	0.002 -0.019	0.013 0.011
612	149 137	0.005 0.005	0.086 0.086	0.149 0.149	0.000	-0.044 0.030	-0.014 0.029	35	31 304	0.710 0.655	0.013 0.013	0.003	-0.050 -0.050	0.000	0.000
613	161 149	0.021 0.021	0.081 0.081	0.142 0.142	0.000	-0.039 0.032	-0.017 0.023	36	33 34	0.048 0.044	0.008	-0.061 -0.061	0.001	0.041	-0.013 -0.010
614	173 161	0.032 0.032	0.080	0.140 0.140	0.000	-0.035 0.035	-0.020 0.020	37	34 261	0.373 0.372	0.072 0.071	-0.053 -0.053	-0.001 -0.001	0.009	-0.037 -0.027
615	185 173	0.039	0.081	0.143 0.143	0.000	-0.034 0.038	-0.022 0.018	38	35 30	0.499 0.493	0.030 0.021	-0.047 -0.047	0.000	0.023 -0.025	-0.014 0.013
616	197 185	0.045 0.045	0.086 0.086	0.150 0.150	0.000	-0.033 0.042	-0.026 0.017	39	32 33	0.037 0.031	0.026 0.026	-0.012 -0.012	0.000	0.000 -0.006	0.000 0.013
617	209 197	0.053 0.053	0.078 0.078	0.177 0.177	0.000	-0.040 0.049	-0.024 0.015	40	29 36	-0.088 -0.088	-0.023 -0.035	0.003	0.000	0.007	0.012 -0.013
Load o	ase 4	(Linear): SW						41	26 28	-0.041 -0.052	0.064 0.057	-0.016 -0.016	0.000	0.015 -0.001	-0.044 0.015
Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	42	36 35	-0.044 -0.044	0.038 0.026	-0.048 -0.048	0.000	0.009 -0.031	-0.008 0.019
1	1 12	-0.545 -1.097	-0.303 -0.303	-0.145 -0.145	-0.532 -0.532	0.060	-0.144 -0.447	43	30 36	-0.080 -0.072	0.044	-0.050 -0.050	0.000	0.028 -0.001	-0.021 0.005
2	4	-1.620 -1.623	-0.002 -0.007	-0.013 -0.013	0.000	0.005	0.003	44	26 27	-0.034 -0.040	0.005	-0.004 -0.004	0.000	0.000	0.000
3	5	-1.616 -1.620	0.006	-0.012 -0.012	-0.001 -0.001	-0.002 -0.009	0.001	45	32 34	0.339 0.327	-0.070 -0.077	0.008	0.001 0.001	-0.003 0.005	0.045 -0.027
4	234	-1.476 -1.479	0.002	-0.025 -0.025	0.001	0.013	-0.004	46	37 305	0.619 0.536	0.003	-0.001 -0.001	-0.029 -0.029	0.000 -0.001	0.000
5	13	2.863 2.311	-0.055 -0.055	0.172 0.172	-0.577 -0.577	-0.075 0.096	-0.214 -0.269	47	39 40	0.145 0.142	-0.002 -0.008	-0.020 -0.020	0.000	0.006 -0.006	-0.001 -0.004
6	7 8	0.880 0.876	0.037 0.032	-0.073 -0.073	0.000	0.044	-0.021 0.000	48	40 270	0.156 0.153	0.065 0.061	-0.043 -0.043	0.000	-0.007 -0.029	0.009 0.041
7	9	0.865 0.862	0.019	-0.072 -0.072	-0.001 -0.001	0.001	0.001	49	41 42	-0.397 -0.403	-0.022 -0.031	0.007	0.000	-0.005 0.002	0.018
8	233	0.565 0.562	-0.013 -0.017	-0.051 -0.051	0.000	0.024	0.003	50	43 306	0.819 0.736	0.003	0.000	-0.030 -0.030	0.000	0.000
9	13 7	1.787	0.013 0.013	0.001	0.000	0.000	0.000	51	45 46	0.004	0.004	-0.056 -0.056	0.001 0.001	0.039	-0.012 -0.011
10	219 260	1.061	-0.008 -0.014	0.035 0.035	0.000	-0.018 0.006	0.007	52	46 47	0.399 0.395	0.076 0.071	-0.040 -0.040	-0.001 -0.001	0.010 -0.014	-0.045 -0.001
11	225 246	-1.146 -1.141	-0.001 -0.007	0.032	0.000	-0.016 0.007	0.001	53	47 42	0.535 0.529	0.028 0.019	-0.038 -0.038	0.000	0.020 -0.020	-0.014 0.011
12	10 235	0.025 0.025	-0.002 -0.007	0.000	0.000	0.000	0.001	54	44 45	0.032 0.027	0.024	-0.012 -0.012	0.000	0.000 -0.006	0.000 0.012
13	7 239	-1.173 -1.168	-0.011 -0.017	-0.003 -0.003	0.000	0.003	0.005 -0.005	55	41 48	-0.207 -0.207	-0.048 -0.060	-0.001 -0.001	0.000	0.009	0.028 -0.018
14	12	-1.929 -1.934	-0.021 -0.021	0.015 0.015	0.000	0.000	0.000	56	38 40	0.055 0.044	0.067 0.060	-0.023 -0.023	0.000	0.022 -0.001	-0.050 0.012
15	2 243	2.014 2.019	0.014	-0.036 -0.036	0.000	0.018	-0.005 0.003	57	48 47	-0.156 -0.156	0.031	-0.039 -0.039	0.000	0.008 -0.025	-0.009 0.013
16	11 301	-0.116 -0.144	0.022 0.022	-0.004 -0.004	-0.056 -0.056	0.000	0.000	58	42 48	-0.098 -0.091	0.051 0.051	-0.039 -0.039	0.000	0.022	-0.020 0.010
17	15 16	-0.128 -0.132	0.012 0.006	-0.007 -0.007	0.000	0.003	-0.002 0.003	59	38 39	0.148 0.142	-0.002 -0.002	0.003	0.000	0.000	0.000 -0.001
18	16 17	-0.306 -0.310	-0.025 -0.031	-0.013 -0.013	0.000	-0.001 -0.009	0.019 0.002	60	44 46	0.405 0.394	-0.092 -0.099	0.016 0.016	0.001 0.001	-0.010 0.005	0.060 -0.034
19	17 263	-0.227 -0.228	0.003	-0.030 -0.030	0.000	0.004	0.006	61	49 307	0.350 0.240	0.010 0.010	-0.001 -0.001	-0.014 -0.014	0.000	0.000
20	19 302	0.693 0.665	0.028 0.028	0.002	-0.061 -0.061	0.000	0.000	62	51 52	-0.064 -0.068	0.018 0.012	-0.035 -0.035	0.000	0.009 -0.012	-0.004 0.005
21	21 22	0.182 0.179	0.018 0.012	-0.074 -0.074	0.001	0.048	-0.016 -0.007	63	52 271	-0.336 -0.337	0.004	-0.071 -0.071	0.001	-0.015 -0.025	0.036 0.036
22	22 23	0.387 0.383	0.064	-0.075 -0.075	-0.001 -0.001	0.008	-0.023 0.014	64	53 54	-0.335 -0.341	-0.016 -0.026	0.009	0.000	-0.009 0.001	0.015 -0.006
23	23 262	0.515 0.514	0.037	-0.060 -0.060	0.000	0.029 0.012	-0.016 -0.006	65	55 308	0.698 0.588	0.009	-0.001 -0.001	-0.013 -0.013	0.000 -0.001	0.000
24	20 21	0.092 0.086	0.033	-0.018 -0.018	0.000	0.000	0.000 0.016	66	57 58	0.052 0.048	0.004	-0.053 -0.053	0.001	0.038	-0.012 -0.011
25	17 24	-0.101 -0.101	-0.004 -0.016	-0.022 -0.022	0.000	0.028	-0.004 -0.012	67	58 59	0.480 0.476	0.068 0.062	-0.028 -0.028	-0.001 -0.001	0.011	-0.050 -0.011
26	14 16	-0.160 -0.171	0.052 0.045	-0.005 -0.005	0.000	0.006	-0.032 0.016								

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

•		Axial	Y-Axis	Z-Axis	X-Axis	Y-Axis	Z-Axis			Axial	Y-Axis	Z-Axis	X-Axis	Y-Axis	Z-Axis
Memb 68	Node 59	Force 0.515	Shear	Shear	Torsion	Moment 0.020	Moment -0.015	Memb	Node	Force	Shear	Shear	Torsion	Moment	Z-AXIS Moment
69	54 56	0.508	0.021	-0.037 -0.011	0.000	-0.019	0.011	110	91 92	0.795 0.657	0.000	0.000	-0.005 -0.005	0.000	0.000
70	57 53	0.029	0.023	-0.011	0.000	-0.006 0.004	0.012	111	93 94	0.025 0.021	0.001 -0.005	-0.037 -0.037	0.001	0.029	-0.009 -0.010
71	60 50	-0.045	-0.044	0.001	0.000	0.005	-0.012	112	94 95	0.499 0.495	0.050	-0.001 -0.001	-0.001 -0.001	0.012 0.012	-0.057 -0.029
72	52	-0.247	0.106	-0.036	0.000	-0.003	0.030	113	95 90	0.494 0.487	0.025 0.016	-0.022 -0.022	0.000	0.013 -0.010	-0.014 0.007
	59	-0.002	0.005	-0.030	0.000	-0.020	0.005	114	92 93	0.026 0.021	0.018 0.018	-0.008 -0.008	0.000	0.000	0.000
73	54 60	-0.067 -0.060	0.044	-0.031 -0.031	0.000	0.018	-0.017 0.008	115	89 96	-0.036 -0.036	-0.032 -0.043	0.030	0.000	-0.018 0.007	0.023
74	50 51	-0.047 -0.052	-0.007 -0.007	0.006	0.000	0.000	0.000	116	86 88	-0.378 -0.389	0.161 0.155	-0.045 -0.045	-0.001 -0.001	0.039	-0.107 0.047
75	56 58	0.431	-0.114 -0.121	0.025 0.025	0.001	-0.019 0.006	0.076 -0.039	117	96 95	0.008	-0.010 -0.022	-0.004 -0.004	0.000	0.007 0.004	-0.002 -0.015
76	61 62	0.723 0.171	6.421 6.421	-0.030 -0.030	-0.209 -0.209	0.017 -0.013	-6.205 0.215	118	90 96	-0.041 -0.033	0.044	-0.034 -0.034	0.000	0.019	-0.018 0.007
77	63 272	0.036	0.025 0.021	-0.043 -0.043	0.000	0.005 -0.011	-0.002 0.007	119	86 87	0.034 0.028	0.010 0.010	-0.008 -0.008	0.000	0.000	0.000
78	64 65	-0.436 -0.439	-0.025 -0.031	-0.008 -0.008	0.001	-0.017 -0.022	0.050	120	92 94	0.467 0.456	-0.147 -0.154	0.036	0.001 0.001	-0.030 0.005	0.099
79	65 66	-0.379 -0.386	-0.016 -0.026	0.016 0.016	0.000	-0.011 0.005	0.014 -0.007	121	97 98	0.183 0.045	0.000	0.000	0.006	0.000	0.000
80	67 68	1.342	6.813 6.813	0.040	-0.187 -0.187	-0.021 0.019	-6.524 0.289	122	99	-0.009 -0.013	0.007	0.015 0.015	-0.001 -0.001	-0.016 -0.007	0.005
81	69 70	0.025 0.021	0.003	-0.047 -0.047	0.001 0.001	0.035 0.006	-0.011 -0.011	123	100	-0.421 -0.425	-0.018 -0.024	-0.030 -0.030	0.001 0.001	-0.011 -0.029	0.054 0.042
82	70 71	0.478 0.474	0.060 0.054	-0.016 -0.016	-0.001 -0.001	0.012 0.002	-0.054 -0.019	124	101	-0.381	-0.023	0.033	0.000	-0.020	0.017
83	71 66	0.502 0.496	0.030	-0.033 -0.033	0.000	0.018 -0.016	-0.016 0.010	125	102	0.666	0.000	0.033	0.000	0.014	0.000
84	68 69	0.031 0.026	0.022 0.022	-0.010 -0.010	0.000	0.000	0.000 0.011	126	104	0.529	-0.001	0.000	0.007	0.000	0.000
85	65 72	-0.057 -0.057	-0.029 -0.040	0.011 0.011	0.000	-0.003 0.006	0.019 -0.010	127	106	0.017	0.052	0.003	0.001	0.007	-0.011
86	62 64	-0.368 -0.379	0.141 0.134	-0.046 -0.046	-0.001 -0.001	0.039	-0.095 0.039	128	107	0.513	0.047	0.003	0.000	0.014	-0.030 -0.013
87	72 71	-0.014 -0.014	0.005	-0.021 -0.021	0.000	0.006 -0.011	-0.003 -0.003	129	102	0.494	0.013	-0.018	0.000	0.000	0.006
88	66 72	-0.052 -0.045	0.043	-0.032 -0.032	0.000	0.018	-0.017 0.008	130	105	0.017	0.017	-0.008	0.000	-0.004 -0.021	0.009
89	62 63	0.074	-0.003 -0.003	0.004	0.000	0.000	0.000	131	108 98	-0.037 -0.367	-0.045 0.162	0.033	0.000	0.007	-0.009 -0.108
90	68 70	0.452 0.440	-0.131 -0.138	0.031 0.031	0.001	-0.025 0.006	0.088	132	100	-0.378	0.155	0.045	-0.001	-0.005	0.047
91	73 74	0.165 0.027	0.000	0.000	-0.018 -0.018	0.000	0.000	133	107	0.006	-0.024	0.001	0.000	0.007	-0.017
92	75 76	0.080	0.011	0.010	-0.001 -0.001	-0.012 -0.006	0.003	134	108	-0.032	0.043	-0.032	0.000	0.000	0.007
93	76 77	-0.360 -0.364	-0.030 -0.035	-0.033 -0.033	0.001	-0.010 -0.030	0.055 0.036	135	99	0.013	0.010	-0.009	0.000	-0.004	0.005
94	77 78	-0.363 -0.370	-0.019 -0.028	0.025 0.025	0.000	-0.016 0.010	0.015 -0.009	136	106	0.477	-0.159	0.039	0.001	0.005	-0.049 -6.853
95	79	0.621	0.000	0.000	-0.017	0.000	0.000		110	0.072	6.730	-0.008	-0.008	-0.002	-0.123
96	81	0.483	0.000	0.000	0.001	0.000	0.000	137	111	-0.005 -0.009	0.007	0.016 0.016	-0.001 -0.001	-0.016 -0.007	0.005
97	82 82	0.036	0.052	-0.042	0.001	0.007	-0.010 -0.056	138	112 113	-0.425 -0.429	-0.019 -0.025	-0.030 -0.030	0.001	-0.011 -0.030	0.055 0.042
98	83	0.499	0.047	-0.008	0.000	0.007	-0.026 -0.015	139	113 114	-0.381 -0.387	-0.023 -0.032	0.034	0.000	-0.020 0.015	0.017 -0.012
99	78 80	0.489	0.019	-0.028	0.000	0.000	0.009	140	115 116	1.406 0.854	6.962 6.962	0.015 0.015	-0.011 -0.011	-0.007 0.008	-7.069 -0.108
100	81 77	0.024	0.020	0.022	0.000	-0.005 -0.012	0.010	141	117 118	0.016 0.012	-0.002 -0.008	-0.035 -0.035	0.001	0.028 0.007	-0.008 -0.011
101	84 74	-0.013 -0.399	-0.040 0.159	0.022	0.000	0.007	-0.009 -0.106	142	118 119	0.529 0.525	0.056 0.050	0.004	-0.001 -0.001	0.012 0.015	-0.061 -0.030
102	76 84	-0.410 0.030	0.153	-0.044 -0.011	0.001	0.004	0.047	143	119 114	0.507 0.501	0.021	-0.017 -0.017	0.000	0.010 -0.007	-0.012 0.005
103	83 78	0.030	-0.016 0.043	-0.011 -0.033	0.000	0.019	-0.010 -0.017	144	116 117	0.021 0.016	0.017 0.017	-0.008 -0.008	0.000	0.000	0.000
103	84 74	-0.036	0.043	-0.033	0.000	0.000	0.007	145	113 120	-0.041 -0.041	-0.034 -0.045	0.035 0.035	0.000	-0.023 0.007	0.025 -0.009
105	75 80	-0.019	0.007	-0.006	0.000	-0.003	0.004	146	110 112	-0.375 -0.386	0.165 0.158	-0.046 -0.046	-0.001 -0.001	0.040 -0.005	-0.110 0.048
	82	0.446	-0.148	0.034	0.001	0.006	-0.046	147	120 119	0.000	-0.013 -0.025	0.003	0.000	0.007	-0.001 -0.017
106	85 86	0.192	0.000	0.000	-0.006 -0.006	0.000	0.000	148	114 120	-0.040 -0.032	0.041 0.041	-0.032 -0.032	0.000	0.018	-0.017 0.007
107	87 88	0.008	0.008	0.015	-0.001 -0.001	-0.015 -0.007	0.005	149	110 111	0.018 0.012	0.011 0.011	-0.009 -0.009	0.000	0.000	0.000 0.005
108	88 89	-0.414 -0.417	-0.023 -0.028	-0.030 -0.030	0.001	-0.011 -0.029	0.055	150	116 118	0.506 0.495	-0.156 -0.162	0.039	0.001 0.001	-0.032 0.005	0.105 -0.050
109	89 90	-0.383 -0.389	-0.022 -0.031	0.031	0.000	-0.019 0.013	0.016 -0.011								

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

•				-	•	- • -									
Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
151	121	0.189 0.051 -0.010	0.000	0.000 0.000 0.017	-0.007 -0.007 -0.001	0.000 0.000 -0.017	0.000	193	150 156	-0.034 -0.027	0.037	-0.029 -0.029	0.000	0.016 0.000	-0.015 0.006
	123 124	-0.013	0.006	0.017	-0.001	-0.007	0.005	194	146 147	0.010 0.004	0.012 0.012	-0.010 -0.010	0.000	0.000	0.000
153	124 125	-0.420 -0.424	-0.017 -0.023	-0.030 -0.030	0.001	-0.011 -0.029	0.054	195	152 154	0.491 0.480	-0.152 -0.158	0.038	0.001	-0.032 0.005	0.102
154	125 126	-0.380 -0.386	-0.023 -0.032	0.034	0.000	-0.020 0.015	0.017	196	157 158	0.690 0.138	6.653 6.653	0.019 0.019	0.175 0.175	-0.009 0.011	-6.428 0.225
155	127 128	0.655 0.517	0.000	0.000	-0.008	0.000	0.000	197	159 278	-0.012 -0.015	0.004	0.022	-0.001 -0.001	-0.020 -0.012	0.007
156	129 130	0.020 0.016	-0.002 -0.008	-0.033 -0.033	0.001	0.027	-0.008 -0.011	198	160 161	-0.410 -0.414	-0.021 -0.026	-0.021 -0.021	0.001	-0.012 -0.024	0.053
157	130 131	0.521 0.518	0.053	0.004	-0.001 -0.001	0.012 0.015	-0.060 -0.030	199	161 162	-0.382 -0.389	-0.022 -0.031	0.038	0.000	-0.021 0.018	0.015 -0.012
158	131 126	0.503 0.497	0.021	-0.015 -0.015	0.000	0.010 -0.006	-0.012 0.005	200	163 164	1.413 0.862	6.946 6.946	-0.004 -0.004	0.175 0.175	0.004	-6.674 0.272
159	128 129	0.021 0.015	0.016 0.016	-0.007 -0.007	0.000	0.000	0.000	201	165 283	0.014 0.012	-0.004 -0.007	-0.028 -0.028	0.001	0.024	-0.007 -0.009
160	125 132	-0.039 -0.039	-0.034 -0.045	0.036 0.036	0.000	-0.024 0.007	0.026 -0.008	202	166 167	0.515 0.511	0.055	0.009	-0.001 -0.001	0.011	-0.059 -0.028
161	122 124	-0.365 -0.376	0.163 0.156	-0.046 -0.046	-0.001 -0.001	0.040	-0.109 0.047	203	167 162	0.503 0.496	0.013 0.004	-0.004 -0.004	0.000	0.004	-0.007 0.001
162	132 131	0.002	-0.014 -0.026	0.005 0.005	0.000	0.006 0.011	-0.001 -0.018	204	164 165	0.018 0.012	0.014 0.014	-0.006 -0.006	0.000	0.000	0.000
163	126 132	-0.039 -0.031	0.041	-0.031 -0.031	0.000	0.018	-0.016 0.007	205	161 168	-0.035 -0.035	-0.030 -0.041	0.042	0.000	-0.030 0.006	0.024
164	122 123	0.012 0.007	0.011 0.011	-0.009 -0.009	0.000	0.000 -0.005	0.000	206	158 160	-0.354 -0.365	0.156 0.150	-0.044 -0.044	-0.001 -0.001	0.037	-0.104 0.045
165	128 130	0.495 0.483	-0.153 -0.159	0.037 0.037	0.001	-0.031 0.005	0.103 -0.049	207	168 167	-0.002 -0.002	-0.017 -0.028	0.014	0.000	0.006	-0.001 -0.021
166	133 134	0.204 0.066	0.000	0.000	0.004	0.000	0.000	208	162 168	-0.032 -0.024	0.033	-0.028 -0.028	0.000	0.016 0.000	-0.014 0.005
167	135 136	-0.014 -0.017	0.006	0.018 0.018	-0.001 -0.001	-0.017 -0.007	0.006	209	158 159	0.012 0.006	0.014 0.014	-0.011 -0.011	0.000	0.000	0.000
168	136 137	-0.414 -0.418	-0.017 -0.022	-0.027 -0.027	0.001 0.001	-0.011 -0.028	0.054 0.042	210	164	0.495	-0.149	0.036	0.001	-0.031	0.101
169	137 138	-0.380 -0.386	-0.023 -0.032	0.035 0.035	0.000	-0.020 0.016	0.017 -0.012	211	166	0.484	0.009	0.036	0.001	0.005	0.000
170	139 140	0.807 0.669	0.000	0.000	0.004	0.000	0.000	212	309 171	0.154	0.009	0.000	-0.001	0.000	0.007
171	141 142	0.021 0.017	-0.002 -0.008	-0.032 -0.032	0.001	0.026 0.007	-0.008 -0.011	213	172	-0.024	-0.003	0.026	0.001	-0.006	0.007
172	142 143	0.514 0.510	0.051 0.046	0.006 0.006	-0.001 -0.001	0.012 0.016	-0.059 -0.030	214	173	-0.394	-0.021	0.016	0.001	-0.013	0.047
173	143 138	0.499	0.019 0.010	-0.013 -0.013	0.000	0.008	-0.011 0.004	215	174 175	-0.390 0.695	0.009	0.041	0.000	0.020	0.000
174	140 141	0.021 0.015	0.016 0.016	-0.007 -0.007	0.000	0.000	0.000	216	310 177	0.584	0.009	0.001	0.013	0.001	0.007
175	137 144	-0.036 -0.036	-0.033 -0.045	0.037 0.037	0.000	-0.025 0.006	0.025 -0.008	217	178 178	0.013	-0.010 0.052	0.010	0.001	0.007	-0.010 -0.056
176	134 136	-0.356 -0.367	0.160 0.153	-0.045 -0.045	-0.001 -0.001	0.039	-0.107 0.046	218	282 179	0.494	0.051	0.010	0.000	0.012	-0.049
177	144 143	0.004	-0.016 -0.027	0.007	0.000	0.006 0.012	-0.001 -0.019	219	174 176	0.489	0.012	0.003	0.000	0.003	0.001
178	138 144	-0.037 -0.029	0.040	-0.030 -0.030	0.000	0.017	-0.016 0.007	220	177	0.010	0.012	0.048	0.000	-0.003	0.006
179	134 135	0.009	0.011 0.011	-0.009 -0.009	0.000	0.000	0.000	221	180 170	-0.028	-0.038 0.148	0.048	0.000	0.006	-0.005 -0.099
180	140 142	0.486 0.475	-0.151 -0.158	0.038	0.001	-0.031 0.005	0.102 -0.049	222	172 180	-0.341	0.142	0.042	0.000	0.005	0.043
181	145 146	0.197	0.000	0.000	0.016 0.016	0.000	0.000	223	179 174	-0.001 -0.027	-0.030 0.026	0.022	0.000	0.025	-0.022 -0.012
182	147 148	-0.013 -0.017	0.005	0.019	-0.001 -0.001	-0.019 -0.007	0.006	224	180 170	0.020	0.026	-0.026 -0.012	0.000	0.000	0.003
183	148 149	-0.414 -0.417	-0.018 -0.024	-0.024 -0.024	0.001 0.001	-0.012 -0.026	0.053 0.041	225	171 176	-0.001 0.473	0.015	0.012	0.000	-0.006 -0.028	0.008
184	149 150	-0.381 -0.387	-0.023 -0.032	0.037 0.037	0.000	-0.021 0.017	0.016 -0.012	226	178 181	0.462	0.003	0.033	0.001	0.004	0.000
185	151 152	0.657 0.519	0.000	0.000	0.016 0.016	0.000	0.000	227	311 183	0.239	0.003	0.000	0.030	0.000	0.002
186	153 154	0.018 0.014	-0.003 -0.008	-0.030 -0.030	0.001 0.001	0.025 0.007	-0.007 -0.011	228	184	-0.035	-0.005	0.033	-0.001	-0.006 -0.011	0.007
187	154 155	0.515 0.512	0.052 0.047	0.008	-0.001 -0.001	0.012 0.016	-0.011 -0.059 -0.030	229	276	-0.380	-0.030	-0.004	0.001	-0.011	0.033
188	155	0.501	0.017	-0.009	0.000	0.006	-0.010		186	-0.393	-0.028	0.045	0.000	0.024	-0.014
189	150 152 153	0.494	0.007	-0.009 -0.007	0.000	0.000	0.003	230	187 312 189	0.831 0.749 0.019	0.002	0.000	0.030 0.030 0.001	0.000 0.000 0.016	0.000
190	149	0.014	0.015	0.039	0.000	-0.003	0.007		190	0.016	-0.006 -0.012	-0.017 -0.017	0.001	0.006	-0.004 -0.010
191	156 146	-0.035	0.158	-0.044	0.000	0.006	-0.007	232	190 281	0.474	0.053	0.013	0.000	0.009	-0.052 -0.026
192	148	0.002	0.152	0.010	0.001	0.005	0.046	233	191 186	0.485 0.479	-0.003 -0.012	0.017 0.017	0.000	-0.008 0.009	0.002 -0.006
	155	0.002	-0.028	0.010	0.000	0.015	-0.020								

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923

\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
234	188 189	0.014	0.009	-0.004 -0.004	0.000	0.000	0.000	276	225 226	0.896 0.892	0.013	0.007	0.000	-0.003 0.001	-0.006 0.000
235	185 192	-0.022 -0.022	-0.020 -0.031	0.055 0.055	0.000	-0.041 0.006	0.020	277	226 227	0.898	0.012	0.006	0.001	0.001	-0.002 0.004
236	182 184	-0.307 -0.318	0.134 0.128	-0.036 -0.036	-0.001 -0.001	0.030 -0.005	-0.089 0.039	278	227	0.639	-0.026 -0.035	0.066	0.000	-0.035 0.033	0.015 -0.017
237	192 191	-0.008 -0.008	-0.021 -0.032	0.034	0.000	0.005 0.034	-0.002 -0.024	279	224	0.908	-0.017 -0.017	0.001 0.001	0.000	0.000	0.000
238	186 192	-0.019 -0.011	0.015 0.015	-0.022 -0.022	0.000	0.012	-0.008 0.000	280	3 273	1.678 1.680	-0.021 -0.027	0.034	0.000	-0.011 0.010	0.004
239	182 183	-0.003 -0.008	0.018 0.018	-0.015 -0.015	0.000	0.000 -0.007	0.000	281	269 30	-0.349 -0.353	-0.024 -0.030	0.040	0.000	-0.018 0.011	0.012
240	188 190	0.453 0.442	-0.129 -0.136	0.029 0.029	0.001	-0.025 0.004	0.087	282	269 270	1.383	0.053	-0.057 -0.057	0.000	0.010 -0.026	-0.007 0.024
241	193 313	0.365	0.013 0.013	0.000	0.050 0.050	0.000	0.000	283	270 41	-0.622 -0.623	0.074	1.075	0.001 0.001	-0.072 0.025	0.040 0.046
242	195 196	-0.033 -0.036	-0.003 -0.008	0.043	-0.001 -0.001	-0.032 -0.006	0.011	284	218 219	-1.390 -1.395	0.017	-0.017 -0.017	0.000	0.000	0.000
243	196 266	-0.332 -0.333	-0.032 -0.034	0.016 0.016	0.001	-0.011 -0.009	0.041	285	225 212	0.605 0.611	-0.028 -0.033	0.036	0.000	-0.019 0.007	0.015 -0.007
244	197 275	-0.387 -0.389	-0.016 -0.018	0.053 0.053	0.000	-0.025 -0.010	0.006 0.001	286	225 213	-0.448 -0.448	0.029	-0.096 -0.096	0.000	0.027 -0.021	-0.007 -0.005 0.008
245	199 314	0.930 0.875	0.016 0.016	0.000	0.050 0.050	0.000	0.000	287	224 212	-0.867 -0.867	0.059	-3.843 -3.843	-0.963 -0.963	2.035 0.113	0.059
246	201 202	0.002	-0.011 -0.016	-0.006 -0.006	0.000	0.009	-0.002 -0.010	288	21	0.279	-0.064 -0.071	0.168 0.168	0.000	-0.035 0.049	0.015 -0.019
247	202 268	0.423 0.422	0.056 0.054	0.016 0.016	0.000	0.008	-0.047 -0.039	289	20 13	-0.875 -0.875	0.356 0.081	3.684 3.684	0.894 0.894	0.121	-0.019 -0.037 0.073
248	203 280	0.487 0.485	-0.019 -0.022	0.038	0.000	-0.019 -0.009	0.012 0.006	290	33 21	0.187 0.187	-0.027 -0.033	0.060	0.000	-0.025 0.005	0.013 -0.002
249	200 201	-0.002 -0.007	0.003	-0.002 -0.002	0.000	0.000	0.000	291	32 20	-1.210 -1.210	0.073	2.158 2.158	0.870 0.870	-0.893 0.186	-0.002 -0.009 -0.042
250	197 204	-0.014 -0.014	-0.009 -0.020	0.067 0.067	0.000	-0.051 0.006	0.014	292	45 33	0.114	-0.018 -0.025	0.051 0.051	0.000	-0.016 0.009	0.007
251	194 196	-0.267 -0.278	0.110 0.103	-0.027 -0.027	-0.001 -0.001	0.021 -0.006	-0.071 0.033	293	44	-1.185 -1.185	0.143	0.582 0.582	0.825 0.825	-1.133 -0.842	-0.009 -0.007
252	204 203	-0.017 -0.017	-0.023 -0.034	0.051 0.051	0.000	0.005 0.048	-0.003 -0.027	294	57 45	0.046 0.046	-0.133 -0.033 -0.039	0.074 0.074	0.000	-0.020 0.017	0.010
253	198 204	-0.005 0.003	-0.003 -0.003	-0.016 -0.016	0.001	0.009	-0.002 -0.004	295	56 44	-1.146 -1.146	0.142	-1.013 -1.013	0.765 0.765	-0.602 -1.109	-0.002 0.000
254	194 195	0.001 -0.005	0.023 0.023	-0.019 -0.019	0.000	0.000	0.000 0.011	296	69 57	-0.018 -0.018	-0.022 -0.029	0.057	0.000	-0.017 0.011	0.008
255	200 202	0.426 0.415	-0.109 -0.115	0.022 0.022	0.000	-0.019 0.002	0.072 -0.037	297	68 56	-1.079 -1.079	0.264	-2.625 -2.625	0.690 0.690	0.703 -0.610	-0.049 0.014
256	205 315	0.231 0.203	0.028 0.028	0.002	0.060	0.000	0.000 0.006	298	81 69	-0.076 -0.076	-0.025 -0.032	0.060	0.000	-0.018 0.012	0.009
257	207 208	-0.202 -0.206	-0.010 -0.016	0.054 0.054	-0.001 -0.001	-0.039 -0.006	0.014 0.007	299	80 68	-0.833 -0.833	0.063 -0.213	2.482 2.482	0.312 0.312	-0.363 0.878	-0.008 -0.046
258	208 209	-0.345 -0.349	-0.020 -0.025	0.040	0.001	-0.011 0.013	0.025 0.012	300	93 81	-0.127 -0.127	-0.019 -0.025	0.048	0.000	-0.015 0.009	0.007
259	209 265	-0.369 -0.371	-0.016 -0.018	0.064 0.064	0.000	-0.027 -0.009	0.003	301	92 80	-0.789 -0.789	0.206	0.787	0.217 0.217	-0.753 -0.360	-0.018 0.016
260	211 316	1.240 1.212	0.159 0.159	0.005 0.005	0.054 0.054	0.000	0.000	302	105	-0.173 -0.173	-0.018 -0.025	0.046	0.000	-0.013 0.010	0.006
261	213 214	0.125 0.121	-0.015 -0.020	0.013 0.013	0.000	-0.004 0.004	0.003	303	104 92	-0.744 -0.744	0.176 -0.100	-0.917 -0.917	0.118 0.118	-0.305 -0.763	-0.011 0.008
262	214 215	0.422 0.418	0.042	0.018 0.018	0.000	0.005 0.015	-0.032 -0.009	304	117 105	-0.216 -0.216	-0.018 -0.024	0.046	0.000	-0.012 0.011	0.005
263	215 267	0.407 0.406	-0.037 -0.039	0.063	0.000	-0.032 -0.014	0.021 0.011	305	116 104	-0.698 -0.698	0.287 0.011	-2.635 -2.635	0.015 0.015	0.990 -0.327	-0.057 0.017
264	212 213	0.036 0.031	-0.006 -0.006	0.006 0.006	0.000	0.000	0.000	306	129 117	-0.258 -0.258	-0.020 -0.026	0.048	0.000	-0.012 0.012	0.006
265	209 216	-0.026 -0.026	0.001 -0.010	0.077 0.077	0.000	-0.060 0.005	0.009	307	128 116	-0.637 -0.637	0.084	2.598 2.598	0.018 0.018	-0.314 0.985	-0.010 -0.037
266	206 208	-0.117 -0.128	0.062 0.056	-0.015 -0.015	-0.001 -0.001	0.009 -0.006	-0.039 0.019	308	141 129	-0.299 -0.299	-0.019 -0.025	0.047	0.000	-0.013 0.011	0.006
267	216 215	-0.045 -0.045	-0.027 -0.038	0.067 0.067	0.000	0.004	-0.003 -0.030	309	140 128	-0.592 -0.592	0.210 -0.066	0.877	-0.085 -0.085	-0.759 -0.321	-0.019 0.017
268	210 216	0.009 0.016	-0.019 -0.019	-0.010 -0.010	0.001	0.006	0.003	310	153 141	-0.338 -0.338	-0.017 -0.024	0.044	0.000	-0.012 0.009	0.006
269	206 207	-0.184 -0.190	0.029 0.029	-0.024 -0.024	0.000	0.000 -0.012	0.000 0.014	311	152 140	-0.547 -0.547	0.177	-0.838 -0.838	-0.187 -0.187	-0.360 -0.779	-0.011 0.008
270	212 214	0.310 0.298	-0.064 -0.071	0.005 0.005	0.000	-0.004 0.000	0.041	312	165 153	-0.375 -0.375	-0.016 -0.023	0.042	0.000	-0.012 0.009	0.006
271	217 218	-0.292 -0.844	-0.283 -0.283	0.121 0.121	0.573 0.573	-0.051 0.070	-0.138 -0.421	313	164 152	-0.502 -0.502	0.296	-2.554 -2.554	-0.290 -0.290	0.885	-0.062 0.017
272	219 220	-0.770 -0.774	-0.026 -0.031	0.051 0.051	0.000	-0.032 -0.002	0.017 -0.001	314	177 165	-0.409 -0.409	-0.017 -0.024	0.042	0.000	-0.013 0.008	0.006
273	220 221	-0.752 -0.756	-0.001 -0.007	0.050 0.050	0.001	-0.002 0.028	-0.002 -0.004	315	176 164	-0.524 -0.524	0.081	2.653	-0.663 -0.663	-0.631 0.695	-0.006 -0.035
274	221 222	-0.506 -0.513	-0.019 -0.028	0.059 0.059	0.000	-0.029 0.032	0.008 -0.016	316	189 177	-0.438 -0.438	-0.015 -0.021	0.037	0.000	-0.014 0.004	0.007
275	223 224	2.170 1.619	-0.095 -0.095	-0.189 -0.189	0.601 0.601	0.070 -0.118	-0.206 -0.300								

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

•				-	•	- • -	_								
Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
317	188 176	-0.505 -0.505	0.219 -0.057 -0.011	1.012 1.012 0.027	-0.758 -0.758	-1.152 -0.646	-0.022 0.018	359	110 98	0.556 0.556	0.218 -0.057	-2.497 -2.497	0.012 0.012	0.933 -0.315	-0.033 0.007
	201 189	-0.459 -0.459	-0.018	0.027	0.000	-0.014 -0.001	0.008	360	123 111	0.245 0.245	-0.006 -0.013	-0.027 -0.027	0.000	0.006 -0.007	0.002
319	200 188	-0.478 -0.478	0.212	-0.622 -0.622	-0.845 -0.845	-0.882 -1.193	-0.037 0.000	361	122 110	0.604	0.201 -0.074	2.569 2.569	0.026 0.026	-0.323 0.961	-0.028 0.004
320	213 201	-0.466 -0.466	-0.005 -0.012	0.022	0.000	-0.018 -0.007	0.008	362	135 123	0.220 0.220	-0.006 -0.013	-0.027 -0.027	0.000	0.006	0.003
321	212 200	-0.457 -0.457	0.078 -0.197	-2.258 -2.258	-0.917 -0.917	0.183 -0.946	0.009 -0.021	363	134 122	0.659 0.659	0.209 -0.067	0.912 0.912	-0.083 -0.083	-0.751 -0.295	-0.028 0.007
322	222 210	0.007	0.015	-0.203 -0.203	0.000	0.054	-0.001 0.005	364	147 135	0.193 0.193	-0.006 -0.012	-0.031 -0.031	0.000	0.006	0.003
323	18	-1.296 -1.296	-0.069 -0.075	0.094	0.000	-0.024 0.023	0.021 -0.015	365	146 134	0.713 0.713	0.203 -0.072	-0.739 -0.739	-0.190 -0.190	-0.366 -0.736	-0.027 0.006
324	30 18	-1.169 -1.169	-0.102 -0.109	0.035 0.035	0.000	-0.016 0.002	0.030	366	159 147	0.163 0.163	-0.007 -0.013	-0.032 -0.032	0.000	0.006 -0.010	0.003
325	42 30	-1.033 -1.033	-0.086 -0.092	0.002	0.000	-0.005 -0.004	0.026 -0.019	367	158 146	0.767 0.767	0.206 -0.070	-2.390 -2.390	-0.295 -0.295	0.832	-0.028 0.006
326	54 42	-0.949 -0.949	-0.041 -0.047	0.047	0.000	-0.013 0.010	0.014	368	171 159	0.130 0.130	-0.010 -0.016	-0.031 -0.031	0.000	0.005 -0.011	0.005
327	66 54	-0.871 -0.871	-0.057 -0.063	0.019 0.019	0.000	-0.007 0.002	0.016 -0.014	369	170 158	0.866 0.866	0.172 -0.104	2.592 2.592	-0.624 -0.624	-0.621 0.675	-0.023 -0.006
328	78 66	-0.791 -0.791	-0.055 -0.061	0.017 0.017	0.000	-0.007 0.001	0.015 -0.014	370	183 171	0.091 0.091	-0.012 -0.018	-0.034 -0.034	0.000	0.003	0.007
329	90 78	-0.705 -0.705	-0.063 -0.070	-0.005 -0.005	0.000	-0.001 -0.004	0.017 -0.016	371	182 170	0.926 0.926	0.207	1.013	-0.723 -0.723	-1.111 -0.604	-0.027 0.008
330	102 90	-0.618 -0.618	-0.058 -0.065	-0.012 -0.012	0.000	0.001 -0.004	0.016 -0.014	372	195 183	0.044	-0.014 -0.021	-0.042 -0.042	0.000	0.003	0.009
331	114 102	-0.533 -0.533	-0.055 -0.062	-0.015 -0.015	0.000	0.003	0.015 -0.014	373	194	0.981	0.175	-0.563 -0.563	-0.811 -0.811	-0.843 -1.124	-0.019 -0.001
332	126 114	-0.452 -0.452	-0.056 -0.063	-0.012 -0.012	0.000	0.003	0.015 -0.015	374	207 195	-0.018 -0.018	-0.023 -0.030	-0.045 -0.045	0.000	-0.002 -0.024	0.015 0.001
333	138 126	-0.371 -0.371	-0.055 -0.062	-0.015 -0.015	0.000	0.003	0.015 -0.014	375	206	1.029	0.125 -0.151	-2.133 -2.133	-0.882 -0.882	0.182	0.001 0.006 -0.001
334	150 138	-0.293 -0.293	-0.053 -0.060	-0.021 -0.021	0.000	0.004 -0.006	0.015 -0.014	376	13	-5.071	0.605	-1.045	0.169	1.386	-0.625
335	162 150	-0.218 -0.218	-0.051 -0.058	-0.025 -0.025	0.000	0.005	0.014 -0.013	377	10	-5.071 0.025	0.330	0.000	0.169	0.863	0.001
336	174 162	-0.148 -0.148	-0.050 -0.056	-0.029 -0.029	0.000	0.005 -0.010	0.015 -0.012	378	236	0.025 6.408	-0.003 1.762	0.000	0.000	0.000	0.001
337	186 174	-0.085 -0.085	-0.045 -0.052	-0.040 -0.040	0.000	0.005 -0.015	0.015 -0.009	379	244	6.408	0.973	-0.980	0.155	-0.315 0.864	0.002
338	198 186	-0.034 -0.034	-0.035 -0.041	-0.062 -0.062	0.000	0.008 -0.022	0.013 -0.006	380	229	-4.097 6.105	0.973	0.960	0.066	-0.168	0.446
339	210 198	-0.003 -0.003	-0.028 -0.034	-0.089 -0.089	0.000	0.012	0.014 -0.001	381	230	5.553 0.555	0.015	0.960	0.061	0.154	0.659
340	219 207	-0.097 -0.097	0.051 0.045	-0.178 -0.178	0.000	0.055 -0.034	-0.018 0.006	382	3 229	0.552	0.010	0.000	0.000	0.000	0.009
341	218 206	0.869 0.869	0.385 0.109	-3.640 -3.640	-0.927 -0.927	1.943 0.123	-0.104 0.020	383	235	0.034	0.001	0.000	0.000	0.000	0.001
342	15 2	0.386 0.386	-0.041 -0.048	0.093	0.000	-0.022 0.025	0.011 -0.012	384	3 230	-1.495 0.032	0.017	0.001	0.000	0.000	0.010
343	14 12	0.766 0.766	0.041 -0.235	3.376 3.376	0.848	0.110 1.798	-0.027 -0.076	385	236 237	0.019	-0.001	0.001	0.000	0.001	-0.002
344	27 15	0.396 0.396	0.015 0.008	-0.024 -0.024	0.000	-0.007 -0.019	0.005 0.011	386	235	-0.016 0.026	-0.002	0.000	0.000	0.000	0.002
345	26 14	0.445 0.445	0.107 -0.169	1.911 1.911	0.814 0.814	-0.786 0.169	-0.005 -0.021	387	233 238	0.023	0.024	0.000	0.000	0.000	-0.006 0.005
346	39 27	0.388	0.035 0.028	-0.052 -0.052	0.000	0.015 -0.011	-0.011 0.005	388	9 236	-0.091 0.016	0.007	-0.005 0.001	0.000	-0.006 0.001	0.009
347	38 26	0.466	0.152 -0.124	0.514 0.514	0.770 0.770	-0.988 -0.731	0.001	389	234 239	0.014	0.024 1.150	0.001	0.000	0.001	0.004
348	51 39	0.411 0.411	-0.021 -0.028	0.068	0.000	-0.014 0.020	0.004	390	240 237	-5.907 -0.011	0.875	-1.049 0.001	0.170	0.339	0.109
349	50 38	0.484	0.242	-0.803 -0.803	0.720 0.720	-0.547 -0.949	-0.032 0.020	391	290 240	-0.011 -5.915	-0.002 0.953	0.001	0.000	0.000	0.001
350	63 51	0.452 0.452	0.017 0.010	-0.002 -0.002	0.000	-0.005 -0.006	0.000	392	229	-5.915 -0.085	0.732	-1.054 0.005	0.170	-0.083	0.446
351	62 50	0.507	0.206	-2.292 -2.292	0.643 0.643	0.617 -0.528	-0.038 -0.004	393	291 241	-0.080	0.007	0.005	0.000	0.001	0.001
352	75 63	0.498	-0.005 -0.012	0.010 0.010	0.000	-0.006 -0.001	0.005 0.001	394	4 242	0.015	0.002	0.001	0.000	0.001	0.001
353	74 62	0.400	0.219 -0.056	2.490 2.490	0.333	-0.399 0.846	-0.032 0.009	395	5 241	0.128	-0.006	0.017	0.000	0.020	-0.007
354	87	0.317	0.006	-0.040	0.000	0.005	0.002		292	0.021	0.002	-0.001	0.000	0.000	0.000
355	75 86 74	0.317	0.000	0.822	0.000	-0.015 -0.773	0.004	396 397	242 293 243	0.133 0.139 4.978	-0.006 -0.006	-0.017	0.000	0.011	0.004
356	99	0.449	-0.082	0.822	0.227	0.006	0.002		12	4.978	-0.597	-0.926 -0.926	0.161 0.161	-0.803 -1.266	0.630
357	98	0.294	0.207	-0.028	0.000	-0.008	-0.002	398	244 243	6.414 6.414	1.401	-0.964 -0.964	0.155	-0.315 -0.797	0.002
358	86 111	0.502	-0.068	-0.839	0.120	0.007	0.008	399	228 245	0.000	0.000	0.000	0.000	0.000	0.001
	99	0.270	-0.011	-0.029	0.000	-0.008	-0.002								

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923

\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
400	224 246	-5.241 -5.241	0.652 0.376	1.057 1.057	-0.178 -0.178	-1.434 -0.906	-0.662 -0.405	442	280 198	0.485 0.480	-0.022 -0.028	0.038	0.000	-0.009 0.020	0.006 -0.013
401	228 247	0.000	0.000 -0.005	0.000	0.000	0.000	0.001	443	279 210	0.403	-0.042 -0.046	0.063	0.000	0.009	-0.004 -0.021
402	248 249	6.013 6.013	1.540 1.320	1.058 1.058	-0.169 -0.169	-0.084 0.339	-0.587 -0.015	444	223 211	0.000	0.383	0.068	0.000	-0.011 0.023	-0.032 -0.032
403	250 251	-3.698 -4.249	1.008	1.085	-0.069 -0.069	-0.914 0.171	-0.543 0.465	445	278	-0.015	0.001	0.022	-0.001	-0.012	0.008
404	252 248	5.680 5.128	1.185 1.185	-1.035 -1.035	-0.067 -0.067	0.867 -0.168	-0.598 0.587	446	160 277	-0.016	-0.001	-0.016	0.001	-0.007	0.047
405	251 284	0.021 0.014	0.000	0.000	0.000	0.000	0.000	447	173 276	-0.397	-0.026	-0.016	0.001	-0.021	0.036
406	248 247	0.021 0.008	0.000	0.000	0.000	0.000	0.000	448	185 275	-0.381	-0.030	0.053	0.001	-0.014	0.030
407	253 226	0.013 0.007	0.002	0.001	0.000	0.000	0.001	449	198 274	-0.393	-0.025	0.053	0.000	0.030	-0.015
408	245 254	0.003	0.000	0.000	0.000	0.000	0.000	450	19	0.000	0.383	0.064	0.000	0.038	-0.018
409	255 227	-0.133 -0.138	-0.009 -0.009	0.019 0.019	0.000	0.013 0.022	-0.006 -0.011	451	31	0.000	0.383	-0.079	0.000	0.029	-0.032
410	247 256	0.003	0.000	0.000	0.000	0.000	0.000	452	19 43	0.000	-0.383	-0.127	0.000	0.018	-0.032 -0.032
411	246 257	-6.055 -6.055	1.161 0.886	1.090	-0.173 -0.173	-0.901 -0.356	-0.407 0.105	453	31 55	0.000	-0.383	-0.078	0.000	0.009	-0.032
412	253 285	0.013 0.013	0.002	-0.001 -0.001	0.000	0.000	-0.001 -0.001	454	43 67	0.000	-0.383	-0.042	0.000	0.012	-0.032 -0.032
413	257 251	-6.046 -6.046	1.011	1.109 1.109	-0.173 -0.173	-0.356 0.087	0.105 0.465	455	55 79	0.000	-0.383	-0.012 -0.025	0.000	0.004	-0.032 -0.032
414	255 287	-0.133 -0.127	-0.009 -0.009	-0.019 -0.019	0.000	0.013	0.006 0.001	456	67 91	0.000	-0.383	-0.025 -0.029	0.000	0.004	-0.032 -0.032
415	258 220	0.043	-0.001 -0.001	-0.001 -0.001	0.000	0.000 -0.001	0.000 -0.001	457	79 103	0.000	-0.383	0.029	0.000	-0.009	-0.032 -0.032
416	259 221	0.112 0.106	0.010 0.010	-0.014 -0.014	0.000	-0.009 -0.016	0.007 0.012	458	91 115	0.000	-0.383	0.007	0.000	0.000	-0.032 -0.032
417	258 288	0.043	-0.001 -0.001	0.001 0.001	0.000	0.000	0.000	459	103 127	0.000	-0.383	0.011	0.000	0.004	-0.032 -0.032
418	259 289	0.112 0.117	0.010 0.010	0.014 0.014	0.000	-0.009 -0.002	-0.007 -0.001	460	115	0.000	-0.383	-0.013	0.000	0.001	-0.032 -0.032
419	260 218	5.260 5.260	0.115 -0.161	1.008	-0.174 -0.174	0.866 1.370	0.517 0.506	461	127 151	0.000	-0.383	-0.010 0.027	0.000	-0.004	-0.032 -0.032
420	249 260	6.003 6.003	1.201 0.925	1.044	-0.169 -0.169	0.339 0.861	-0.015 0.516	462	139 163	0.000	-0.383	0.027	0.000	0.005	-0.032 -0.032
421	219 206	0.310 0.315	-0.027 -0.033	0.040	0.000	-0.020 0.008	0.015 -0.006	463	151 175	0.000	-0.383	0.024	0.000	0.008	-0.032
422	2 14	-0.468 -0.462	0.013	-0.020 -0.020	0.000	0.011 -0.004	-0.005 0.002	464	163 187	0.000	-0.383	0.011	0.000	0.002	-0.032 -0.032
423	7 20	-0.509 -0.503	0.008	-0.025 -0.025	0.000	0.013 -0.004	-0.004 0.000	465	175 199	0.000	-0.383	0.042	0.000	0.009	-0.032 -0.032
424	261 35	0.372	0.071 0.067	-0.053 -0.053	-0.001 -0.001	0.002 -0.023	-0.027 0.005	466	187 211	0.000	-0.383	0.081	0.000	0.018	-0.032 -0.032
425	270 271	0.026 0.028	0.013 0.007	-0.023 -0.023	0.000	0.011	0.002	467	199 217	0.000	-0.383	0.118	0.000	0.028	-0.032 -0.032
426	262 18	0.514 0.509	0.034 0.027	-0.060 -0.060	0.000	0.012 -0.032	-0.006 0.017	468	205 11	0.000	-0.383	0.079	0.000	0.026	-0.032
427	271 53	-0.411 -0.414	-0.001 -0.005	0.050 0.050	0.000	-0.032 -0.009	0.037 0.035	469	25	0.000	0.383	-0.073	0.000	0.012	-0.032
428	263 273	-0.228 -0.231	0.000	-0.030 -0.030	0.000	-0.004 -0.016	0.006 0.006	470	37	0.000	-0.383	-0.117	0.000	0.017	-0.032
429	271 272	-0.113 -0.111	0.003	-0.010 -0.010	0.000	0.003	0.005 0.005	471	25 49	0.000	-0.383	-0.073	0.000	0.010	-0.032 -0.032
430	264 29	-0.117 -0.120	0.019 0.015	-0.012 -0.012	0.000	-0.005 -0.010	0.016 0.025	472	37 284	0.000	0.000	0.000	0.000	0.000	0.000
431	272 64	-0.034 -0.035	0.016 0.014	0.038	-0.001 -0.001	-0.020 -0.012	0.007 0.011	473	245 61	0.008	0.000	0.000	0.000	0.000	0.000
432	265 274	-0.371 -0.373	-0.018 -0.022	0.064	0.000	-0.009 0.015	-0.002 -0.009	474	49 285	0.000	0.002	-0.014	0.000	0.005	-0.032
433	272 75	-0.215 -0.213	0.004	-0.013 -0.013	0.000	0.006 -0.002	0.002	475	246 73	0.017	0.002	-0.001	0.000	0.000	0.000
434	266 197	-0.333 -0.336	-0.034 -0.038	0.016 0.016	0.001	-0.009 -0.002	0.037 0.020	476	287	0.000	-0.383	-0.026	0.000	0.004	0.001
435	273 269	1.592 1.594	0.002 -0.005	0.013 0.013	0.000	0.002 0.010	-0.007 -0.008	477	257 85	0.000	0.383	-0.019	0.000	0.000	0.000
436	267 279	0.406 0.403	-0.039 -0.042	0.063 0.063	0.000	-0.014 0.009	0.011 -0.004	478	73 97	0.000	0.383	0.006	0.000	-0.009	-0.032
437	273 18	-0.309 -0.311	-0.019 -0.022	0.021 0.021	0.000	-0.007 0.001	0.006	479	85 288	0.000	-0.383	0.006	0.000	0.000	0.000
438	268 203	0.422 0.419	0.054 0.050	0.016 0.016	0.000	0.010 0.017	-0.039 -0.015	480	109	0.046	0.383	0.001	0.000	0.000	0.000
439	283 166	0.012 0.011	-0.007 -0.009	-0.028 -0.028	0.001	0.013 0.007	-0.009 -0.011	481	97 289	0.000	0.010	0.011	0.000	0.004	-0.032
440	282 179	0.494 0.491	0.051 0.047	0.010 0.010	-0.001 -0.001	0.012 0.017	-0.049 -0.026	482	249 121	0.119	0.010	0.014	0.000	0.000	0.000
441	281 191	0.470 0.470	0.048 0.047	0.013 0.013	0.000	0.016 0.017	-0.026 -0.022		109	0.000	-0.383	-0.012	0.000	-0.002	-0.032

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923

\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
483	133 121	0.000	0.383	-0.009 -0.009	0.000	0.001 -0.003	-0.032 -0.032	525	305 307	-0.125 -0.152	0.026 -0.042	0.020	0.020 0.020	0.000 0.011	-0.001 -0.005
484	145 133	0.000	0.383	0.027 0.027	0.000	-0.008 0.005	-0.032 -0.032	526	306 44	0.664	0.036	0.011	-0.029 -0.029	-0.004	-0.014 0.000
485	157 145	0.000	0.383	0.023 0.023	0.000	-0.004 0.008	-0.032 -0.032	527	306 308	0.230	0.045	0.021	0.021 0.021	0.004	-0.005 0.000
486	169 157	0.000	0.383	0.011 0.011	0.000	-0.004 0.002	-0.032 -0.032	528	307 50	0.148 0.120	0.042	-0.007 -0.007	-0.003 -0.003	0.001	-0.008
487	181 169	0.000	0.383	0.041	0.000	-0.012 0.009	-0.032 -0.032	529	307 62	-0.113 -0.140	0.041 -0.028	-0.012 -0.012	0.000	0.007	-0.003 0.000
488	193 181	0.000	0.383	0.077	0.000	-0.021 0.018	-0.032 -0.032	530	308 56	0.527	0.050 0.050	0.031 0.031	-0.001 -0.001	-0.006 0.000	-0.010 0.000
489	290 239	-0.011 -0.007	-0.002 -0.002	0.001	0.000	0.000	0.001	531	308 68	0.196 0.168	0.044	-0.020 -0.020	0.000	0.011	-0.005 0.000
490	291 240	-0.080 -0.078	0.007	0.005 0.005	0.000	-0.001 0.000	-0.001 0.000	532	309 170	0.065 0.038	0.053 0.053	0.006	0.001 0.001	-0.001 0.000	-0.011 0.000
491	292 243	0.021 0.024	0.002	-0.001 -0.001	0.000	0.000	0.000	533	309 158	-0.011 -0.038	0.041	0.022	0.000	-0.012 0.000	-0.003 0.000
492	293 244	0.139 0.141	-0.006 -0.006	-0.017 -0.017	0.000	0.002	0.001	534	310 176	0.515 0.488	0.056 0.056	-0.020 -0.020	0.001 0.001	0.004	-0.011 0.000
493	205 193	0.000	0.383	0.126 0.126	0.000	-0.034 0.029	-0.032 -0.032	535	310 164	0.082 0.055	0.043	0.024 0.024	0.000	-0.013 0.000	-0.004 0.000
494	6 286	0.000	1.073	0.000	0.000	0.000	-0.250 0.094	536	311 182	0.165 0.110	0.035 0.035	0.004	0.028 0.028	-0.001 0.000	-0.014 0.000
495	232 294	0.000	1.073 0.460	0.000	0.000	0.000	-0.250 0.056	537	311 309	-0.022 -0.049	0.030	-0.021 -0.021	-0.021 -0.021	-0.004 -0.016	-0.002 -0.004
496	286 295	0.000	0.306 -0.460	0.000	0.000	0.000	0.094 0.056	538	312 188	0.675	0.037	-0.006 -0.006	0.029	0.002	-0.015 0.000
497	295 231	0.000	-0.460 -1.073	0.000	0.000	0.000	0.056 -0.250	539	312 310	0.620 0.103 0.076	0.040	-0.023 -0.023	-0.021	-0.005 -0.017	-0.004 -0.001
498	296 1	0.000	-0.306 -1.073	0.000	0.000	0.000	0.094 -0.250	540	313 194	0.237 0.154	-0.029 0.004 0.004	0.002 0.002	-0.021 0.052 0.052	-0.017 -0.001 0.000	-0.001 -0.002 0.000
499	294 296	0.000	0.460 -0.306	0.000	0.000	0.000	0.056 0.094	541	313 311	-0.025 -0.052	0.032	-0.054 -0.054	-0.036 -0.036	0.029	-0.002 -0.004
500	223 297	0.000	1.073	0.000	0.000	0.000	-0.250 0.094	542	314	0.800	-0.001	-0.003	0.055	0.002	0.001
501	252 298	0.000	1.073	0.000	0.000	0.000	-0.250 0.056	543	200 314 312	0.718 0.109 0.082	-0.001 0.038 -0.031	-0.003 -0.059 -0.059	0.055 -0.037 -0.037	0.000 0.032 0.000	-0.004
502	297 299	0.000	0.306 -0.460	0.000	0.000	0.000	0.094 0.056	544	315 206	0.120 0.009	-0.004 -0.004	0.001	0.058	-0.001 0.000	-0.002 0.003 0.000
503	299 250	0.000	-0.460 -1.073	0.000	0.000	0.000	0.056 -0.250	545	315	-0.025	0.034	-0.044	-0.042	0.058	-0.003
504	300 217	0.000	-0.306 -1.073	0.000	0.000	0.000	0.094 -0.250	546	313 316 212	-0.053 1.131 1.020	-0.034 -0.021 -0.021	-0.044 -0.001 -0.001	-0.042 0.063 0.063	0.034 0.001 0.000	-0.003 0.017 0.000
505	298 300	0.000	0.460 -0.306	0.000	0.000	0.000	0.056 0.094	547	316 314	0.112 0.084	0.037	-0.042 -0.042	-0.040 -0.040	0.060	-0.004 -0.002
506	231 232	0.000	0.690 -0.690	0.000	0.000	0.000	-0.103 -0.103	565	227 215	-0.079 -0.079	0.031 0.024	-0.184 -0.184	0.000	0.033	0.001
507	250 252	0.000	0.690 -0.690	0.000	0.000	0.000	-0.103 -0.103	566	23	0.016 0.016	-0.091 -0.097	0.238	0.000	-0.064 0.055	0.015 0.017 -0.030
508	230 1	-6.333 -6.195	0.097 -0.097	0.021 0.021	0.008	-0.014 0.022	0.000	567	35 23	-0.037 -0.037	-0.068 -0.075	0.178 0.178	0.000	-0.049 0.040	0.016 -0.020
509	1 301	-0.123 -0.151	0.025 -0.044	0.014 0.014	0.042	-0.060 -0.052	0.000 -0.005	568	47 35	-0.037 -0.078 -0.078	-0.045 -0.052	0.094	0.000	-0.027 0.020	0.015
510	6 229	6.143 6.005	0.097 -0.097	0.022	0.009	-0.024 0.015	0.000	569	59 47	-0.116 -0.116	-0.015 -0.022	0.111 0.111	0.000	-0.028 0.027	0.006
511	217 248	-5.864 -6.002	0.097 -0.097	-0.022 -0.022	-0.009 -0.009	0.024 -0.015	0.000	570	71 59	-0.116 -0.155 -0.155	-0.018 -0.024	0.062 0.062	0.000	-0.018 0.013	0.003
512	217 315	-0.028 -0.055	0.026 -0.043	-0.012 -0.012	-0.045 -0.045	0.063 0.057	0.000 -0.005	571	83 71	-0.192 -0.192	-0.024 -0.009 -0.016	0.039	0.000	-0.012 0.008	0.001
513	223 251	6.260 6.122	0.097 -0.097	-0.024 -0.024	-0.009 -0.009	0.025 -0.015	0.000	572	95 83	-0.223 -0.223	-0.015 -0.005 -0.011	0.002	0.000	-0.003 -0.002	0.001
514	223 316	0.115 0.087	0.028 -0.041	0.139 0.139	-0.051 -0.051	0.000 0.075	0.000	573	107 95	-0.248 -0.248	0.007	-0.015 -0.015	0.000	0.003	-0.001 0.001
515	6 302	0.238 0.210	0.028 -0.041	0.012 0.012	0.045 0.045	-0.064 -0.057	0.000	574	119 107	-0.268 -0.268	0.011 0.004	-0.024 -0.024	0.000	0.006	-0.002 0.001
516	301 14	-0.228 -0.338	-0.003 -0.003	-0.001 -0.001	-0.054 -0.054	0.001	0.002	575	131 119	-0.286 -0.286	0.008	-0.026 -0.026	0.000	0.006	-0.002 0.001
517	301 303	-0.123 -0.150	0.035 -0.034	0.039	0.039	-0.054 -0.033	-0.003 -0.003	576	143	-0.301 -0.301	0.010 0.003	-0.031 -0.031	0.000	0.007	-0.002 0.002
518	302 20	0.576 0.466	-0.004 -0.004	0.002	-0.058 -0.058	-0.002 0.000	0.003	577	155 143	-0.312 -0.312	0.015	-0.040 -0.040	0.000	0.009	-0.003 0.003
519	302 304	0.243 0.215	0.042 -0.027	0.045 0.045	0.042	-0.058 -0.034	-0.005 -0.001	578	167 155	-0.319	0.019	-0.049	0.000	0.011	-0.005
520	303 26	0.276 0.194	0.004	0.000	-0.048 -0.048	0.000	-0.002 0.000	579	179 167	-0.319 -0.318 -0.318	0.012 0.019 0.012	-0.049 -0.061 -0.061	0.000 0.000 0.000	-0.014 0.013 -0.018	0.003 -0.005 0.003
521	303 305	-0.122 -0.149	0.035 -0.034	0.047	0.033	-0.029 -0.003	-0.003 -0.003	580	191 179	-0.318 -0.303 -0.303	0.012 0.026 0.019	-0.086 -0.086	0.000	0.017 -0.026	-0.006 0.005
522	304 32	0.581 0.498	0.004	0.005 0.005	-0.052 -0.052	-0.003 0.000	-0.002 0.000	581	203 191	-0.265 -0.265	0.019 0.031 0.025	-0.119 -0.119	0.000	0.022	-0.007 0.007
523	304 306	0.241 0.213	0.043 -0.026	0.054 0.054	0.036 0.036	-0.030 0.000	-0.005 -0.001	582	215 203	-0.192 -0.192	0.025 0.053 0.046	-0.119 -0.197 -0.197	0.000	0.042	-0.011 0.014
524	305 38	0.471 0.416	0.031 0.031	-0.002 -0.002	-0.028 -0.028	0.001	-0.012 0.000		200	0.192	0.040	0.157	0.000	0.050	5.014

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
600	221 209	0.023 0.023	-0.023 -0.030	-0.224 -0.224	0.000	0.047 -0.065	0.015 0.001	23	23 262	-0.145 -0.146	-0.030 -0.032	0.069	0.000	-0.033 -0.014	0.015 0.007
601	17 5	0.030	-0.040 -0.046	0.113 0.113	0.000	-0.037 0.019	0.013	24	20 21	-0.049 -0.054	-0.052 -0.052	0.024 0.024	0.000	0.000 0.012	0.000 -0.026
602	29 17	0.070 0.070	0.037	0.062 0.062	0.000	-0.029 0.002	0.003 0.019	25	17 24	0.288	0.009 -0.002	0.014 0.014	-0.001 -0.001	-0.029 -0.017	0.010 0.013
603	41 29	0.131 0.131	-0.012 -0.019	-0.040 -0.040	0.000	0.008	0.017	26	14 16	-0.059 -0.070	0.031	-0.047 -0.047	0.000	0.047	-0.024 0.004
604	53 41	1.200	-0.006 -0.013	-0.007 -0.007	0.000	-0.006 -0.009	0.005	27	24 23	0.245 0.245	-0.042 -0.054	0.070	0.000	-0.018 0.042	0.011
605	65 53	1.240	0.003	0.019	0.000	-0.011 -0.002	0.005	28	18 24	0.033	-0.043 -0.043	0.056	0.000	-0.032 0.001	0.023
606	77 65	1.205 1.205	0.026 0.020	0.004	0.000	-0.008 -0.006	-0.001 0.011	29	14 15	0.037 0.031	-0.022 -0.022	0.004	0.000	0.000	0.000 -0.011
607	89 77	1.125 1.125	0.018 0.011	-0.018 -0.018	0.000	0.000	0.000	30	20 22	0.181 0.170	-0.032 -0.039	0.043	-0.001 -0.001	-0.048 -0.006	0.027 -0.008
608	101 89	1.033	0.017 0.010	-0.029 -0.029	0.000	0.004	-0.001 0.006	31	25 303	2.352 2.297	-0.007 -0.007	-0.191 -0.191	0.022	0.000	0.000
609	113 101	0.936 0.936	0.015 0.009	-0.030 -0.030	0.000	0.005 -0.010	-0.001 0.005	32	27 28	0.077	0.016 0.010	-0.032 -0.032	0.000	0.028	-0.010 -0.002
610	125 113	0.838	0.017	-0.032 -0.032	0.000	0.007	-0.002 0.005	33	28 264	0.072 0.071	-0.003 -0.004	-0.066 -0.066	0.000	0.010	-0.007 -0.008
611	137 125	0.738 0.738	0.014	-0.035 -0.035	0.000	0.007	-0.002 0.004	34	29 269	0.031	0.021 0.019	-0.067 -0.067	0.000	0.013	-0.012 -0.007
612	149 137	0.639	0.008	-0.038 -0.038	0.000	0.007 -0.012	0.001	35	31 304	0.977	-0.001 -0.001	-0.132 -0.132	0.005	0.000	0.000
613	161 149	0.538 0.538	0.004	-0.044 -0.044	0.000	0.007 -0.015	0.004	36	33 34	-0.120 -0.123	-0.049 -0.054	0.118 0.118	-0.001 -0.001	-0.076 -0.005	0.029
614	173 161	0.437 0.437	0.001	-0.055 -0.055	0.000	0.007 -0.021	0.008	37	34 261	0.016 0.015	0.007	0.145 0.145	0.001	-0.012 0.008	-0.003 -0.002
615	185 173	0.333	-0.008 -0.014	-0.074 -0.074	0.000	0.008	0.013	38	35 30	0.043	-0.051 -0.060	0.092	0.000	-0.046 0.048	0.028
616	197 185	0.228 0.228	-0.015 -0.021	-0.108 -0.108	0.000	0.012 -0.042	0.018	39	32 33	-0.088 -0.094	-0.058 -0.058	0.028 0.028	0.000	0.000 0.014	0.000 -0.029
617	209 197	0.124 0.124	-0.027 -0.034	-0.176 -0.176	0.000	0.029 -0.059	0.022	40	29 36	0.006	0.024 0.013	0.003	-0.001 -0.001	-0.025 -0.023	0.002 0.017
Load c	ase 5	(Linear): SW	+Seism on Z	direction				41	26 28	0.005 -0.007	-0.005 -0.012	-0.034 -0.034	0.000	0.035	0.003
Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	42	36 35	-0.064 -0.064	-0.042 -0.053	0.093	0.000	-0.024 0.055	0.012
1	1 12	-12.522 -13.074	-0.196 -0.196	-1.998 -1.998	0.089	1.295	-0.141 -0.336	43	30 36	0.047	-0.070 -0.070	0.090	0.000	-0.051 0.001	0.035 -0.005
2	2 4	-7.296 -7.300	0.039	-0.053 -0.053	0.000	0.036	-0.021 0.000	44	26 27	0.103 0.098	-0.019 -0.019	-0.003 -0.003	0.000	0.000	0.000 -0.010
3	4 5	-7.320 -7.324	0.012 0.006	-0.054 -0.054	0.000	0.003	0.004	45	32 34	0.163 0.152	0.003	0.028	-0.001 -0.001	-0.034 -0.007	0.000
4	5 234	-7.373 -7.376	-0.046 -0.051	0.040	-0.001 -0.001	-0.024 -0.005	0.022 -0.001	46	37 305	0.266 0.183	-0.007 -0.007	-0.083 -0.083	0.025 0.025	0.000	0.000
5	6 13	-1.248 -1.799	0.207	-1.647 -1.647	0.073 0.073	0.977 -0.670	-0.065 0.142	47	39 40	0.015 0.011	0.020 0.014	-0.028 -0.028	0.000	0.024	-0.009 0.002
6	7 8	0.181 0.177	-0.055 -0.060	0.113 0.113	0.000	-0.070 -0.001	0.034	48	40 270	0.040	-0.027 -0.032	-0.050 -0.050	0.000	0.009 -0.017	-0.012 -0.027
7	9	0.208 0.204	-0.022 -0.027	0.112 0.112	0.000	-0.002 0.066	-0.004 -0.019	49	41 42	-0.010 -0.016	0.032	-0.017 -0.017	0.000	0.014	-0.022 0.006
8	9 233	0.533	0.040	0.038	0.000	-0.015 0.003	-0.015 0.003	50	43 306	0.417 0.334	-0.001 -0.001	-0.059 -0.059	0.005	0.000	0.000
9	13 7	-1.014 -1.019	-0.030 -0.030	0.022	0.000	0.000	0.000 -0.015	51	45 46	-0.081 -0.085	-0.057 -0.062	0.126 0.126	-0.001 -0.001	-0.082 -0.005	0.032
10	219 260	-0.484 -0.479	-0.024 -0.029	0.024 0.024	0.000	-0.009 0.008	0.010	52	46 47	-0.015 -0.019	0.019 0.014	0.133 0.133	0.002	-0.014 0.067	0.006 0.016
11	225 246	-0.574 -0.568	0.027 0.022	-0.028 -0.028	0.000	0.013 -0.007	-0.012 0.005	53	47 42	-0.021 -0.028	-0.069 -0.078	0.111 0.111	0.000	-0.057 0.057	0.040 -0.036
12	10 235	0.188 0.188	0.000	-0.001 -0.001	0.000	0.000	0.008	54	44 45	-0.094 -0.100	-0.063 -0.063	0.031	0.000	0.000	0.000 -0.032
13	7 239	-0.141 -0.136	0.037	-0.027 -0.027	0.000	0.013	-0.016 0.008	55	41 48	0.100 0.100	0.044	0.010 0.010	-0.001 -0.001	-0.032 -0.023	-0.010 0.022
14	12 2	-17.017 -17.023	-0.003 -0.003	0.009	0.000	0.000	0.000	56	38 40	0.020	-0.043 -0.050	-0.022 -0.022	0.001	0.022	0.032
15	2 243	8.683 8.689	-0.010 -0.015	0.041	0.000	-0.019 0.010	0.008	57	48 47	0.005	-0.034 -0.045	0.104 0.104	0.000	-0.024 0.065	0.010 -0.024
16	11 301	5.953 5.926	-0.015 -0.015	-0.505 -0.505	0.014 0.014	0.000	0.000	58	42 48	0.058	-0.095 -0.095	0.094	0.001	-0.053 0.001	0.042
17	15 16	0.034	0.019 0.013	-0.038 -0.038	0.000	0.030	-0.011 -0.001	59	38 39	0.015 0.009	-0.017 -0.017	-0.008 -0.008	0.000	0.000	0.000
18	16 17	-0.043 -0.047	0.006 0.001	-0.086 -0.086	0.000	0.008 -0.044	0.002	60	44 46	0.109 0.098	0.051 0.044	0.007	-0.001 -0.001	-0.016 -0.009	-0.036 0.010
19	17 263	-0.310 -0.311	0.005	0.001	0.000	0.004	-0.005 -0.004	61	49 307	-0.315 -0.425	-0.015 -0.015	-0.022 -0.022	0.024 0.024	0.000 -0.018	0.000 -0.012
20	19 302	2.342 2.315	0.000	-0.354 -0.354	0.005 0.005	0.000 -0.071	0.000	62	51 52	0.093	0.026 0.020	-0.056 -0.056	0.000	0.026 -0.008	-0.008 0.006
21	21 22	-0.100 -0.104	-0.040 -0.046	0.109 0.109	-0.001 -0.001	-0.071 -0.006	0.026 0.001	63	52 271	0.255 0.254	-0.045 -0.046	-0.071 -0.071	0.002	-0.011 -0.021	-0.033 -0.039
22	22 23	0.067 0.063	-0.009 -0.014	0.152 0.152	0.001	-0.011 0.081	-0.007 -0.014	64	53 54	0.075 0.069	0.031 0.022	0.003	0.000	0.008 0.011	-0.026 0.001

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
65	55 308	0.009 -0.102	-0.003 -0.003	-0.018 -0.018	0.004	0.000 -0.014	0.000	106	85 86	1.286	0.000	0.000	-0.013 -0.013	0.000	0.000
66	57 58	-0.141 -0.145	-0.073 -0.078	0.134 0.134	-0.001 -0.001	-0.086 -0.005	0.035 -0.010	107	87 88	-0.993 -0.996	0.007	-0.196 -0.196	0.003	0.138 0.020	-0.044 -0.041
67	58 59	-0.092 -0.096	0.060	0.113 0.113	0.002	-0.015 0.053	0.011 0.046	108	88 89	0.375 0.371	0.271 0.266	-0.127 -0.127	-0.003 -0.003	0.036 -0.041	-0.156 0.006
68	59 54	0.067 0.061	-0.095 -0.105	0.137 0.137	0.000	-0.073 0.067	0.057 -0.045	109	89 90	0.333	0.044	-0.157 -0.157	0.000	0.070 -0.091	-0.006 0.034
69	56 57	-0.118 -0.124	-0.070 -0.070	0.034	0.000	0.000	0.000 -0.035	110	91 92	0.443	0.000	0.000	-0.001 -0.001	0.000	0.000
70	53 60	-0.089 -0.089	0.057	0.030	-0.001 -0.001	-0.044 -0.018	-0.020 0.024	111	93 94	0.083	-0.052 -0.057	0.032	-0.001 -0.001	-0.029 -0.010	0.017 -0.016
71	50 52	0.134 0.123	-0.123 -0.129	-0.015 -0.015	0.001 0.001	0.010	0.085 -0.038	112	94 95	0.074	0.145 0.139	-0.009 -0.009	0.000	-0.014 -0.020	0.023 0.109
72	60 59	-0.207 -0.207	-0.010 -0.022	0.110 0.110	0.000	-0.019 0.074	0.002 -0.011	113	95 90	0.209	-0.030 -0.039	0.023	0.000	-0.017 0.007	0.024
73	54 60	0.049	-0.118 -0.118	0.080	0.001 0.001	-0.045 0.001	0.046 -0.022	114	92 93	-0.069 -0.075	-0.034 -0.034	0.014 0.014	0.000	0.000	0.000 -0.017
74	50 51	0.159 0.154	-0.015 -0.015	-0.006 -0.006	0.000	0.000	0.000	115	89 96	-0.040 -0.040	-0.012 -0.023	-0.175 -0.175	0.000	0.100 -0.048	0.011
75	56 58	0.118 0.106	0.110 0.103	-0.021 -0.021	-0.001 -0.001	0.010 -0.011	-0.083 0.021	116	86 88	1.367 1.356	-0.332 -0.338	0.069	0.002	-0.050 0.017	0.212 -0.115
76	61 62	6.749 6.197	-3.115 -3.115	-2.563 -2.563	0.288	1.421 -1.143	3.131 0.016	117	96 95	-0.107 -0.107	0.102 0.091	-0.041 -0.041	0.001	-0.047 -0.082	0.003 0.085
77	63 272	-0.925 -0.927	-0.090 -0.093	0.063	0.001	-0.009 0.014	0.015 -0.019	118	90 96	-0.133 -0.125	-0.067 -0.067	0.133 0.133	-0.001 -0.001	-0.076 0.001	0.045 0.006
78	64 65	0.600	0.303	0.022	-0.001 -0.001	0.026	-0.165 0.016	119	86 87	-0.962 -0.967	-0.087 -0.087	0.053 0.053	0.000	0.000 0.026	0.000
79	65 66	0.452	-0.023 -0.032	0.071	0.000	-0.029 0.044	0.005	120	92 94	0.092 0.081	0.192 0.185	-0.042 -0.042	-0.001 -0.001	0.036 -0.005	-0.144 0.040
80	67 68	4.207 3.656	-0.335 -0.335	-1.918 -1.918	0.049	1.040	0.637 0.301	121	97 98	-1.006 -1.144	0.000	0.000	-0.024 -0.024	0.000	0.000
81	69 70	0.015 0.011	-0.097 -0.102	0.138 0.138	-0.002 -0.002	-0.087 -0.004	0.039 -0.021	122	99 100	0.076 0.072	0.040 0.035	-0.103 -0.103	0.001	0.076 0.014	-0.028 -0.005
82	70 71	0.112 0.108	0.133 0.128	0.082	0.002	-0.016 0.033	0.010	123	100 101	0.263 0.259	-0.020 -0.026	-0.085 -0.085	-0.002 -0.002	0.023 -0.028	-0.041 -0.055
83	71 66	0.268 0.261	-0.122 -0.131	0.157 0.157	0.000	-0.086 0.075	0.075 -0.054	124	101 102	0.094	0.055 0.045	-0.115 -0.115	0.000	0.054 -0.064	-0.021 0.030
84	68 69	-0.144 -0.150	-0.077 -0.077	0.037 0.037	0.000	0.000	0.000	125	103 104	-0.663 -0.801	0.000	0.000	-0.004 -0.004	0.000	0.000
85	65 72	-0.114 -0.114	0.001	0.064	0.000	-0.063 -0.008	0.012	126	105 106	-0.031 -0.035	-0.030 -0.035	0.043	-0.001 -0.001	-0.036 -0.010	0.016 -0.004
86	62 64	1.751	-0.337 -0.343	0.045 0.045	0.001 0.001	-0.039 0.004	0.212 -0.120	127	106 107	-0.142 -0.146	0.055 0.050	0.031 0.031	0.000	-0.015 0.004	0.029 0.061
87	72	-0.207	0.038	0.094	0.000	-0.009	-0.015	128	107 102	0.039	-0.010 -0.020	0.014 0.014	0.000	-0.009 0.005	0.010 -0.006
88	71 66	-0.207	-0.093	0.029	0.000	-0.017	0.013	129	104 105	-0.042 -0.048	-0.031 -0.031	0.013 0.013	0.000	0.000	0.000 -0.016
89	72 62	-0.049	0.030	0.029	0.001	0.000	0.000	130	101 108	-0.010 -0.010	0.054	-0.149 -0.149	0.000	0.095 -0.031	-0.034 0.008
90	68	0.203	0.030	-0.053	0.000	0.042	0.015	131	98 100	0.160 0.149	-0.124 -0.131	0.018 0.018	0.001	-0.008 0.010	0.088
91	70	0.192 4.744	0.170	0.000	0.001	0.000	0.031	132	108 107	-0.071 -0.071	0.056 0.044	-0.043 -0.043	0.001	-0.031 -0.067	0.009 0.051
92	74	4.606 -6.088	-0.147	-0.130	0.007	0.000	0.000	133	102 108	-0.021 -0.013	-0.061 -0.061	0.106 0.106	-0.001 -0.001	-0.060 0.001	0.036 0.001
93	76 76	-6.092 -2.635	0.784	-0.130	-0.003	0.017	-0.097	134	98 99	0.144 0.138	-0.055 -0.055	0.020 0.020	0.000	0.000	0.000 -0.027
94	77	-2.639	-0.049	-0.042	0.003	0.008	0.134	135	104 106	-0.047 -0.058	0.134 0.127	-0.012 -0.012	-0.001 -0.001	0.008	-0.094 0.033
95	78	1.625	0.000	0.000	0.000	0.019	0.000	136	109 110	0.954 0.403	-1.763 -1.763	-2.699 -2.699	-0.317 -0.317	1.471 -1.228	1.978 0.214
96	81	1.487	0.000	0.000	0.002	-0.056	0.000	137	111 112	0.088	0.033	-0.074 -0.074	0.001	0.056 0.012	-0.021 -0.003
97	82	-0.594	0.200	0.084	0.001	-0.005 -0.014	0.011	138	112 113	0.117 0.113	-0.029 -0.035	-0.080 -0.080	-0.001 -0.001	0.018 -0.030	-0.021 -0.040
98	83	-0.483 0.375	0.194	0.011	0.001	-0.007 -0.059	0.130	139	113 114	-0.002 -0.009	0.040 0.031	-0.079 -0.079	0.000	0.037 -0.044	-0.015 0.021
99	78 80	0.369	-0.102	0.102	0.000	0.045	0.000	140	115 116	0.842	-0.423 -0.423	-1.955 -1.955	-0.068 -0.068	1.065 -0.890	0.597 0.173
100	81 77	-0.192 -1.553	-0.061 -0.131	0.028	0.000	0.014	0.030	141	117 118	-0.039 -0.043	-0.026 -0.031	0.058 0.058	-0.001 -0.001	-0.044 -0.009	0.017 0.000
101	84 74	-1.553 3.539	-0.142	0.089	0.000	-0.031	0.361	142	118 119	-0.115 -0.119	0.017 0.012	0.066 0.066	0.000	-0.013 0.026	0.022 0.031
102	76 84	3.527	0.109	0.089	0.002	0.016	-0.240	143	119 114	-0.020 -0.027	-0.009 -0.018	0.022 0.022	0.000	-0.011 0.011	0.007 -0.007
103	83 78	-1.587 -0.259	0.098	0.027	0.000	-0.008	0.069	144	116 117	-0.040 -0.045	-0.034 -0.034	0.015 0.015	0.000	0.000	0.000 -0.017
104	84 74	1.699	-0.034	0.064	0.000	0.000	0.005	145	113 120	0.049	0.044	-0.104 -0.104	0.000	0.064 -0.025	-0.024 0.009
105	75 80	1.694 0.242	-0.049 0.229	0.040	0.000	0.020	-0.024	146	110 112	0.017 0.006	-0.059 -0.065	-0.007 -0.007	0.001	0.013 0.007	0.042 -0.018
	82	0.231	0.222	-0.073	-0.001	-0.009	0.040	147	120 119	0.002 0.002	0.022 0.010	-0.016 -0.016	0.001 0.001	-0.025 -0.038	0.011 0.024

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
148	114 120	0.004 0.011	-0.046 -0.046	0.088	0.000	-0.050 0.001	0.029	189	152 153	-0.055 -0.061	-0.042 -0.042	0.019	0.000	0.010	0.000 -0.021
149	110 111	0.109 0.103	-0.041 -0.041	0.012 0.012	0.000	0.000	0.000 -0.021	190	149 156	0.063	0.016 0.005	-0.056 -0.056	0.000	0.020 -0.027	0.002 0.010
150	116 118	-0.033 -0.045	0.081	0.008	-0.001 -0.001	-0.012 -0.004	-0.054 0.022	191	146 148	0.037 0.026	-0.006 -0.013	-0.033 -0.033	0.001	0.036	0.002
151	121 122	1.810 1.672	0.000	0.000	-0.015 -0.015	0.000	0.000	192	156 155	0.018 0.018	-0.020 -0.031	0.041	0.000	-0.027 0.007	0.014
152	123 124	0.064	0.024	-0.066 -0.066	0.001	0.051 0.011	-0.018 -0.005	193	150 156	0.017 0.025	-0.045 -0.045	0.096 0.096	0.000	-0.054 0.001	0.030
153	124 125	0.104 0.100	-0.001 -0.007	-0.088 -0.088	-0.001 -0.001	0.016 -0.037	-0.018 -0.021	194	146 147	0.062 0.057	-0.033 -0.033	0.009	0.000	0.000	0.000 -0.016
154	125 126	-0.002 -0.009	0.031	-0.065 -0.065	0.000	0.030 -0.036	-0.011 0.017	195	152 154	0.130 0.119	0.003	0.033	-0.001 -0.001	-0.036 -0.004	0.001
155	127 128	1.357	0.000	0.000	-0.005 -0.005	0.000	0.000	196	157 158	-3.183 -3.735	-0.240 -0.240	-2.652 -2.652	-0.069 -0.069	1.442 -1.209	0.428 0.187
156	129 130	-0.052 -0.056	-0.028 -0.033	0.068	-0.001 -0.001	-0.049 -0.008	0.019	197	159 278	0.055 0.053	0.022 0.018	-0.061 -0.061	0.001	0.046 0.024	-0.017 -0.009
157	130 131	-0.046 -0.050	0.009	0.090	0.000	-0.013 0.042	0.012 0.016	198	160 161	0.068 0.065	0.014	-0.094 -0.094	-0.001 -0.001	0.013 -0.043	-0.012 -0.005
158	131 126	-0.009 -0.015	-0.014 -0.024	0.035 0.035	0.000	-0.017 0.019	0.008 -0.011	199	161 162	0.000 -0.007	0.024 0.015	-0.051 -0.051	0.000	0.024 -0.029	-0.008 0.013
159	128 129	-0.015 -0.046 -0.051	-0.038 -0.038	0.017 0.017	0.000	0.000	0.000	200	163 164	-2.020 -2.571	0.080	-1.906 -1.906	-0.058 -0.058	1.037 -0.869	0.005 0.085
160	125	0.069	0.028	-0.078	0.000	0.041	-0.010	201	165 283	-0.075 -0.078	-0.034 -0.038	0.084	-0.001 -0.001	-0.057 -0.026	0.022
161	132	0.069	0.016	-0.078	0.000	0.026	0.009	202	166 167	0.048 0.045	0.009	0.117 0.117	0.001	-0.011 0.060	-0.001 0.003
162	124	0.031	0.000	0.011	0.001	-0.025	0.013	203	167 162	0.018 0.012	-0.026 -0.035	0.058 0.058	0.000	-0.028 0.031	0.013 -0.018
163	131	0.027	-0.011	0.011	0.001	-0.016 -0.051	0.008	204	164 165	-0.058 -0.063	-0.044 -0.044	0.020 0.020	0.000	0.000 0.010	0.000 -0.022
164	132	0.016	-0.043	0.089	0.000	0.001	0.003	205	161 168	0.060	0.015 0.003	-0.052 -0.052	0.000	0.017 -0.027	0.003
165	123	0.068	0.041	0.009	0.000	0.005	-0.018 -0.025	206	158 160	0.026 0.015	-0.003 -0.009	-0.033 -0.033	0.001	0.036	-0.001 -0.006
166	130	0.027	0.034	0.022	-0.001	0.004	0.012	207	168 167	0.014 0.014	-0.024 -0.035	0.046	0.000	-0.027 0.011	0.015 -0.011
167	134	0.426	0.000	0.000	0.001	0.000	0.000	208	162 168	0.020 0.027	-0.046 -0.046	0.098	0.000	-0.055 0.001	0.030 0.004
168	136 136	0.048	0.015	-0.063	-0.001	0.011	-0.006 -0.016	209	158 159	0.064 0.059	-0.033 -0.033	0.011 0.011	0.000	0.000	0.000 -0.017
169	137	0.086	0.006	-0.093 -0.058	0.000	-0.041 0.027	-0.011 -0.009	210	164 166	0.147 0.136	-0.003 -0.009	0.034	-0.001 -0.001	-0.038 -0.004	0.005
170	138	-0.005 0.491	0.018	-0.058	0.000	0.000	0.014	211	169 309	1.194	-0.003 -0.003	-0.023 -0.023	-0.003 -0.003	0.000 -0.018	0.000
171	140	0.353	0.000	0.000	-0.005 -0.001	0.000	0.000	212	171 172	0.056 0.052	0.023 0.017	-0.061 -0.061	0.001	0.046	-0.017 -0.005
172	142 142	-0.068	-0.036 0.009	0.076	0.001	-0.007 -0.012	0.000	213	172 277	0.057 0.056	0.014 0.013	-0.096 -0.096	-0.001 -0.001	0.013	-0.010 -0.008
173	143	0.002	0.003	0.105	0.001	0.052	0.008	214	173 174	-0.004 -0.010	0.024 0.014	-0.051 -0.051	0.000	0.023	-0.007 0.012
174	138	0.000	-0.029 -0.041	0.047	0.000	0.025	0.000	215	175 310	0.955 0.845	-0.002 -0.002	-0.017 -0.017	-0.003 -0.003	0.000 -0.014	0.000
175	141	-0.057 0.067	0.041	0.018	0.000	0.009	-0.020	216	177 178	-0.077 -0.081	-0.034 -0.040	0.084	-0.001 -0.001	-0.057 -0.007	0.022
176	144	0.067	0.008	-0.063	0.000	-0.027	0.010	217	178 282	0.057	0.009	0.120 0.120	0.001	-0.011 0.006	-0.003 -0.001
177	136	0.036	-0.021	-0.029	0.001	0.004	-0.010	218	179 174	0.018 0.012	-0.026 -0.035	0.059	0.000	-0.028 0.032	0.013 -0.018
178	143	0.024	-0.024	0.030	0.000	-0.001	-0.002	219	176 177	-0.060 -0.066	-0.044 -0.044	0.020	0.000	0.000	0.000
179	144	0.021	-0.044	0.093	0.000	0.001	0.004	220	173 180	0.059	0.014	-0.051 -0.051	0.000	0.016 -0.028	0.004 0.011
	135	0.056	-0.034	0.009	0.000	0.004	-0.017	221	170	0.014	0.002	-0.034	0.001	0.037	-0.004
180	140 142	0.085	0.016	0.029	-0.001 -0.001	-0.033 -0.004	-0.008 0.005	222	172	0.003	-0.005	0.047	0.001	0.004	0.015
181	145 146	-1.174 -1.312	0.000	0.000	-0.008	0.000	0.000	223	179	0.013	-0.037	0.047	0.000	-0.056	0.012
182	147 148	0.053	0.021 0.015	-0.061 -0.061	0.001	0.047	-0.017 -0.006	224	180 170	0.028	-0.046	0.098	0.000	0.001	0.004
183	148 149	0.078	0.014	-0.094 -0.094	-0.001 -0.001	0.014	-0.013 -0.006	225	171	0.057	-0.034	0.013	-0.001	0.007	0.009
184	149 150	0.001	0.025 0.016	-0.054 -0.054	0.000	0.025 -0.030	-0.008 0.013	226	178 181	0.146	0.000	0.036	-0.001	0.004	0.002
185	151 152	-0.752 -0.890	0.000	0.000	-0.005 -0.005	0.000	0.000	227	311 183	0.774	0.000	-0.081	0.002	0.049	0.000
186	153 154	-0.072 -0.075	-0.033 -0.038	0.081	-0.001 -0.001	-0.056 -0.007	0.021	228	184 184	0.057	0.018	-0.063	0.001	0.009	-0.005
187	154 155	0.034	0.009	0.114 0.114	0.001	-0.011 0.057	0.001 0.005	229	276 185	0.047	0.010	-0.099 -0.051	0.000	-0.038 0.023	-0.003 -0.007
188	155 150	0.015 0.009	-0.024 -0.033	0.054	0.000	-0.026 0.029	0.012 -0.017	230	186 187	-0.007 0.725	0.014	-0.051 -0.058	0.000	0.000	0.012
									312	0.643	-0.001	-0.058	-0.002	-0.035	0.000

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
231	189 190	-0.079 -0.082	-0.034 -0.039	0.083	-0.001 -0.001	-0.057 -0.007	0.022 0.000	272	219 220	0.354	0.043	-0.075 -0.075	0.000	0.049	-0.026 -0.001
232	190 281	0.066	0.009	0.121 0.121	0.001	-0.011 0.051	-0.004 -0.001	273	220 221	0.331	0.014	-0.074 -0.074	0.000	0.004 -0.041	0.001
233	191 186	0.028 0.021	-0.024 -0.034	0.058	0.000	-0.028 0.032	0.012 -0.018	274	221 222	0.107	0.005	-0.036 -0.036	0.000	0.012 -0.025	0.004
234	188 189	-0.058 -0.064	-0.043 -0.043	0.020	0.000	0.000	0.000 -0.022	275	223 224	3.755 3.204	0.075 0.075	-1.679 -1.679	0.055 0.055	0.987 -0.692	-0.041 0.034
235	185 192	0.055 0.055	0.013	-0.053 -0.053	0.000	0.017 -0.028	0.005 0.010	276	225 226	0.238	-0.057 -0.062	0.099	0.000	-0.063 -0.003	0.034
236	182 184	0.003	0.006 -0.001	-0.035 -0.035	0.001	0.038	-0.007 -0.004	277	226 227	0.273 0.270	-0.011 -0.016	0.099	0.000	-0.003 0.057	-0.005 -0.013
237	192 191	0.011 0.011	-0.027 -0.038	0.046	0.000	-0.028 0.011	0.015 -0.012	278	227 222	0.084	0.024	0.020	0.000	-0.006 0.015	-0.015 0.004
238	186 192	0.020 0.028	-0.044 -0.044	0.099	0.000	-0.056 0.001	0.030	279	224 225	1.573 1.567	-0.018 -0.018	0.016 0.016	0.000	0.000	0.000
239	182 183	0.067 0.062	-0.035 -0.035	0.016 0.016	0.000	0.000	0.000 -0.018	280	3 273	13.268 13.270	0.040	-0.029 -0.029	0.000	0.012 -0.006	-0.009 0.014
240	188 190	0.166 0.155	-0.013 -0.020	0.038	-0.001 -0.001	-0.041 -0.004	0.012 -0.003	281	269 30	0.008	0.020 0.014	-0.034 -0.034	0.000	0.014 -0.012	-0.007 0.006
241	193 313	-0.840 -0.895	0.001 0.001	-0.189 -0.189	-0.002 -0.002	0.000 -0.076	0.000	282	269 270	13.406 13.409	-0.038 -0.045	0.043	0.000	-0.008 0.019	0.009 -0.017
242	195 196	0.072	0.026	-0.067 -0.067	0.001	0.050	-0.019 -0.005	283	270 41	0.196 0.195	-0.054 -0.055	-0.263 -0.263	0.000	0.015 -0.009	-0.027 -0.032
243	196 266	0.039	0.014 0.013	-0.104 -0.104	-0.001 -0.001	0.013 -0.001	-0.007 -0.005	284	218 219	6.129 6.123	-0.028 -0.028	0.031	0.000	0.000 0.016	0.000 -0.014
244	197 275	-0.031 -0.033	0.023	-0.054 -0.054	0.000	0.024	-0.005 0.001	285	225 212	-1.363 -1.358	0.029 0.024	-0.038 -0.038	0.000	0.019 -0.008	-0.014 0.005
245	199	0.198	0.001	-0.133 -0.133	0.000	0.000	0.000	286	225 213	0.856 0.856	0.071 0.065	-0.101 -0.101	0.000	0.029 -0.021	-0.023 0.011
246	201	-0.068 -0.072	-0.032 -0.037	0.082	-0.001 -0.001	-0.056 -0.007	0.021 0.001	287	224 212	0.472 0.472	1.416 1.140	-0.083 -0.083	-0.019 -0.019	-0.040 -0.082	-0.670 -0.031
247	202	0.072 0.071	0.002	0.124 0.124	0.000	-0.011 0.007	-0.004 -0.003	288	21 7	-1.005 -1.005	0.090	-0.143 -0.143	0.000	0.020 -0.051	-0.010 0.033
248	203	-0.019 -0.021	-0.021 -0.024	0.055	0.000	-0.026 -0.010	0.010 0.003	289	20 13	-0.419 -0.419	1.368	-0.025 -0.025	-0.131 -0.131	-0.005 -0.018	0.024
249	200 201	-0.052 -0.057	-0.043 -0.043	0.020 0.020	0.000	0.000	0.000 -0.021	290	33 21	-0.872 -0.872	0.062 0.055	-0.135 -0.135	0.000	0.028 -0.039	-0.012 0.017
250	197	0.090	0.011	-0.058 -0.058	0.000	0.020	0.006 0.010	291	32 20	2.005 2.005	0.450 0.174	-0.087 -0.087	-0.157 -0.157	0.007 -0.036	-0.092 0.064
251	194 196	-0.018 -0.029	0.014 0.007	-0.037 -0.037	0.001 0.001	0.041	-0.012 -0.002	292	45 33	-0.726 -0.726	0.055 0.048	-0.122 -0.122	0.000	0.025 -0.035	-0.010 0.016
252	204	0.050	-0.030 -0.042	0.045 0.045	0.001 0.001 0.001	-0.029 0.009	0.017 -0.014	293	44 32	3.255 3.255	0.038	-0.109 -0.109	-0.157 -0.157	0.038 -0.016	-0.014 -0.064
253	198 204	0.022	-0.040	0.103	0.000	-0.058	0.030	294	57 45	-0.569 -0.569	0.069 0.062	-0.149 -0.149	0.000	0.032 -0.043	-0.013 0.019
254	194	0.030	-0.040	0.103	0.000	0.001	0.007	295	56 44	4.391 4.391	0.100 -0.175	-0.057 -0.057	-0.121 -0.121	0.053 0.025	0.018
255	200	0.071	-0.037	0.019	0.000	-0.045	0.019	296	69 57	-0.400 -0.400	0.060 0.053	-0.144 -0.144	-0.001 -0.001	0.031 -0.040	-0.012 0.017
256	202	0.147	0.001	0.042	-0.001	0.004	0.004	297	68 56	5.228 5.228	0.973 0.697	0.042	-0.039 -0.039	0.033 0.054	-0.409 0.008
257	315 207	0.109	0.001	-0.495	0.001	0.052	0.000	298	81 69	-0.225 -0.225	0.144 0.137	-0.287 -0.287	-0.001 -0.001	0.102 -0.042	-0.053 0.017
258	208	0.106	0.023	-0.072	-0.001	0.009	-0.004	299	80 68	-3.547 -3.547	1.043	-0.170 -0.170	-0.201 -0.201	0.090	-0.021 0.431
259	209	0.027	0.007	-0.113	0.000	0.024	0.004	300	93 81	-0.113 -0.113	-0.065 -0.072	0.089	0.000	0.010 0.055	-0.003 -0.037
260	265	0.062	0.017	-0.053	0.000	0.009	0.002	301	92 80	-2.328 -2.328	-0.030 -0.305	-0.037 -0.037	-0.021 -0.021	0.136 0.118	0.009 -0.075
261	316 213	-1.209	0.009	0.082	-0.001	-0.070	0.002	302	105 93	-0.066 -0.066	0.019 0.013	-0.043 -0.043	0.001	0.007 -0.014	-0.002 0.006
262	214	0.037	-0.031	0.082	0.001	-0.007	0.004	303	104 92	-1.065 -1.065	0.050 -0.226	0.115 0.115	0.123 0.123	0.097 0.155	0.021
263	215 215	0.033	-0.025	0.129	0.000	0.067	0.004	304	117 105	-0.009 -0.009	0.032 0.025	-0.065 -0.065	0.000	0.009 -0.023	-0.003 0.011
264	267 212	0.119	-0.015	0.048	0.000	0.000	0.000	305	116 104	0.230 0.230	1.112 0.836	0.286 0.286	0.217 0.217	-0.039 0.104	-0.473 0.014
265	213	-0.075 -0.018	0.007	0.018	0.000	0.009	0.020	306	129 117	0.063 0.063	0.040	-0.081 -0.081	0.000	0.013 -0.027	-0.005 0.013
266	216 206	-0.018	0.029	-0.058	0.000	0.027	0.009	307	128 116	-0.412 -0.412	1.071 0.795	-0.017 -0.017	0.098	0.031 0.022	-0.040 0.427
267	208 216	-0.072 -0.046	0.023	0.036	0.001	0.004	0.002	308	141 129	0.148 0.148	0.046 0.039	-0.091 -0.091	0.000	0.018 -0.028	-0.008 0.014
268	215 210	-0.046 0.025	-0.048	0.036	0.001	0.004	-0.018 0.025	309	140 128	0.913 0.913	0.135 -0.140	0.036 0.036	0.122 0.122	0.004 0.022	-0.017 -0.018
269	216 206	0.032	-0.028	0.094	0.000	0.001	0.009	310	153 141	0.243 0.243	0.048 0.041	-0.096 -0.096	0.000	0.021 -0.027	-0.010 0.013
270	207	0.093	-0.039	0.022	0.000	0.011	-0.020 0.025	311	152 140	2.244 2.244	0.098 -0.178	0.041	0.130 0.130	-0.029 -0.009	0.030 0.011
271	214 217	0.097 7.900	-0.033	0.047	-0.001 -0.076	-0.004 1.329	0.018	312	165 153	0.343	0.048	-0.097 -0.097	0.000	0.023 -0.026	-0.011 0.012
	218	7.348	-0.008	-2.150	-0.076	-0.821	0.010	313	164 152	3.577 3.577	1.322	0.020 0.020	0.129 0.129	-0.054 -0.044	-0.531 0.061

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
314	177 165	0.446 0.446	0.047	-0.098 -0.098	0.000	0.024 -0.025	-0.011 0.011	355	86 74	-1.351 -1.351	0.647	0.245 0.245	0.130	0.853 0.975	-0.094 0.161
315	176 164	-5.128 -5.128	0.946 0.671	0.054 0.054	0.039	-0.043 -0.015	-0.035 0.369	356	99 87	4.593 4.593	0.134 0.127	0.078 0.078	0.001	-0.068 -0.029	0.000 0.065
316	189 177	0.551 0.551	0.047	-0.097 -0.097	0.000	0.025 -0.024	-0.011 0.011	357	98 86	-0.153 -0.153	-0.182 -0.458	1.317	0.342	0.183 0.841	0.022 -0.138
317	188 176	-4.238 -4.238	0.203	0.020	0.030	-0.071 -0.061	-0.034 -0.001	358	111 99	4.715 4.715	0.078 0.071	0.063	0.000	-0.036 -0.005	-0.006 0.031
318	201 189	0.654 0.654	0.046	-0.094 -0.094	0.000	0.024	-0.011 0.010	359	110 98	1.129	1.455	1.561 1.561	0.430	-0.577 0.203	-0.643 0.015
319	200 188	-3.063 -3.063	0.076 -0.199	-0.030 -0.030	0.018 0.018	-0.077 -0.092	0.032 0.001	360	123 111	4.801 4.801	0.058	0.076 0.076	0.000	-0.027 0.011	-0.009 0.019
320	213 201	0.756 0.756	0.045	-0.098 -0.098	0.000	0.026 -0.023	-0.011 0.010	361	122 110	-0.255 -0.255	1.422	-0.102 -0.102	0.258 0.258	-0.202 -0.253	-0.047 0.595
321	212 200	-1.793 -1.793	0.415 0.139	-0.083 -0.083	0.000	-0.059 -0.101	-0.069 0.070	362	135 123	4.876 4.876	0.052	0.079	0.000	-0.024 0.015	-0.010 0.015
322	222 210	-0.693 -0.693	0.108 0.102	0.030	0.000	-0.008 0.007	-0.023 0.030	363	134 122	1.078	0.121 -0.155	-0.018 -0.018	0.278 0.278	-0.164 -0.173	-0.015 -0.024
323	18	-9.921 -9.921	0.044	-0.039 -0.039	0.000	-0.001 -0.020	-0.004 0.016	364	147 135	4.948 4.948	0.049	0.076 0.076	0.000	-0.022 0.016	-0.010 0.013
324	30 18	-9.378 -9.378	0.199 0.192	-0.061 -0.061	0.000	0.010 -0.020	-0.041 0.057	365	146 134	2.419 2.419	0.064	0.052 0.052	0.286 0.286	-0.161 -0.135	0.050 0.013
325	42 30	-8.844 -8.844	0.174 0.168	-0.062 -0.062	0.000	0.011	-0.042 0.044	366	159 147	5.019 5.019	0.046	0.076 0.076	0.000	-0.020 0.017	-0.010 0.011
326	54 42	-8.316 -8.316	0.193 0.187	-0.110 -0.110	0.000	0.022	-0.050 0.045	367	158 146	3.762 3.762	1.743	0.109 0.109	0.287 0.287	-0.189 -0.134	-0.722 0.080
327	66 54	-7.780 -7.780	0.147	-0.165 -0.165	0.000	0.039	-0.045 0.027	368	171 159	5.091 5.091	0.042	0.076 0.076	0.000	-0.019 0.018	-0.010 0.010
328	78 66	-7.145 -7.145	-0.050 -0.057	-0.355 -0.355	0.000	0.117	0.016	369	170 158	-8.823 -8.823	1.263 0.987	-0.094 -0.094	0.099	-0.054 -0.101	-0.045 0.518
329	90 78	-6.586 -6.586	0.362 0.356	0.268	0.000	-0.038 0.096	-0.091 0.088	370	183 171	5.166 5.166	0.043	0.076 0.076	0.000	-0.018 0.019	-0.010 0.009
330	102 90	-6.150 -6.150	0.210 0.203	0.140 0.140	0.000	-0.038 0.032	-0.064 0.039	371	182 170	-8.116 -8.116	0.138 -0.138	-0.043 -0.043	0.096 0.096	-0.012 -0.034	-0.013 -0.013
331	114 102	-5.634 -5.634	0.148 0.142	0.070	0.000	-0.025 0.011	-0.038 0.034	372	195 183	5.245 5.245	0.041 0.035	0.077	0.000	-0.017 0.021	-0.011 0.008
332	126 114	-5.074 -5.074	0.161 0.154	0.037	0.000	-0.016 0.003	-0.034 -0.036 0.043	373	194 182	-7.014 -7.014	-0.125 -0.400	-0.013 -0.013	0.089	0.016 0.009	0.151 0.019
333	138	-4.513 -4.513	0.174 0.167	0.015 0.015	0.000	-0.008 -0.001	-0.039 0.046	374	207 195	5.330 5.330	0.039	0.086 0.086	0.000	-0.019 0.024	-0.011 0.007
334	150 138	-3.961 -3.961	0.180 0.173	0.002	0.000	-0.001 -0.003 -0.002	-0.043 0.046	375	206 194	-5.779 -5.779	1.238	0.001	0.076 0.076	0.039	-0.365 0.185
335	162 150	-3.414 -3.414	0.173 0.182 0.175	-0.005 -0.005	0.000	0.000	-0.044 0.045	376	13 239	0.262 0.262	0.307 0.031	-0.071 -0.071	-0.030 -0.030	0.055 0.020	-0.012 0.073
336	174	-2.871 -2.871	0.182	-0.007	0.000	0.001	-0.045	377	10 236	0.188 0.188	0.000 -0.005	-0.001 -0.001	0.000	0.000 -0.001	0.008
337	186	-2.329	0.176	-0.007	0.000	0.002	0.045	378	230 244	5.895 5.895	2.413 2.192	0.515 0.515	0.017 0.017	-0.138 0.068	-0.811 0.110
338	174	-2.329	0.178	0.007	0.000	0.000	0.045	379	231 229	0.856 0.304	-0.136 -0.136	-0.100 -0.100	0.067 0.067	0.138 0.038	0.048 -0.087
339	186 210	-1.787	0.173	0.000	0.000	0.000	0.044	380	232 230	6.002 5.451	1.497 1.497	-0.493 -0.493	-0.118 -0.118	0.515 0.021	-0.686 0.811
340	198 219	-1.248 5.424	0.207	0.121	0.000	-0.036	0.049	381	233 3	0.192 0.189	-0.144 -0.149	0.039	0.000	0.003 0.024	0.035 -0.045
341	218	1.026	1.029	-0.015	0.000	0.025	0.007	382	229 235	-0.317 -0.330	0.009	-0.001 -0.001	0.000	0.000 -0.001	0.000 0.010
342	206	1.026 -6.757	0.753	0.015	0.053	0.065	-0.328	383	234	-7.662 -7.665	-0.146 -0.151	0.038	0.001	-0.007 0.014	0.037 -0.044
343	14	-6.757 -1.130	0.033	0.043	0.000	0.004	0.017	384	230 236	-0.219 -0.232	-0.004 -0.004	-0.002 -0.002	0.000	0.000	0.000
344	12 27	-1.130 -6.715	0.368	0.039	0.000	-0.628	0.694	385	237 8	0.055 0.049	0.004	0.001	0.000	0.000 0.001	0.001
345	15 26	-6.715 6.971	1.565	0.039	0.000	0.008	0.013	386	235 233	-0.335 -0.338	-0.179 -0.179	-0.001 -0.001	0.000	-0.001 -0.001	0.017 -0.032
346	14 39	6.971 -6.686	0.015	0.075	0.000	-0.396 -0.026	0.486	387	238 9	0.059	-0.003 -0.003	-0.013 -0.013	0.000	-0.009 -0.015	-0.002 -0.004
347	27 38	-6.686 8.222	0.008	0.075	0.000	0.012	0.007	388	236 234	-0.236 -0.239	0.184 0.184	-0.001 -0.001	-0.001 -0.001	-0.003 -0.003	-0.012 0.038
348	26 51	8.222	0.038	0.059	-0.543	-0.178	0.001	389	239 240	0.184 0.184	0.091 -0.185	-0.097 -0.097	-0.035 -0.035	0.015 -0.034	0.081 0.057
349	39 50	-6.666 9.327	0.031	0.059	-0.001 -0.511	-0.005 0.184	0.018	390	237 290	0.055 0.055	0.004	-0.001 -0.001	0.000	0.000	-0.001 -0.001
350	38 63	9.327 -6.616	-0.247 -0.036	-0.336 0.106	-0.511	0.016	-0.026 0.038	391	240 229	0.187 0.187	-0.251 -0.472	-0.110 -0.110	-0.035 -0.035	-0.034 -0.078	0.057 -0.087
351	51 62	-6.616 10.022	1.568	0.106	-0.001 -0.427	-0.013 0.252	0.019	392	238 291	0.059 0.065	-0.003 -0.003	0.013 0.013	0.000	-0.009 -0.002	0.002
352	50 75	10.022 -6.731	1.293	-0.162 -0.581	-0.427	0.171	0.037	393	241 4	-0.024 -0.029	0.004	-0.001 -0.001	0.000	0.000 -0.001	0.001
353	63 74	-6.731 -2.542	0.459	-0.581 -2.143	-0.001 -0.231	-0.073 1.016	0.058	394	242 5	-0.191 -0.197	0.011 0.011	-0.030 -0.030	0.000	-0.020 -0.035	0.007 0.013
354	62 87	-2.542 4.344	0.277	-2.143 0.991	0.002	-0.055 -0.145	0.430	395	241 292	-0.024 -0.023	0.004	0.001	0.000	0.000	-0.001 -0.001
	75	4.344	-0.297	0.991	0.002	0.351	-0.130	396	242 293	-0.191 -0.185	0.011 0.011	0.030	0.000	-0.020 -0.004	-0.007 -0.002

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
397	243 12	-0.254 -0.254	-4.035 -4.311	0.443	0.009	0.317 0.539	1.229 -0.857	438	268 203	0.071 0.068	0.001	0.124	0.000	0.007 0.064	-0.003 -0.004
398	244 243	5.884 5.884	2.376 2.100	0.485 0.485	0.017 0.017	0.068	0.110 1.228	439	283 166	-0.078 -0.079	-0.038 -0.040	0.084	-0.001 -0.001	-0.026 -0.007	0.008
399	228 245	0.000	0.000	0.000	0.000	0.000	0.001	440	282 179	0.057 0.054	0.008	0.120 0.120	0.001	0.006 0.061	-0.001 0.001
400	224 246	0.010 0.010	0.215 -0.061	-0.097 -0.097	-0.021 -0.021	0.095	-0.053 -0.014	441	281 191	0.063 0.062	0.004	0.121 0.121	0.001	0.051 0.062	-0.001 0.000
401	228 247	0.000	0.000	0.000	0.000	0.000	0.001	442	280 198	-0.021 -0.026	-0.024 -0.031	0.055 0.055	0.000	-0.010 0.031	0.003 -0.017
402	248 249	-0.365 -0.365	0.255	0.199 0.199	0.054	-0.113 -0.034	-0.025 0.033	443	279 210	0.116 0.114	-0.018 -0.021	0.048	0.000	0.009	-0.006 -0.013
403	250 251	0.754	-0.032 -0.032	-0.139 -0.139	0.069	0.169	-0.004 -0.036	444	223 211	0.000	0.383	0.003	0.000	0.000	-0.032 -0.032
404	252 248	0.673 0.121	0.017	-0.182 -0.182	-0.098 -0.098	0.241	0.008 0.025	445	278 160	0.053 0.051	0.018 0.016	-0.061 -0.061	0.001	0.024	-0.009 -0.005
405	251 284	0.021 0.014	0.000	0.000	0.000	0.000	0.000	446	277 173	0.056 0.053	0.013	-0.096 -0.096	-0.001 -0.001	0.000 -0.045	-0.008 -0.004
406	248 247	0.021	0.000	0.000	0.000	0.000	0.000	447	276 185	0.047 0.046	0.010 0.009	-0.099 -0.099	-0.001 -0.001	-0.038 -0.046	-0.003 -0.002
407	253 226	0.070	0.004	0.000	0.000	0.000	0.001	448	275 198	-0.033 -0.037	0.020	-0.054 -0.054	0.000	0.009 -0.031	0.001
408	245 254	0.003	0.000	0.000	0.000	0.000	0.000	449	274 210	0.060 0.057	0.014	-0.053 -0.053	0.000	-0.011 -0.031	0.007 0.012
409	255 227	0.138 0.133	0.002	-0.026 -0.026	0.000	-0.018 -0.031	0.001	450	19 6	0.000	0.383	0.006	0.000	-0.002 0.001	-0.032 -0.032
410	247 256	0.003	0.000	0.000	0.000	0.000	0.000	451	31 19	0.000	0.383	0.011	0.000	-0.003	-0.032 -0.032
411	246 257	-0.380 -0.380	0.283	-0.125 -0.125	-0.026 -0.026	0.042	-0.009 0.063	452	43 31	0.000	0.383	0.010 0.010	0.000	-0.002 0.003	-0.032 -0.032
412	253 285	0.070	0.004	0.000	0.000	0.000	-0.001 -0.001	453	55 43	0.000	0.383	0.010 0.010	0.000	-0.003 0.002	-0.032 -0.032
413	257 251	-0.382 -0.382	-0.139 -0.359	-0.151 -0.151	-0.026 -0.026	-0.020 -0.081	0.063	454	67 55	0.000	0.383	0.005 0.005	0.000	-0.001 0.002	-0.032 -0.032
414	255 287	0.138 0.144	0.002	0.026 0.026	0.000	-0.018 -0.004	-0.001 0.000	455	79 67	0.000	0.383	0.003	0.000	-0.001 0.001	-0.032 -0.032
415	258 220	-0.025 -0.031	0.002	0.000	0.000	0.000	0.001 0.002	456	91 79	0.000	0.383	0.003	0.000	0.000	-0.032 -0.032
416	259 221	0.005	-0.003 -0.003	-0.010 -0.010	0.000	-0.007 -0.012	-0.002 -0.003	457	103 91	0.000	0.383	-0.006 -0.006	0.000	0.002 -0.001	-0.032 -0.032
417	258 288	-0.025 -0.025	0.002	0.000	0.000	0.000	-0.001 -0.001	458	115 103	0.000	0.383	-0.005 -0.005	0.000	0.001 -0.002	-0.032 -0.032
418	259 289	0.005 0.011	-0.003 -0.003	0.010 0.010	0.000	-0.007 -0.001	0.002	459	127 115	0.000	0.383	-0.006 -0.006	0.000	0.002 -0.001	-0.032 -0.032
419	260 218	-0.006 -0.006	0.085 -0.191	0.165 0.165	0.048	0.066 0.149	-0.017 -0.043	460	139 127	0.000	0.383	-0.011 -0.011	0.000	0.003	-0.032 -0.032
420	249 260	-0.362 -0.362	0.022	0.188 0.188	0.054 0.054	-0.034 0.061	0.033 -0.025	461	151 139	0.000	0.383	-0.011 -0.011	0.000	0.003	-0.032 -0.032
421	219 206	-7.801 -7.796	0.015 0.010	-0.003 -0.003	0.000	0.002	-0.008 0.000	462	163 151	0.000	0.383	-0.006 -0.006	0.000	0.001	-0.032 -0.032
422	2 14	9.594 9.600	-0.008 -0.013	0.020	0.000	-0.017 -0.002	0.012 0.004	463	175 163	0.000	0.383	-0.004 -0.004	0.000	0.001 -0.001	-0.032 -0.032
423	7 20	1.577	-0.004	0.006	0.000	-0.003	0.003 -0.001	464	187 175	0.000	0.383	-0.006 -0.006	0.000	0.001	-0.032 -0.032
424	261 35	0.015 0.012	-0.009 0.005 0.001	0.006 0.145 0.145	0.000 0.001 0.001	0.001 0.008 0.075	-0.002 0.000	465	199 187	0.000	0.383	-0.001 -0.001	0.000	0.000	-0.032 -0.032
425	270	13.674 13.676	-0.025 -0.032	0.054 0.054	-0.001 -0.001	-0.009 0.025	-0.001 -0.019	466	211 199	0.000	0.383	0.003	0.000	-0.001 0.000	-0.032 -0.032
426	262	-0.146	-0.032	0.069	0.000	-0.014	0.007	467	217 205	0.000	0.383	-0.005 -0.005	0.000	0.001 -0.002	-0.032 -0.032
427	18 271	0.176	-0.039	0.069	0.000	0.037	-0.020 -0.037	468	11 1	0.000	0.383	0.015 0.015	0.000	-0.005 0.003	-0.032 -0.032
428	53 263 273	0.173	0.002	0.045	0.000	0.028	-0.047	469	25 11	0.000	0.383	0.039	0.000	-0.010 0.009	-0.032 -0.032
429	271	-0.314 13.537	-0.001	0.001	0.000	0.004	-0.004	470	37 25	0.000	0.383	0.048	0.000	-0.012 0.012	-0.032 -0.032
430	272	0.071	-0.066	-0.066	0.000	0.030	-0.042	471	49 37	0.000	0.383	0.054 0.054	0.000	-0.014 0.013	-0.032 -0.032
431	29	0.068	-0.123	-0.066	0.000	0.027	-0.011	472	284 245	0.014	0.000	0.000	0.000	0.000	0.000
432	265	0.062	0.017	-0.023	0.000	0.022	0.002	473	61 49	0.000	0.383	0.029 0.029	0.000	-0.005 0.010	-0.032 -0.032
433	274	0.060 13.494	0.014	-0.053 -0.121	0.000	0.019	0.007	474	285 246	0.070 0.073	0.004	0.000	0.000	0.000	-0.001 0.000
434	75 266	0.038	0.052	-0.121	-0.001	-0.056	-0.005	475	73 61	0.000	0.383	0.015 0.015	0.000	-0.005 0.002	-0.032 -0.032
435	197 273	0.035	0.009	0.042	0.000	-0.050	0.000	476	287 257	0.144 0.145	0.002	0.026 0.026	0.000	-0.004 0.000	0.000
436	269	0.119	-0.036	0.042	0.000	0.009	0.000	477	85 73	0.000	0.383	0.000	0.000	0.002	-0.032 -0.032
437	279	0.116	0.020	0.048	0.000	0.009	-0.006	478	97 85	0.000	0.383	-0.047 -0.047	0.000	0.013 -0.010	-0.032 -0.032
	18	-0.139	0.017	-0.082	0.000	-0.014	0.003	479	288 260	-0.025 -0.021	0.002	0.000	0.000	0.000	-0.001 0.000

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment	Memb	Node	Axial Force	Y-Axis Shear	Z-Axis Shear	X-Axis Torsion	Y-Axis Moment	Z-Axis Moment
480	109 97	0.000	0.383	-0.032 -0.032	0.000	0.005 -0.011	-0.032 -0.032	521	303 305	-13.131 -13.159	-0.210 -0.279	-0.005 -0.005	-0.016 -0.016	0.028 0.025	0.063 -0.069
481	289 249	0.011 0.012	-0.003 -0.003	0.010 0.010	0.000	-0.001 0.000	0.000	522	304 32	0.824 0.741	0.001	-0.069 -0.069	0.005	0.042	-0.001 0.000
482	121 109	0.000	0.383	-0.020 -0.020	0.000	0.007	-0.032 -0.032	523	304 306	-9.308 -9.335	-0.126 -0.195	-0.002 -0.002	-0.004 -0.004	0.005	0.040
483	133 121	0.000	0.383	-0.029 -0.029	0.000	0.006	-0.032 -0.032	524	305 38	0.144	0.011	-0.244 -0.244	0.024 0.024	0.098	-0.004 0.000
484	145 133	0.000	0.383	-0.019 -0.019	0.000	0.005	-0.032 -0.032	525	305 307	-12.995 -13.022	-0.303 -0.372	-0.023 -0.023	-0.015 -0.015	0.026 0.013	0.078 -0.104
485	157 145	0.000	0.383	-0.009 -0.009	0.000	0.002	-0.032 -0.032	526	306 44	0.295	0.001	-0.160 -0.160	0.005	0.064	0.000
486	169 157	0.000	0.383	-0.004 -0.004	0.000	0.001	-0.032 -0.032	527	306 308	-9.227 -9.255	-0.196 -0.265	-0.005 -0.005	-0.003 -0.003	0.004	0.053 -0.071
487	181 169	0.000	0.383	-0.006 -0.006	0.000	0.001	-0.032 -0.032	528	307 50	-1.026 -1.053	-0.015 -0.015	-0.646 -0.646	0.019 0.019	0.129	0.003
488	193 181	0.000	0.383	-0.004 -0.004	0.000	0.001	-0.032 -0.032	529	307 62	-12.220 -12.248	-0.046 -0.115	-0.023 -0.023	0.000	0.012	0.044
489	290 239	0.055 0.058	0.004	-0.001 -0.001	0.000	0.000	-0.001 0.000	530	308 56	-0.530 -0.558	-0.005 -0.005	-0.428 -0.428	0.003	0.086	0.001
490	291 240	0.065 0.066	-0.003 -0.003	0.013 0.013	0.000	-0.002 0.000	0.000	531	308 68	-8.714 -8.742	-0.019 -0.088	-0.002 -0.002	0.000	0.001	0.029
491	292 243	-0.023 -0.020	0.004	0.001 0.001	0.000	0.000	-0.001 0.000	532	309 170	1.503 1.476	0.012 0.012	-0.635 -0.635	-0.001 -0.001	0.127	-0.002 0.000
492	293 244	-0.185 -0.184	0.011	0.030	0.000	-0.004 0.000	-0.002 0.000	533	309 158	12.195 12.167	0.130 0.061	0.012 0.012	0.000	-0.006 0.000	-0.051 0.000
493	205 193	0.000	0.383	-0.007 -0.007	0.000	0.002	-0.032 -0.032	534	310 176	1.118	0.009	-0.445 -0.445	-0.002 -0.002	0.089	-0.002 0.000
494	6 286	0.000	1.073	0.000	0.000	0.000	-0.250 0.094	535	310 164	8.801 8.773	0.104	0.011 0.011	0.000	-0.006 0.000	-0.037 0.000
495	232 294	0.000	1.073	0.000	0.000	0.000	-0.250 0.056	536	311 182	0.666 0.611	-0.002 -0.002	-0.237 -0.237	-0.002 -0.002	0.095	0.001
496	286 295	0.000	0.306	0.000	0.000	0.000	0.094	537	311 309	12.946 12.919	0.362	-0.003 -0.003	0.001	-0.003 -0.004	-0.082 0.094
497	295 231	0.000	-0.460 -1.073	0.000	0.000	0.000	0.056 -0.250	538	312 188	0.535 0.480	0.003	-0.163 -0.163	-0.001 -0.001	0.065 0.000	-0.001 0.000
498	296	0.000	-0.306 -1.073	0.000	0.000	0.000	0.094	539	312 310	9.327 9.300	0.267 0.198	-0.001 -0.001	0.000	-0.004 -0.005	-0.060 0.066
499	294 296	0.000	0.460	0.000	0.000	0.000	0.056 0.094	540	313 194	-0.936 -1.019	-0.002 -0.002	-0.104 -0.104	-0.002 -0.002	0.062 0.000	0.001
500	223 297	0.000	1.073	0.000	0.000	0.000	-0.250 0.094	541	313 311	13.079 13.051	0.273	-0.001 -0.001	0.002	-0.002 -0.002	-0.067 0.062
501	252 298	0.000	1.073	0.000	0.000	0.000	-0.250 0.056	542	314 200	0.095 0.012	0.001	-0.071 -0.071	0.000	0.043	-0.001 0.000
502	297 299	0.000	0.306 -0.460	0.000	0.000	0.000	0.094	543	314 312	9.413 9.385	0.197 0.128	-0.005 -0.005	0.000	-0.002 -0.004	-0.047 0.041
503	299 250	0.000	-0.460 -1.073	0.000	0.000	0.000	0.056 -0.250	544	315 206	-4.862 -4.972	-0.001 -0.001	-0.040 -0.040	-0.003 -0.003	0.032	0.001
504	300 217	0.000	-0.306 -1.073	0.000	0.000	0.000	0.094	545	315 313	13.012 12.984	0.335 0.266	0.001	0.002	-0.003 -0.002	-0.091 0.071
505	298 300	0.000	0.460	0.000	0.000	0.000	0.056 0.094	546	316 212	-1.582 -1.692	0.000	-0.028 -0.028	0.002	0.022	0.000
506	231	0.000	0.690	0.000	0.000	0.000	-0.103 -0.103	547	316 314	9.365 9.338	0.244 0.175	-0.005 -0.005	-0.001 -0.001	0.001 -0.001	-0.064 0.049
507	250 252	0.000	0.690	0.000	0.000	0.000	-0.103 -0.103	565	227 215	0.105 0.105	0.203 0.196	-0.178 -0.178	0.000	0.052 -0.037	-0.066 0.034
508	230	-5.468 -5.330	0.097	-0.023 -0.023	-0.008 -0.008	0.019 -0.021	0.000	566	23 9	-0.088 -0.088	0.193 0.186	-0.237 -0.237	0.000	0.051 -0.068	-0.034 0.061
509	1	-12.478	-0.056	0.042	-0.003	-0.002	0.000	567	35 23	-0.102 -0.102	0.124 0.117	-0.319 -0.319	0.000	0.074 -0.085	-0.031 0.029
510	301	-12.506 0.017 -0.121	-0.125 0.097 -0.097	0.042	0.003	-0.009	0.000	568	47 35	-0.062 -0.062	0.158 0.151	-0.309 -0.309	0.000	0.072 -0.083	-0.041 0.036
511	229 217 248	0.539 0.401	0.097	0.011 -0.017 -0.017	-0.005	0.011 0.013 -0.015	0.000 0.000 0.000	569	59 47	0.020 0.020	0.140 0.133	-0.358 -0.358	0.000	0.083	-0.041 0.027
512	217	12.431	0.108	0.004	0.003	-0.005	0.000	570	71 59	0.153 0.153	0.134 0.128	-0.370 -0.370	0.000	0.088 -0.097	-0.038 0.027
513	315 223	0.578	0.039	0.004	0.003	-0.003	0.040	571	83 71	0.322 0.322	-0.003 -0.010	-0.434 -0.434	0.000	0.134 -0.083	0.030 0.026
514	251	0.440 8.957	0.086	0.012	-0.003	0.011	0.000	572	95 83	0.439 0.439	0.148 0.141	0.281 0.281	0.000	-0.042 0.099	-0.014 0.058
515	316	8.929 -8.852	-0.033	0.004	-0.003	0.002	0.028	573	107 95	0.431 0.431	0.002	0.178 0.178	0.000	-0.046 0.043	-0.014 -0.015
516	302	-8.880 6.264	0.013	0.000	0.018	0.005	-0.036	574	119 107	0.371 0.371	0.018 0.011	0.062 0.062	0.000	-0.021 0.010	-0.013 -0.006
517	301	-13.062	0.013	0.013	0.018	0.000	0.000	575	131 119	0.311 0.311	0.052 0.045	-0.034 -0.034	0.000	0.003 -0.013	-0.016 0.008
518	303	-13.090 2.520	0.000	0.013	0.005	0.028	0.000	576	143 131	0.268 0.268	0.078 0.071	-0.104 -0.104	0.000	0.022	-0.020 0.017
519	302	2.410 -9.259	0.000	0.000	-0.004	0.000	0.000	577	155 143	0.239 0.239	0.093	-0.145 -0.145	0.000	0.034	-0.023 0.022
520	304	-9.286 2.196	0.011	-0.106	0.024	0.005	-0.054	578	167 155	0.220 0.220	0.099	-0.165 -0.165	0.000	0.040 -0.042	-0.025 0.024
	26	2.113	0.011	-0.106	0.024	0.000	0.000	579	179 167	0.205 0.205	0.102 0.096	-0.174 -0.174	0.000	0.043 -0.044	-0.025 0.025

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923 \Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

Memb	Node	Axial Force	Y-Axis Shear		X-Axis Orsion	Y-Axis Moment	Z-Axis Moment	Load c	ase 2 (Line	ear): Seism	on X direct	ion		
								Node	X-Axis Force	Y-Axis Force	Z-Axis Force	X-Axis Moment	Y-Axis Moment	Z-Axis Moment
580	191 179	0.191 0.191		-0.175 -0.175	0.000	0.044	-0.024 0.025	1	-4.935 -4.624	-5.486 5.224	-0.298 0.312	-0.047 0.048	-0.588 -0.606	0.240
581	203 191	0.174		-0.172 -0.172	0.000	0.044	-0.024 0.026	11 19	0.022	-0.666 0.149	-0.001 0.005	0.000	0.000	0.000
582	215	0.150		-0.159	0.000	0.040	-0.017	25 31	-0.057 -0.061	-0.176 0.134	0.000	0.000	0.000	0.000
	203	0.150		-0.159	0.000	-0.039	0.026	37 43	-0.034 -0.037	0.034	-0.001 0.001	0.000	0.000	0.000
600	221 209	0.048	0.125 0.119	0.183 0.183	0.000	0.044	0.020	49 55 61	-0.040 -0.039 -6.570	-0.139 0.215 -0.331	0.000 -0.001 -0.027	0.000 0.000 -0.016	0.000 0.000 -0.204	0.000 0.000 6.350
601	17 5	-0.123 -0.123	0.132 0.126	0.000	0.000	0.004	-0.025 0.039	67 73	-6.642 0.005	0.293 -0.258	0.042	0.022	-0.178	6.377
602	29	-0.224	0.005	0.067	0.000	-0.020	0.001	79 85	0.004	0.197 -0.314	0.000	0.000	0.000	0.000
603	17 41	-0.224	0.040	0.067	0.000	0.014	0.002	91 97 103	-0.035 -0.005 -0.004	0.289 -0.241 0.242	0.000 0.000 0.000	0.000 0.000 0.000	0.000 0.000 0.000	0.000 0.000 0.000
003	29	-0.226	0.033	0.026	0.000	-0.010	0.026	109 115	-6.857 -6.784	-0.389 0.393	-0.008 0.015	-0.006 0.007	-0.008 -0.011	7.000 6.917
604	53 41	-0.482 -0.482		-0.093 -0.093	0.000	0.010 -0.036	-0.001 0.021	121 127	-0.003 -0.003	-0.235 0.231	0.000	0.000	0.000	0.000
605	65 53	-0.470 -0.470		-0.293 -0.293	0.001 0.001	0.095	-0.060 -0.012	133 139 145	-0.036 -0.036 0.003	-0.302 0.301 -0.226	0.000 0.000 0.000	0.000 0.000 0.000	0.000 0.000 0.000	0.000 0.000 0.000
606	77	-0.583		-0.347	0.001	0.150	0.022	151 157	0.003 -6.797	0.234	0.000	0.000	0.000	0.000 6.571
	65		-0.245	-0.347	0.001	-0.024	-0.098	163 169	-6.779 -0.040	0.365 -0.219	-0.007 -0.001	-0.005 0.000	0.165	6.532 0.000
607	89 77	-0.563 -0.563	0.212 0.206	0.428 0.428	0.000	-0.063 0.151	-0.085 0.019	175 181 187	-0.038 -0.039 -0.040	0.212 -0.255 0.255	0.000 0.000 0.000	0.000 0.000 0.000	0.000 0.000 0.000	0.000 0.000 0.000
608	101 89	-0.359 -0.359	0.002	0.480	-0.001 -0.001	-0.110 0.130	-0.025 -0.026	193 199	-0.040 -0.064 -0.053	-0.211 0.354	0.000	0.000	0.000	0.000
609	113	-0.180	0.036	0.289	0.000	-0.090	0.003	205 211	0.020 -0.107	-0.314 0.696	-0.001 0.002	0.000	0.000	0.000
	101	-0.180	0.030	0.289	0.000	0.054	0.020	217 223	-4.675 -4.543	-5.008 4.555	0.181 -0.214	0.036	0.631 0.573	0.237
610	125 113	-0.077 -0.077	0.085 0.078	0.200	0.000	-0.070 0.030	0.040	231 232 250	-1.064 -1.217 -1.100	-4.551 5.093 -4.703	-1.009 0.985 1.063	-0.843 0.828 0.894	0.064 0.062 -0.068	0.555 0.622 0.571
611	137 125	-0.023 -0.023	0.093	0.162 0.162	0.000	-0.054 0.027	-0.009 0.036	252	-1.093	4.675	-1.058	-0.888	-0.068	0.569
612	149	0.006	0.089	0.148	0.000	-0.044	-0.015	Load Reac	64.410 -64.410	0.000	0.000	0.000	0.000 -0.062	0.000 43.008
613	137 161	0.006	0.083	0.148	0.000	0.030	0.028			-2.394E-12 4.921E-13		1 0492-14	6 7179-14	0 5/07-15
013	149	0.021	0.078	0.141	0.000	0.032	0.023			ear): Seism			0.7175-14	9.5402-15
614	173 161	0.031	0.083	0.139 0.139	0.000	-0.035 0.034	-0.020 0.020		X-Axis	Y-Axis	Z-Axis	X-Axis	Y-Axis	Z-Axis
615	185 173	0.037	0.084	0.142 0.142	0.000	-0.034 0.037	-0.022 0.018	Node 1	Force -4.454	Force -21.625	Force -13.636	Moment -1.320	Moment	Moment 0.172
616	197	0.043	0.089	0.142	0.000	-0.033	-0.026	6	0.026	-5.880 5.404	-9.912 -0.501	-0.991 0.000	0.081 0.084 0.000	0.027 0.000
	185	0.043	0.082	0.149	0.000	0.042	0.017	19 25	-0.005 -0.004	1.799 1.770	-0.351 -0.192	0.000	0.000	0.000
617	209 197	0.050 0.050	0.081	0.177 0.177	0.000	-0.040 0.049	-0.024 0.015	31 37 43	0.004 0.001 0.002	0.401 -0.319 -0.160	-0.132 -0.082 -0.058	0.000 0.000 0.000	0.000 0.000 0.000	0.000 0.000 0.000
NODE R	EACTIONS	(kN,kNm)						43 49 55	0.002	-0.160 -0.804 -0.474	-0.022 -0.018	0.000	0.000	0.000
								61 67	2.969 0.496	5.695 3.158	-2.561 -1.915	-1.420 -1.039	0.279 0.051	-2.987 -0.784
Load c		near): Self						73 79	0.015	4.321 1.201	0.000	0.000	0.000	0.000
Node	X-Axis Force		Z-Axis Force					85 91 97	0.046 0.009 -0.015	0.780 -0.064 -1.431	0.000 0.000 0.000	0.000 0.000 0.000	0.000 0.000 0.000	0.000 0.000 0.000
1 6	0.199			-0.025 -0.026				103 109	-0.001 1.601	-1.088 -0.058	0.000	0.000	0.000	0.000
11 19	0.000	0 1.310	-0.003	0.000	0.000	0.000	0	115 121	0.578 0.009	-0.171 1.386	-1.955 0.000	-1.065 0.000	-0.067 0.000	-0.749 0.000
25 31 37	0.000 -0.000 0.000	1 1.342	0.000	0.000	0.000	0.000	0	127 133 139	0.005 -0.011 0.001	0.932 0.058 -0.015	0.000 0.000 0.000	0.000 0.000 0.000	0.000 0.000 0.000	0.000 0.000 0.000
43 49	-0.00	1 1.343	0.000	0.000	0.000	0.000)	145 151	-0.009 -0.005	-1.598 -1.176	0.000	0.000	0.000	0.000
55 61	-0.00	1.249	0.000	0.000	0.000	0.000	0	157 163	0.079 0.074	-4.232 -3.068	-2.655 -1.908	-1.443 -1.038	-0.063 -0.060	-0.285 -0.147
67 73	-0.159 0.000	0 1.189	0.000	0.000	0.000	0.000)	169 175	0.004 0.005	0.711 0.473	-0.023 -0.018	0.000	0.000	0.000
79 85 91	0.000 0.001 -0.001	1 1.272	0.000	0.000	0.000	0.000)	181 187 193	-0.003 -0.003	0.280 0.149 -1.415	-0.082 -0.059	0.000 0.000 0.000	0.000	0.000 0.000 0.000
97 103	0.000	0 1.191	0.000	0.000	0.000	0.000	0	199 205	0.000 -0.003 -0.003	-0.377 -4.878	-0.189 -0.132 -0.498	0.000	0.000 0.000 0.000	0.000
109 115	0.150	1.779	0.000	0.000	0.000	-0.14	7	211 217	-0.007 0.194	-1.726 11.609	-0.352 -13.622	0.000 -1.335	0.000	0.000
121 127	0.000	0 1.191	0.000	0.000	0.000	0.000	0	223 231	-0.289 0.045	6.176 -0.150	-9.927 -0.076	-0.990 -0.117	0.035 0.066	0.011 -0.021
133	-0.00	1 1.272	0.000	0.000	0.000	0.000	0	232 250	-1.405 -0.060	4.991 -0.251	-0.469 -0.162	-0.493 -0.189	-0.116 0.071	0.657
145 151 157	0.000 0.000 0.156	0 1.190	0.000	0.000	0.000	0.000	0	252 Load	0.075	-0.332	-0.205 64.410	-0.261 0.000	-0.099	0.000
163 169	-0.155 0.00	5 1.814 1 1.249	0.003	0.001	0.004	0.142	2	Reac	0.000	0.000	-64.410	-13.173	-0.102	-5.929
175 181	0.00	1 1.342	0.000	0.000	0.000	0.000	0	Equil Resid	1.091E-12 3.904E-12			2.712E-14	1.618E-14	2.914E-14
187 193 199	-0.001 0.001 -0.001	1 1.342	0.000	0.000	0.000	0.000)	Load c	ase 4 (Line	ear): SW+Sei	sm on X dir	ection		
205 211	0.000	0 1.311 2 1.310	0.003	0.000	0.000	0.000	0	Node	X-Axis Force	Y-Axis Force	Z-Axis Force	X-Axis Moment	Y-Axis Moment	Z-Axis Moment
217 223	0.196	5 2.855 4 2.856	-0.047 -0.048	0.026 0.026	-0.014 0.013	0.21	7 7	1	-4.735	-2.634	-0.248	-0.073	-0.573	0.456
231 232 250	0.090 -0.091 0.091	2 2.774	-0.025	-0.022	-0.002	-0.119	9	6 11 19	-4.821 0.022 0.020	8.082 0.650 1.459	0.360 -0.004 0.002	0.023 0.000 0.000	-0.620 0.000 0.000	0.029 0.000 0.000
252	-0.092							25 31	-0.056 -0.062	1.459 1.173 1.477	0.002 0.000 0.003	0.000	0.000	0.000
Load Reac	0.000							37 43	-0.033 -0.038	1.385 1.585	-0.001 0.000	0.000	0.000	0.000
	2.512E-14		-9.166E-15		0.055	2 005		49 55	-0.039 -0.040	1.116	-0.001 -0.001	0.000	0.000	0.000
Resid	1.954E-14	4 8.667E-15	2.252E-14	3.104E-16	9.U55E-16	3.U05E-16	0	61 67 73	-6.409 -6.801 0.004	1.489 2.108 0.931	-0.030 0.040 0.000	-0.017 0.021 0.000	-0.202 -0.181 0.000	6.205 6.524 0.000
								79 85	0.004	1.387	0.000	0.000	0.000	0.000

SPACE GASS 11.04 - STRUCTURAL CONCEPTS LTD

Job: \Sclnapsbs001.scl.local\Data\Engineers\Garry Newton Ltd\1923
\Design\Computer Analysis\2243\1923-2243 130510 EXISTING GN3 Loads ok

	X-Axis	Y-Axis	Z-Axis	X-Axis	Y-Axis	Z-Axis
Node	Force	Force	Force	Moment	Moment	Moment
91	-0.036	1.561	0.000	0.000	0.000	0.000
97	-0.004	0.949	0.000	0.000	0.000	0.000
103	-0.004	1.433	0.000	0.000	0.000	0.000
109	-6.707	1.390	-0.008	-0.006	-0.007	6.853
115	-6.938	2.172	0.015	0.007	-0.010	7.069
121	-0.003	0.955	0.000	0.000	0.000	0.000
127	-0.003	1.421	0.000		0.000	0.000
133	-0.035	0.970	0.000	0.000	0.000	0.000
139	-0.037	1.573	0.000	0.000	0.000	0.000
145	0.003	0.964	0.000	0.000	0.000	0.000
151	0.003	1.423	0.000	0.000	0.000	0.000
157	-6.641	1.456	0.019	0.009	0.170	6.428
163	-6.934	2.179	-0.004	-0.004	0.169	6.674
169	-0.039	1.030	0.000	0.000	0.000	0.000
175	-0.039	1.461	0.001	0.000	0.000	0.000
181	-0.038	1.088	0.000	0.000	0.000	0.000
187	-0.041	1.597	0.000	0.000	0.000	0.000
193	-0.062	1.131	0.000	0.000	0.000	0.000
199	-0.054	1.696	0.000	0.000	0.000	0.000
205	0.019	0.997	0.002	0.000	0.000	0.000
211	-0.109	2.006	0.005	0.000	0.000	0.000
217	-4.479	-2.153	0.134	0.062	0.617	0.454
223	-4.736	7.411	-0.261	-0.016	0.586	0.003
231	-0.973	-1.783	-1.032		0.066	0.674
232			0.960		0.061	0.504
250	-1.008	-1.935	1.085		-0.069	0.690
252	-1.185	7.442	-1.035	-0.867	-0.067	0.451
Load	64.410	-68.932	0.000	0.000	0.000	0.000
Reac	-64.410	68.932	0.000	-0.004	-0.063	43.015

Equil 0.000E+00 0.000E+00 1.312E-12
Resid 9.051E-13 6.247E-13 1.489E-12 6.652E-15 3.519E-14 1.249E-14

Load case 5 (Linear): SW+Seism on Z direction

	X-Axis	Y-Axis	Z-Axis	X-Axis	Y-Axis	Z-Axis
Node	Force	Force	Force	Moment	Moment	Moment
1	-4.255	-18.773	-13.587	-1.345	0.096	0.389
6	-0.171	-3.022	-9.864	-1.017	0.070	-0.191
11	-0.008	6.720	-0.505	0.000	0.000	0.000
19	-0.005	3.108	-0.354	0.000	0.000	0.000
25	-0.003	3.118	-0.191	0.000	0.000	0.000
31	0.002	1.744	-0.132	0.000	0.000	0.000
37	0.002	1.032	-0.083	0.000	0.000	0.000
43	0.001	1.183	-0.059	0.000	0.000	0.000
49	0.039	0.451	-0.022	0.000	0.000	0.000
55	0.008	0.775	-0.018	0.000	0.000	0.000
61	3.130	7.515	-2.563	-1.421	0.281	-3.131
67	0.337	4.973	-1.918	-1.040	0.048	-0.637
73	0.015	5.510	0.000	0.000	0.000	0.000
79	0.001	2.391	0.000	0.000	0.000	0.000
85	0.047	2.052	0.000	0.000	0.000	0.000
91	0.008	1.209	0.000	0.000	0.000	0.000
97	-0.015	-0.240	0.000	0.000	0.000	0.000
103	-0.001	0.103	0.000	0.000	0.000	0.000
109	1.751	1.720	-2.699	-1.471	-0.308	-1.978
115	0.424	1.608	-1.955	-1.065	-0.066	-0.597
121	0.009	2.576	0.000	0.000	0.000	0.000
127	0.005	2.123	0.000	0.000	0.000	0.000
133	-0.010	1.330	0.000	0.000	0.000	0.000
133	0.000	1.257	0.000	0.000	0.000	0.000
145	-0.009	-0.408	0.000	0.000	0.000	0.000
151	-0.005	0.014	0.000	0.000	0.000	0.000
157	0.235	-2.417	-2.652	-1.442	-0.066	-0.428
163	-0.081	-1.254	-1.906	-1.037	-0.056	-0.005
169	0.005	1.960	-0.023	0.000	0.000	0.000
175	0.005	1.722	-0.023	0.000	0.000	0.000
181	-0.004	1.622		0.000	0.000	0.000
181	-0.002	1.622	-0.081	0.000	0.000	0.000
193	0.004	-0.073	-0.058 -0.189	0.000	0.000	0.000
193						
	-0.005	0.964	-0.133	0.000	0.000	0.000
205	-0.004	-3.567	-0.495	0.000	0.000	0.000
211 217	-0.009 0.390	-0.415	-0.349	0.000	0.000	0.000
		14.464	-13.669		-0.071	0.228
223	-0.482	9.032	-9.975	-0.964	0.048	-0.207
231	0.136	2.618	-0.100	-0.138	0.067	0.098
232 250	-1.497 0.032	7.765 2.516	-0.493	-0.515 -0.169	-0.118 0.069	0.539
			-0.139			
252	-0.017	2.435	-0.182	-0.241	-0.098	-0.155
	0.000	60.000	64 410	0.000	0.000	0.000
Load	0.000	-68.932	64.410	0.000	0.000	0.000
Reac	0.000	68.932	-64.410	-13.175	-0.104	-5.923
Equil	1.144E-12	0.000E+00	0.000E+00			

Equil 1.144E-12 0.000E+00 0.000E+00 Resid 3.605E-12 9.619E-13 2.970E-12 3.055E-14 1.324E-14 9.768E-15

